

QST



DIGITAL EDITION



ARRL The National Association for
Amateur Radio®

July 2025

www.arrl.org

DEVOTED ENTIRELY TO AMATEUR RADIO

Training to Serve, Serving to Support

QST Reviews

Xiegu X6200 HF and 6-Meter
QRP Transceiver

Ham2K Portable Logger

Lynovation CTR2-MIDI



HF Enthusiasm

Single Side Band DNA passed down over 70 years

FTX-1 series

HF/50/144/430MHz ALL MODE TRANSCEIVER

FTX-1 Field

10W Version for Field Operation

FTX-1 optima

100W Version for 10W Field Operation and 100W Base Station



*Stand is commercially available product
not included in the optional accessories

YAESU
Radio for Professionals

YAESU USA
6125 Phyllis Drive, Cypress,
CA 90630 (714) 827-7600

For the latest Yaesu news, visit us on the Internet: <http://www.yaesu.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.

The New Flagship Mobile


144/430MHz 55/50W FM/C4FM Digital Dual Band Transceiver

FTM-510DR ASP

FTM-510DR (SPU-1 is required for ASP Operation)

Front Speaker + AESS Dual Speaker System
Search & Go / Touch & Go Operations
Improved PMG Operation
ASP for Better Coverage

The BIGHEAD



* BU-5 is required for Bluetooth Operation

■ Super-DX+ASP expands the communication range


The Super-DX with the ASP ensures reliable audio quality for weak signals and expands the communication range. ASP AUTO mode is also selectable. In this mode, the ASP is automatically activated when the transceiver detects weak signals in FM analog mode and AM mode.

Analog FM Super-DX Super-DX+ASP



ASP MANUAL MODE

Press the S-DX key to enable or disable S-DX and ASP.



YAESU
Radio for Professionals

YAESU USA
6125 Phyllis Drive, Cypress,
CA 90630 (714) 827-7600

For the latest Yaesu news, visit us on the Internet: <http://www.yaesu.com>

Specifications subject to change without notice. Some accessories and/or options may be standard in certain areas. Frequency coverage may differ in some countries. Check with your local Yaesu Dealer for specific details.



Offering the Gold Standard in
AMATEUR RADIO
PRODUCTS

Desktop Tuners
Zero Power Tuners
Remotes
Baluns/ Ununs
Meters
Cables
Analog Audio Filters



LDGelectronics.com

Contact Us: 410-586-2177

CLEARSPPEECH® CLEARSPPEECH® CLEARSPPEECH®



Eliminate hiss and noise with Clearspeech® Audio Solutions!

Clearly hear voice & amplify your audio!



Advantages of the DSP powered Clearspeech® algorithm:

- Adaptive filter algorithm learns the noise and subtracts it out
- Specifically designed for Ham Radio voice and CW use
- Adjustable filter for best reduction without distortion

**WEST MOUNTAIN
RADIO** 

Sales: 262-522-6500 ext 35

sales@westmountainradio.com

westmountainradio.com/QST0625

CLRspkr

- Amplified loudspeaker with ClearSpeech® adaptive DSP
- Recognizes intermittent nature of CW and allows it to pass noise free to reduce listening fatigue
- Volume and continuously adaptive filter controls

CLRdsp

- Speaker/headphone amplifier with ClearSpeech® adaptive DSP
- Recognizes intermittent nature of CW and SSB and removes noise to reduce listening fatigue
- Volume and continuously adaptive filter controls
- Use your existing shack speaker or mono/stereo headphones

CLRstereo

- Independent DSP noise reduction for Main and Sub RX or two separate radios
- Flexible audio switching - Listen to Main, Sub or both simultaneously
- Independent volume, tone and filtering for both channels

DIY

- Do-it-yourself DSP filtering
- Volume, Filter and Tone controls can be POTs or digital
- Simple Line in/Line out with no power amp



CLEARSPPEECH® CLEARSPPEECH® CLEARSPPEECH®

David A. Minster, NA2AA
Publisher

Becky R. Schoenfeld, W1BXY
Editorial Director

Dana Kasowitz, KC1SEB
Managing Editor

Sam Shaner, KE1SAM
Editor

Amanda Fahy
Assistant Editor

Paul Bourque, N1SFE
Contest Program Manager

Phil Salas, AD5X
John Stanley, K4ERO
Technical Editors

Dave Casler, KE0OG
Leanna Figlewski, KC1RMP
Steve Ford, WB8IMY
Steve Goodgame, K5ATA
Sierra Harrop, W5DX
Jon Jones, N0JK
Bernie McClenny, W3UR
Rick Palm, K1CE
Pascal Villeneuve, VA2PV
Paul Wade, W1GHZ
Contributing Editors

Terese Newman
Assistant Production Supervisor

Matt Ali
Layout & Production Specialist

Maty Weinberg, KB1EIB
Production Coordinator

David Pingree, N1NAS
Senior Technical Illustrator

Janet Rocco, W1JLR
Advertising Relationship Manager

Bob Inderbitzen, NQ1R
Director of Marketing & Innovation

Steve Ewald, WV1X
Field Organization Supervisor

9

Second Century
Personal Preparedness

30

2024 ARRL Donors

34

Operating WSPR QRPpp: It's All About the Noise
Conrad Trautmann, N2YCH

37

The Power Connector Adapter Hub
Donald "Don" Whiteside, WA8QMV

40

Product Review
Pascal Villeneuve, VA2PV
Xiegu X6200 HF and
6-Meter QRP Transceiver;
Ham2K Portable Logger;
Lynovation CTR2-MIDI



54

Supporting the Lone Rock Fire Response
Stephen Saltzman, AE7NW

56

An Emergency Operations Center Station Alternative
Gordon Mooneyhan, W4EGM

58

2024 SET Success
Michael Prasad, KC2UOA

61

A Case for Standardizing EmComm Training
John Minard, W5JXN, and J. M. Rowe, N5XFW

64

ARES Celebrates 90 Years of Service
Scott Yonally, N8SY

66

Simulated Emergency Test 2024 Results
Steve Ewald, WV1X

78

2024 ARRL 10-Meter Contest Results
Andrew Goss, AA5JF

81

2025 ARRL January VHF Contest Results
James Duffey, KK6MC

85

The 2025 ARRL 222 MHz and Up Distance Contest

86

August 2025 ARRL Rookie Roundup — RTTY



An icon next to an article means there's bonus content in the digital edition at www.arrl.org/qst.

Columns

Ask Dave.....	52
Classic Radio.....	98
Club Station.....	87
Contest Corral.....	77
Correspondence.....	24
Exam Info.....	75
Ham Media Playlist.....	89
Happenings.....	69
How's DX?.....	91
Member Spotlight.....	13
Public Service.....	73
The World Above 50 MHz.....	93
Up Front.....	20
100, 50, and 25 Years Ago.....	100

Departments

ARRL Section Managers.....	16
ARRL Special Service Clubs.....	88
Certificate of Code Proficiency Recipients.....	39
Convention and Hamfest Calendar.....	96
Feedback.....	90
Field Organization Reports.....	95
Guide to ARRL Member Benefits.....	14
Ham Ads.....	124
Index of Advertisers.....	126, 127
New Books.....	83
Officers, Division Directors, and Staff.....	15
QST Cover Plaque Award.....	95
Silent Keys.....	101
Special Event Stations.....	84
Strays.....	38
Volunteer Monitor Program Report.....	86
W1AW Qualifying Runs.....	39
W1AW Schedule.....	28



Our Cover


Our annual EmComm issue focuses on the service aspect of amateur radio, including the training that's necessary in order for hams to be effective, productive partners during community events, disasters, and emergencies. This issue presents "A Case for Standardizing EmComm Training" as well as the lessons a New Jersey group learned from their 2024 SET. You'll also see the results of training in action — "Supporting the Lone Rock Fire Response" details an Oregon group's support of a FEMA response. [Pete Harris, KE6ZIW, photo]

Digital and Mobile Editions

ARRL members can access the digital edition via a link at www.arrl.org/qst, download our iOS app from the iTunes Store, and download our Android app from the Google Play Store.

Write for QST

www.arrl.org/qst-author-guide
email: qst@arrl.org



QST (ISSN:0033-4812) is published monthly as its official journal by the American Radio Relay League, Inc., 225 Main St., Newington, CT 06111-1400, USA. Canada Post: Publications Mail Agreement #90-0901437. Canada returns to be sent to The Mail Group, 1501 Morse Ave., Elk Grove Village, IL 60007.

POSTMASTER: Send address changes to: QST, 225 Main St., Newington, CT 06111-1400, USA. Canada Post: Publications Mail Agreement #90-0901437. Canada returns to be sent to The Mail Group, 1501 Morse Ave., Elk Grove Village, IL 60007.

ARRL Membership and QST cannot be separated. All ARRL members have digital, online access to QST. Print subscriptions are available and sold separately. For ARRL members in the US, a subscription to QST via mail is

\$25 per year. For libraries and institutions, a subscription to QST is available for \$84 per year; single copies \$7.

ARRL Membership is available to individuals at \$59 per year. A reduced rate is available for licensed radio amateurs under 26 years old, for \$30 per year. Membership is available to the immediate family of a member living at the same address, and to anyone who is legally blind, for \$12 per year. A complete list of dues rates is available at www.arrl.org/join. Foreign remittances should be by international postal or express money order or bank draft negotiable in the US and for an equivalent amount in US funds.

Copyright © 2025 by the American Radio Relay League, Inc. Title registered at the US Patent Office. International copyright secured. All rights

reserved. Quedan reservados todos los derechos. Printed in the USA.

QST®, DXCC®, VUCC®, DX Century Club®, ARES®, Amateur Radio Emergency Service®, Logbook of The World®, LoTW®, and ARRL The National Association for Amateur Radio® are registered trademarks of the American Radio Relay League, Inc.

ARRL and QST in no way warrant the products described or reviewed herein. QST is available to blind and physically handicapped individuals from the Library of Congress, National Library Service for the Blind and Physically Handicapped. Call 1-800-424-8567 or go to www.loc.gov/nls.

Indexed by Applied Science and Technology Index, Library of Congress Catalog Card No: 21-9421.

To ensure prompt delivery, we ask that you periodically check the address information on your mailing label. If you find any inaccuracies, please contact Member Services at circulation@arrrl.org or 860-594-0200.

Reprints and permissions: permission@arrrl.org

Online Privacy Policy: www.arrrl.org/online-privacy-policy

Telephone: 860-594-0200

M17 IS THE **ONLY DIGITAL PROTOCOL** DESIGNED, MADE, AND **IMPLEMENTED BY HAMS.**



CS7000 M17

First Commercial
M17 amateur
radio

WHY THE CS7000-M17

- FCC Part 90 and IP67 compliant
- Large battery for extended operating life
- Superhetrodyne design with front-end varactor tuning
- Ability to use different digital modes
- Wide frequency range
- Get into boot mode with the press of a button

WHY THE CS7000-M17 PLUS

- Microprocessor runs 3x faster than the M17 and most other DMR radios
- Double the amount of code memory and triple the amount of RAM
- GPS, Bluetooth, vibrator, and a man-down sensor
- Double the amount of flash memory

CS7000 M17 PLUS


First Commercial M17
Amateur Radio with
two Digital Modes



VISIT US ONLINE AT WWW.CONNECTSYSTEMS.COM OR CALL US AT (818) 889-0503
18022 DELANO STREET ENCINO, CA 91316

When Every Second Counts, Be Ready to Transmit

Disasters Are Unpredictable—
Your Radio Setup Shouldn't Be



600+
500 unique
radio Programmers*
Find yours at
www.rtsystemsinc.com

Make sure your radio is ready to provide **clear, immediate communication** with our expert programming services.

- **Efficiency and Ease of Use**

Eliminate the need for extensive button pressing and knob turning.

- **Avoiding Compatibility Issues**

RT Systems creates software that's specific to each radio.

- **Enhanced Functionality**

Use all the functionality of your radio.

**SET UP
YOUR RADIO
THE WAY YOU
WANT IT!**

"The threat from extreme weather events highlights the importance of investing in preparedness."

Sheri Fink

rt SYSTEMS
AMATEUR RADIO PROGRAMMING
800-921-4834 | www.rtsystemsinc.com

*Each Programmer is unique to a specific radio and is not compatible between radio models.

DIAMOND ANTENNA

diamondantenna.net

When it comes to quality and performance, DIAMOND ANTENNA is the worldwide leader in VHF/UHF base and mobile antennas.

DIAMOND ANTENNAS help you get the most out of your on-air experience.

For all your base station and repeater needs, DIAMOND has an antenna that will work for you.

You've tried the rest, now own the best!

Here is a small sample of our wide variety of antennas

Model	Bands	Length Ft.	Max Pwr. Rating	Conn.
Dualband Base Station/Repeater Antennas				
X700HNA (4 section)	2m/70cm	24	200	N
X510HD (3 Section)	2m/70cm	17.2	330/250	UHF or N
X300A (2 Section)	2m/70cm	10	200	UHF or N
X200A (2 Section)	2m/70cm	8.3	200	UHF
X50A (1 Section)	2m/70cm	5.6	200	UHF or N
X30A (1 Section)	2m/70cm	4.5	150	UHF
Monoband Base Station/Repeater Antennas				
F23H (3 Section)	144-174 MHz (W/ Cut Chart)	15	350	UHF
F22A (2 Section)	2m	10.5	200	UHF
CP22E (Aluminum)	2m	8.9	200	UHF
F718A (Coax Element)	70cm	15	250	N
Dualband Mobile Antennas				
SG7900A	2m/70cm	62.2 in.	150	UHF or NMO
SG7500A	2m/70cm	40.6 in.	150	UHF or NMO
NR770H Series	2m/70cm	38.2 in.	200	UHF or NMO
MR77 Series	2m/70cm	20 in.	70	Mag Combo
AZ504FXH	2m/70cm	15.5 in.	50	UHF
AZ504SP	2m/70cm	15.5 in.	50	UHF
NR7900A	2m/70cm	57 in.	300/250	UHF
Monoband Mobile Antennas				
NR22L	2m	96.8 in.	100	UHF
M285	2m	52.4 in.	200	UHF or NMO

X700HNA Special Features:

- Heavy duty fiberglass radomes
- Four section assembly
- Overlapping outer shells for added strength
- Stainless steel mounting hardware & radials
- Strong waterproof joint couplings
- Type-N cable connection
- Wideband performance
- Highest gain Dual-band Base Antenna!

NR770H Series

SG7900A

X30A / X50A

X700HNA



**RF PARTS
COMPANY**

Diamond Antenna is a division of RF Parts Company

The Standard By Which All Others Are Judged



Second Century

Personal Preparedness

An area of amateur radio that is, by definition, an important element to the very existence of the service is emergency communications. I routinely remind hams to go to FCC Part 97, not just to know the rules and regulations, but to understand the why of amateur radio. We do not enjoy access to such vast spectrum privileges without giving something in return. And part of what we give back is "value...to the public... particularly with respect to providing emergency communications," according to Part 97.

ARRL operates the organization known as the Amateur Radio Emergency Service®, or ARES®. This is an effort to fulfill the mission set forth by the FCC in Part 97.1 by ensuring that there is a path for appropriate training, mentoring, exercises and practice, and reporting and analysis of overall preparedness. ARES is a great way to get involved in an organized program for emergency communications, but it is not the only one. SAFECOM has a wonderful set of resources that define the positions that require AUXCOMM training and how they fit into government responses to emergency situations. The Hurricane Watch Net provides another organized and trained group of amateurs who have the opportunity to assist the National Hurricane Center from hurricane-affected areas.

It is interesting, though, that the big story from last year was about a single radio amateur on a local repeater in Asheville, North Carolina, running an impromptu net collecting and passing vital information in the aftermath of a very unexpected disaster caused by Hurricane Helene. Although North Carolina is a very AUXCOMM-forward state, news stories did not emerge about trained first responders and AUXCOMM communicators. What did emerge were the stories of a volunteer who took on the task himself and ran with it. Does that tell the whole story? Of course not. But here's the big question: Could *you* have been that guy on the news?

Taking on the task of personal preparedness is a big deal. It is not simply buying equipment and keeping batteries charged. It is self-training on how the equipment works. It is creating operational checklists that you go over and over, once a week or more, to check into nets, pass messages on Winlink, ensure that APRS is working properly, and check on the effectiveness of your antennas as well as ensure that the assumptions you've made on *your* personal plan are still valid. Has something changed? Respond

by updating your plan and checklist. When the time comes, whatever it is, and however much or little notice you have, your muscle memory will kick in so you're not trying to figure things out from scratch. None of this requires you to be a part of a large local organization, although with this planning and these skills, you'd certainly be taken seriously by the powers that be.

A member recently said to me, "G M aRen't uS" — a shot at the GMRS community. Are we making the very same mistake we made 50 years ago when millions of Americans were on HF with CB radio? Diminishing or belittling the people who get utility from their GMRS radios is a big mistake. The expression goes: All emergencies are local. When you're looking for information in an affected area, you want input from anyone and everyone you can connect with. I would encourage you to know two things: GMRS is about utility, not hobby. And GMRS users will likely fire up their radios during an event and could provide critical information to you in your emergency response. I encourage you to get a GMRS license and radio(s) and be that point of interoperability in your local community.

FEMA talks about being a "resilient citizen." Be radio active! Get yourself to a high level of personal preparedness. Be a connector! Look at all locals, including GMRS users, to make a robust community of emergency communications. Have other ideas, or you're already a pro at this? Get involved with ARES, and we'll be looking for your field report after the next event.

David A. Minster, NA2AA
Chief Executive Officer

bhi

HEAR WEAK SIGNALS CLEARLY WITH A BHI NOISE CANCELLING PRODUCT!

***DON'T PUT UP WITH NOISE &
INTERFERENCE ANY LONGER***

The EQ20B-DSP is first class & really does improve the audio I am now hearing all calls much clearer.
Peter Joyner, MOWPJ



ParaPro EQ20-DSP

- Improved audio for those with hearing loss
- Advanced parametric equalisation system
- 10W audio per channel
- 9 to 40dB noise cancellation



Dual In-Line

- Dual channel DSP noise cancelling in-line module
- 8 filter levels 9 to 40dB
- 3.5mm speaker & line level connections



In-Line Module

- 5W amplified DSP noise cancelling in-line module
- 8 filter levels 8 to 40dB
- Use in-line with a loudspeaker



Compact In-Line

- Powerful audio processor
- Removes noise & interference
- Use with headphones
- Easy to use with "real-time" audio adjustment

Don't forget to check out our range of retrofit DSP install modules and our unique bhi accessories

bhi

WEBSITE:
bhi-ltd.com

DX
ENGINEERING

GigaParts
Technology Superstore

**HAM
RADIO
OUTLET**

R&L
ELECTRONICS
www.randl.com

Deploy Anywhere - Proven Results Without the Footprint.



HG1 Deluxe MLA

80-10m *
Portable - LMR600 Radiator
45W PEP
Manual Tuning 6:1 Calibrated Dial
\$535

HG3 Stepper MLA

45W PEP
80-10m * - LMR600 Radiator
Remote Tuning Stepper Motor
Auto Tuning with SWR bridge
\$1195

SOTA-1 QRP MLA

Ultra Light - Great for SOTA Expeditions
40-10m
15 W PEP
3:1 manual tuning
\$435

When it comes to antennas, nothing beats the convenience and performance of a top-rated Magnetic Loop Antenna (MLA). Our MLAs are the ideal solution for operators facing HOA restrictions, thanks to their compact, lightweight design that makes deployment easy in virtually any setting. But don't let the size fool you—these antennas deliver powerhouse performance, often matching or even exceeding that of a traditional dipole. With the integrated digital SWR bridge in our HG3 Series, auto-tuning is faster, easier, and more efficient than ever.

No space for a tower? HOA giving you trouble? Want to avoid unwanted attention? Our compact, high-performance MLAs are designed for hams who need to stay low-profile without compromising DX performance, audio clarity, or signal reliability. Trusted by seasoned operators and praised in *QST* and other leading ham radio publications, they're proven performers. Whether you're limited by space, regulations, or simply prefer to operate discreetly, this is the HF antenna you've been waiting for.

Here's Why Seasoned Hams Choose These MLAs - Stealthy, HOA-Friendly, and Proven Performance:



- ✓ **Nearly Invisible Installation**
 - Compact and self-contained
 - Blends into balconies, rooftops, or indoor spaces
 - No need for wires, masts, or radials
- ✓ **Outstanding Noise Rejection**
 - Inherent directional nulls reduce local electrical noise
 - Crisp signal clarity despite heavily QRM-polluted areas
 - Excellent signal-to-noise ratio in urban environments
- ✓ **Efficient, Even in Tight Spaces**
 - Optimized for 80 to 10 meters, with 80m option
 - Strong signal without a large yard or tower
 - Performs well in confined spaces
- ✓ **HOA-Friendly & Ready Anywhere**
 - No towers, no height restrictions, no hassle
 - Sets up easily in tight spaces—attics, patios, RV sites, and more
 - Perfect for HOA-regulated neighborhoods and portable operations
- ✓ **Stealthy by Design**
 - Low-visibility black LMA-600 radiator blends into the surroundings
 - Built tough with weather-resistant materials for year-round use
 - Ideal for discreet installations where appearance matters
- ✓ **Trusted by Experienced Hams**
 - Proven performance with expert support you can rely on
 - Preferred by knowledgeable operators who demand results
 - Backed by a community of real-world users and verified success

Visit us at [preciserf.com](https://www.preciserf.com) to purchase your MLA today!

• email: sales@preciserf.com • phone: 503-915-2490 • * some features are optional • some limitations may apply • prices subject to change • PrecisionRF® LLC © 2025 V1.1



SALTY WALT'S PORTABLE ANTENNA SKETCHBOOK



15 PORTABLE ANTENNAS, BEAUTIFULLY RENDERED!

Join Salty Walt, K4OGO, of the Coastal Waves & Wires YouTube channel, where all the action happens — right on the beach! Ham radio adventure awaits with these portable antenna designs. In addition to his sketches, Walt offers portable construction and operating tips, and just enough about counterpoise wires and ground to get you making contacts in no time.

Walt pairs each antenna with a dining spot you can try. He guides you to the best chowders, fish tacos, crab legs, and more, all while building antennas, making contacts, and soaking up some coastal rays.

Antennas include:

- The 17-five vertical
- Random-wire vertical antennas
- The Coastal 20
- The 5/8-wave vertical
- The delta loop (with a twist)
- The vertical square loop
- ...and more!

Salty Walt's Portable Antenna Sketchbook

ARRL Item No. 2226 | Retail \$25.95 | Member Price \$22.95

Order online at www.arrl.org/shop | Call toll-free US 1-888-277-5289



Member Spotlight

Rex Vokey, KE6MT

Introduction to Electronics

Rex Vokey, KE6MT, is a web developer, a trail runner, a ham, and the W6 coordinator for Summits on the Air (SOTA). He grew up with and around electronics in his father's Seattle store called Video Tech Services. "Lots of childhood memories there," he recalled.

One memorable electronics experience came in the form of a Science Fair 150 in 1 Project Kit from RadioShack. On the 150 in ONE board, he wired together a diode, capacitor, resistor, and antenna, and heard distant stations through the speaker. He recalled, "It wasn't a transceiver or anything, just a receiver, but it really stuck with me, just how cool radio is."

It wasn't until 2015 that Rex's radio fascination led him to ham radio. He was in Yosemite, running a trail from the top of the valley to the bottom. He carried a Family Radio Service (FRS) radio with him so he could keep in contact with his family, who were taking a road down the mountain in the car. Rain set in and didn't let up. The little FRS radio he had couldn't get through to his family. "So, I was trying to figure out where the heck they were," he recalled. After he found them and made it home, he started looking for a new radio, and he "ran across this Baofeng thing, and I was like, oh, yeah, that requires a ham license, and I have to learn Morse code for that." Later, he discovered the code requirement had gone away. "So, I jumped all over that," he said.

HF and SOTA

His first ham radio was, in fact, a Baofeng, but he quickly upgraded to a Yaesu handheld transceiver. At that point, HF seemed out of reach. He juggled living in the Bay Area with two small children and an extremely limited "fun budget." But in 2016 somebody got extremely grumpy with him on a repeater, which spurred him to really dive into HF. About the same time, he discovered SOTA, and he thought, "Oh my goodness, I love being outdoors, hiking, running, summiting, mountaineering. And you get up onto a summit, set up your radio in a perfectly RF-quiet environment, and make contacts." His initial SOTA activations relied on a handheld, but he eventually transitioned to a Yaesu FT-817 (which, for 5 W on SSB, is a lot of radio to be lugging up a mountain!). Even that extra transceiver weight couldn't hold him back though, and he continued to explore SOTA.

That time and effort culminated in him becoming the SOTA W6 Association Manager. He was hesitant at first, but after learning about the role and the time commitment, he decided he could hack it. Mostly, he fields questions about SOTA and connects new participants with more experienced operators.

These days, he has transitioned away from the FT-817 to an Elecraft KX2 while SOTAing. He hoists a random-wire antenna on a lightweight, telescoping fishing pole and matches it with the KX2's built-in antenna tuner. His home station consists of a KX3 and a 40-meter



horizontal loop at about 15 feet, which he uses to chase SOTA and POTA operators.

SOTA Adventures

SOTA has led Rex to bushwhacking, poison ivy, and mountain biking on summits, but probably his most harrowing adventure involves mountaintop snow camping. After hiking up a mountain, he and his companions set up a makeshift tarp shelter and tent. Snow began to fall, a little at first, and then faster, until thunder cracked in that way it does when it's nearby — not the distant rumble of shockwaves combining and canceling as they roll over miles, but the concussion of hundreds of millions of volts ionizing nearby atmosphere. After one near miss, Rex and his companions collapsed the tarp shelter, threw all their stuff into the tent, and descended as quickly as possible. Needless to say, Rex didn't make many contacts on that hike. His trusty random wire would've been more liability than lifeline!

Guide to Member Benefits



ARRL Online | www.arrl.org/myarrl

Create an online ARRL Member account, and get access to members-only benefits. Register at www.arrl.org/myARRL. Already registered? Log in at the top of the ARRL website.

ARRL Magazines | www.arrl.org/magazines



Members can access the digital editions of four ARRL magazines from a web browser and the free ARRL Magazines app available from Apple's App Store, Google Play, and Amazon Kindle. Members need a valid ARRL account to access the digital magazines, Periodicals Archive and Search, and Product Review Archive. Print subscriptions are available and sold separately.

QST – ARRL's monthly membership journal

On the Air – for new and beginner-to-intermediate-level radio amateurs

QEX – A Forum for Communications Experimenters

NCJ – the National Contest Journal

E-Newsletters | www.arrl.org/opt-in-out

Subscribe to the weekly ARRL Letter, the monthly ARRL Current, and a variety of other e-newsletters and announcements for members. Keep up with ARRL News, publications, podcasts, and calendars.

Email Forwarding Service

Email sent to your arrl.net address will be forwarded to any email account you specify.

ARRL Learning Center | learn.arrl.org

This online learning environment is designed to help members get the most out of amateur radio. Courses, tutorials, and resources cover getting on the air, emergency communications, and electronics and technology.

Technical Information Service | www.arrl.org/tis

Call or email our expert ARRL Lab specialists for answers to all of your technical and operating questions.

Join or Renew

www.arrl.org/join

Donate

www.arrl.org/donate

Benefits

www.arrl.org/benefits

Shop

www.arrl.org/shop

Advocacy | www.arrl.org/regulatory-advocacy

ARRL supports legislation and regulatory measures that preserve and protect meaningful access to the radio spectrum. Our **ARRL Regulatory Information Branch** answers member questions concerning FCC rules and operating practices.

Logbook of The World – LoTW

www.arrl.org/lotw

Record your contacts and qualify for awards using ARRL's premier logging service.

Group Benefits* | www.arrl.org/benefits

ARRL Ham Radio Equipment Insurance Plan *US only

Find...

...a License Exam Session | www.arrl.org/exam

...a Licensing Class | www.arrl.org/class

...a Radio Club (ARRL-affiliated) | www.arrl.org/clubs

...a Hamfest or Convention | www.arrl.org/hamfests

Interested in Becoming a Ham?

www.arrl.org/newham

newham@arrl.org | Tel. 1-800-326-3942 (US)

Connect with ARRL

ARRL The National Association for Amateur Radio®

225 Main Street, Newington, CT 06111-1400 USA

1-860-594-0200, or 1-888-277-5289 (toll-free US only)

Mon. – Thurs. 8 AM to 7 PM EST, and Fri. 8 AM to 5 PM EST, except holidays

Email: hq@arrl.org

Contact ARRL: www.arrl.org/contact-arrl



Website: www.arrl.org

Facebook: [@ARRL.org](https://www.facebook.com/ARRL.org)

X: [@arrl](https://twitter.com/arrl), [@w1aw](https://twitter.com/w1aw), [@arrl_ares](https://twitter.com/arrl_ares)

Threads: [@arrlhq](https://www.threads.net/@arrlhq)

Instagram and Instagram TV: [@arrlhq](https://www.instagram.com/arrlhq)

YouTube: [ARRLHQ](https://www.youtube.com/ARRLHQ)

LinkedIn: www.linkedin.com/company/american-radio-relay-league

The American Radio Relay League, Inc.

ARRL The National Association for Amateur Radio® in the United States: supports the awareness and growth of Amateur Radio worldwide; advocates for meaningful access to radio spectrum; strives for every member to get involved, get active, and get on the air; encourages radio experimentation and, through its members, advances radio technology and education; and organizes and trains volunteers to serve their communities by providing public service and emergency communications (ARRL's Vision Statement, adopted in January 2016).

ARRL is an incorporated, noncommercial association without capital stock chartered under the laws of the State of Connecticut, and is an exempt organization under Section 501(c)(3) of the Internal Revenue Code of 1986. Its affairs are governed by a Board of Directors, whose voting members are elected every 3 years by the general membership. The officers are elected or appointed by the Directors.

ARRL is noncommercial, and no one with a pervasive and continuing conflict of interest is eligible for membership on its Board.

"Of, by, and for the radio amateur," ARRL numbers within its ranks the vast majority of active amateurs in the nation and has a proud history of achievement as the standard-bearer in amateur affairs.

A *bona fide* interest in Amateur Radio is the only essential qualification of membership; an amateur radio license is not a prerequisite, although full voting membership is granted only to licensed amateurs in the US.

Membership inquiries and general correspondence should be addressed to the administrative headquarters: ARRL, 225 Main St., Newington, Connecticut 06111-1400 USA.

Officers, Division Directors, and Staff

As an ARRL member, you elect the Director and Vice Director who represent your Division on ARRL policy matters. If you have a question or comment about ARRL policies, contact your representatives listed below.

Officers

Founding President 1914-1936
Hiram Percy Maxim, W1AW

President
Rick Roderick, K5UR*
P.O. Box 444, Vilonia, AR 72173
501-988-2527; k5ur@arrl.org

First Vice President
Kristen McIntyre, K6WX*
900 Golden Wheel Park Dr., #85
San Jose, CA 95112
510-703-4942; k6wx@arrl.org

Second Vice President
Mike Ritz, W7VO
33643 Burma Rd.
Scappoose, OR 97056
503-987-1269; w7vo@arrl.org

International Affairs Vice President
Rod Stafford, W6ROD
5155 Shadow Est.
San Jose, CA 95135
408-238-4671; w6rod@arrl.org

Chief Executive Officer and Secretary
David A. Minster, NA2AA*
225 Main St.
Newington, CT 06111
860-594-0404; dminster@arrl.org

Treasurer
John Sager, WJ7S

Chief Financial Officer
Diane Middleton, W2DLM

Staff

VEC Manager
Maria Somma, AB1FM

Field Services Manager
Mike Walters, W8ZY

Radiosport & Regulatory Information Manager
Bart Jahnke, W9JJ

Laboratory Manager
George Spatta, W1GKS

Director of Emergency Management
Josh Johnston, KE5MHV

Director of Marketing & Innovation
Bob Inderbitzen, NQ1R

Marketing Operations Manager
Jason Leonard, KJ7FEZ

Retail Sales & Marketing Manager
Jackie Ferreira, KB1PWB

Advertising Relationship Manager
Janet Rocco, W1JLR

Public Relations & Outreach Manager
Sierra Harrop, W5DX

Director of Publications & Editorial
Becky R. Schoenfeld, W1BXV

Education & Learning Manager
Steve Goodgame, K5ATA

Director of IT
Justin Biamonte

Director of Development
Kevin Beal, K8EAL

Development Operations Manager
Christina Lessard, KC1TDM

Controller
Thomas Bell, KC1MHQ

Human Resources Manager
Amber von Hone

Atlantic Division

www.atldiv.org
Robert B. Famiglio, K3RF
P.O. Box 9, Media, PA 19063
610-359-7300; k3rf@arrl.org

Vice Director: Vacant

Central Division

www.central.arrl.org
Brent Walls, N9BA
2151 E. Bomar Ln., Greenfield, IN 46140
317-557-7224; n9ba@arrl.org
Vice Director: **Joshua Long, W9HT**
8725 Edwardsberg Pl., New Haven, IN 46774
260-749-9851; w9ht@arrl.org

Dakota Division

www.arrldakota.org
Bill Lippert, AC0W*
2013 6th Ave. SE, Austin, MN 55912
507-993-9181; ac0w@arrl.org
Vice Director: **Lynn Nelson, W0ND**
3204 Willow Ln. SE, Minot, ND 58701
701-833-1000; w0nd@arrl.org

Delta Division

www.arrldelta.org
David A. Norris, K5UZ
1200 Becky Ln., Redfield, AR 72132
870-613-1606; k5uz@arrl.org
Vice Director: **Ed B. Hudgens, WB4RHQ**
1441 Wexford Downs Ln., Nashville, TN 37211
615-630-2753; wb4rhq@arrl.org

Great Lakes Division

www.arrl-greatlakes.org
Scott Yonally, N8SY*
258 Valley Hi Dr., Lexington, OH 44904
419-512-4445; n8sy@arrl.org
Vice Director: **Roy Hook, W8REH**
6611 Steitz Rd., Powell, OH 43065
w8reh@arrl.org

Hudson Division

www.hudson.arrl.org
Ed Wilson, N2XDD
P.O. Box 483, Shirley, NY 11967
631-484-8826; n2xdd@arrl.org
Vice Director: **David Galletly, KM2O**
540 Wemple Rd., Glenmont, NY 12077
518-421-8324; km2o@arrl.org

Midwest Division

www.arrlmidwest.org
Art Zygielbaum, K0AIZ*
6601 Pinecrest Dr., Lincoln, NE 68516
402-421-0840; k0aiz@arrl.org
Vice Director: **Dave Propper, K2DP**
747 Old Bonhomme Rd., University City, MO 63132, 314-225-5167; k2dp@arrl.org

How to Contact ARRL Staff

To send an email to any ARRL Headquarters staff member, put his or her call sign (or first initial and last name) in front of @arrl.org. For example, to send to Hiram Maxim, First President of ARRL, use w1aw@arrl.org or hmaxim@arrl.org.

*Executive Committee Member

New England Division

<https://nediv.arrl.org>
Tom Frenaye, K1KI
P.O. Box J, West Suffield, CT 06093
860-597-4539; k1ki@arrl.org

Vice Director: **Phillip E. Temples, K9HI**
125 Coolidge Ave. #803
Watertown, MA 02472-2875
617-331-0183; k9hi@arrl.org

Northwestern Division

www.arrlnwdiv.org
Mark J. Tharp, KB7HDX
P.O. Box 2222, Yakima, WA 98907
509-952-5764; kb7hdx@arrl.org
Vice Director: **Michael A. Sterba, KG7HQ**
212 Laurel Dr., Sedro Woolley, WA 98284
360-708-2757; kg7hq@arrl.org

Pacific Division

www.pacific.arrl.org
Anthony Marcin, W7XM
6836 Boulder Canyon St., North Las Vegas, NV 89084, 702-984-9589; w7xm@arrl.org
Vice Director: **John Litz, N26Q**
1434 Douglas Rd., Stockton, CA 95207
209-687-0774; n26q@arrl.org

Roanoke Division

www.arrl-roanoke.com
Dr. James Boehner, N2ZZ*
525 Barnwell Ave. NW, Aiken, SC 29801-3939
803-343-9040; n2zz@arrl.org
Vice Director: **Bill Morine, N2COP**
101 Windlass Dr., Wilmington, NC 28409
910-452-1770; n2cop@arrl.org

Rocky Mountain Division

www.rockymountainindivision.org
Jeff Ryan, K0RM*
9975 Wadsworth Pkwy. K2-275
Westminster, CO 80021
303-432-2886; k0rm@arrl.org
Vice Director: **Dan Grady, N2SRK**
8706 S. Buchanan Way, Aurora, CO 80016
720-236-7397; n2srk@arrl.org

Southeastern Division

www.facebook.com/ARRLSoutheasternDivision
Mickey Baker, N4MB
14764 Black Bear Rd., West Palm Beach, FL 33418, 561-320-2775; n4mb@arrl.org
Vice Director: **Andrew Milluzzi, KK4LWR**
440-829-1187; kk4lwr@arrl.org

Southwestern Division

www.kkn.net/n6aa
Richard J. Norton, N6AA
21290 West Hillside Dr., Topanga, CA 90290
310-455-1138; n6aa@arrl.org
Vice Director: **Edward Stearns, AA7A**
7038 E. Aster Dr., Scottsdale, AZ 85254
480-332-8255; aa7a@arrl.org

West Gulf Division

www.westgulfdivision.org
John Robert Stratton, N5AUS
P.O. Box 2232, Austin, TX 78768-2232
512-445-6262; n5aus@arrl.org
Vice Director: **Lee H. Cooper, W5LHC**
2507 Autrey Dr., Leander, TX 78641
512-658-3910; w5lhc@arrl.org

ARRL Section Managers

The 15 Divisions of ARRL are arranged into 71 administrative Sections, each headed by an elected Section Manager (SM). Your SM is the person to contact when you have news about your activities, or those of your radio club. If you need assistance with a local problem, your SM is your first point of contact. He or she can put you in touch with various ARRL volunteers who can help (such as Technical Specialists). Your SM is also the person to see if you'd like to become a Section volunteer. Whatever your license class, your SM has an appointment available. Visit your Section page at www.arrrl.org/sections.

Atlantic Division DE, EPA, MDC, NNY, SNJ, WNY, WPA

Delaware: Steven Keller, KC3DSO, 803 Meadow Brook Ln., Milford, DE 19963-3000 240-515-0620; kc3dso@arrrl.org

Eastern Pennsylvania: Bob Wilson, W3BIG, 2223 West Helms Manor, Upper Chichester, PA 19061-3325; 484-836-9367; w3big@arrrl.org

Maryland-DC: Chris Van Winkle, AB3WG, 24 Tattersaul Ct., Reisterstown, MD 21136-2431; 240-755-4257; ab3wg@arrrl.org

Northern New York: Rocco Conte, WU2M, 152 W. Bush Rd., Gloversville, NY 12078-6405; 518-848-9028; wu2m@arrrl.org

Southern New Jersey: Ron Fish, KX1W, 29 S. Canary Way, Galloway, NJ 08205-6208; 845-988-6705; kx1w@arrrl.org

Western New York: Scott Bauer, W2LC, 1964 Connors Rd., Baldwinsville, NY 13027-9743; 315-430-6368; w2lc@arrrl.org

Western Pennsylvania: Joe Shupienis, W3BC, P.O. Box 73, Falls Creek, PA 15840-0322; 814-771-3804; w3bc@arrrl.org

Central Division IL, IN, WI

Illinois: Thomas Beebe, W9RY, 3540 Market Rd., Marion, IL 62959-8940 618-534-6282; w9ry@arrrl.org

Indiana: Bob Burns, AK9R, P.O. Box 808, Brownsburg, IN 46112 317-520-1188; ak9r@arrrl.org

Wisconsin: Jason Spetz, KC9FXE, E5910 490th Ave., Menomonie, WI 54751-5644 715-231-7722; kc9fxe@arrrl.org

Dakota Division MN, ND, SD

Minnesota: Bill Mitchell, AE0EE, 7412 Colfax Ave. S., Richfield, MN 55423 510-529-5658; ae0ee@arrrl.org

North Dakota: Ralph Fettig, N0RDF, 6650 County Rd. 12 W., Minot, ND 58701-3003 701-822-3467; n0rdf@arrrl.org

South Dakota: Chris Stallkamp, K10D, P.O. Box 271, Selby, SD 57472-0271 605-848-3929; k10d@arrrl.org

Delta Division AR, LA, MS, TN

Arkansas: James D. Ferguson, Jr., N5LKE, 1500 Lauren Dr., Searcy, AR 72143-8477 501-593-5695; n5lke@arrrl.org

Louisiana: Houston Polson, N5YS, 309 Arkansas St., Winnfield, LA 71483 318-209-8843; n5ys@arrrl.org

Mississippi: Malcolm Keown, W5XX, 64 Lake Circle Dr., Vicksburg, MS 39180 601-636-0827; w5xx@arrrl.org

Tennessee: David Thomas, KM4NYI, 205 Linford Rd., Knoxville, TN 37920 865-654-5489; km4nyi@arrrl.org

Great Lakes Division KY, MI, OH

Kentucky: Alan Morgan, KY1O, 1711 Willisburg Rd., Lawrenceburg, KY 40342-9555 859-753-5092; ky1o@arrrl.org

Michigan: Larry Camp, WB8R, 71 Oakdale Ln., Coldwater, MI 49036-1200 517-617-4883; wb8r@arrrl.org

Ohio: Tom Sly, WB8LCD, 1480 Lake Martin Dr., Kent, OH 44240-6260 330-554-4650; wb8lcd@arrrl.org

Hudson Division ENY, NJ, NNJ

Eastern New York: John K. Fritze, Jr., K2QY, 4 Normanskill Blvd., Delmar, NY 12054-1335; 401-261-4996; k2qy@arrrl.org

NYC-Long Island: Jim Mezey, W2KFV, 38 Appletree Ln., Carle Place, NY 11514-1336 516-315-8608; w2kfv@arrrl.org

Northern New Jersey: Nomar Vizcarrondo, NP4H, P.O. Box 245, Tenefly, NJ 07670-0245 917-443-2664; np4h@arrrl.org

Midwest Division IA, KS, MO, NE

Iowa: Barry Buelow, W0IY, 4109 Cedar Heights Dr., Center Point, IA 52213-9206 319-651-4985; w0iy@arrrl.org

Kansas: Ronald D. Cowan, KB0DTI, P.O. Box 36, La Cygne, KS 66040 913-757-4456; kb0dti@arrrl.org

Missouri: Cecil Higgins, AC0HA, 27995 County Rd. 220, Hermitage, MO 65668-8493 417-493-8208; ac0ha@arrrl.org

Nebraska: Matthew N. Anderson, KA0BOJ, 14300 NW 98th St., Raymond, NE 68428-4254; 402-480-5515; ka0boj@arrrl.org

New England Division CT, MA, ME, NH, RI, VT, WMA

Connecticut: Douglas Sharafanowich, WA1SFH, 168 Housatonic Dr., Milford, CT 06460-4936; 203-494-3887; wa1sfh@arrrl.org

Eastern Massachusetts: Jon McCombie, N1ILZ, 75 Northwest St., Eastham, MA 02642 508-246-4982; n1ilz@arrrl.org

Maine: Philip Duggan, N1EP, 195 Kansas Rd., Milbridge, ME 04658-3120 207-598-5397; n1ep@arrrl.org

New Hampshire: Peter Stohrer, W1FEA, 9 Gladstone St., Concord, NH 03301-3130 603-435-1470; w1fea@arrrl.org

Rhode Island: Nancy Austin, KC1NEK, P.O. Box 4941, Middletown, RI 02842-0941 401-935-3070; kc1nek@arrrl.org

Vermont: Paul N. Gayet, AA1SU, 11 Cherry St., Essex Junction, VT 05452 802-878-2215; aa1su@arrrl.org

Western Massachusetts: Raymond Lajoie, AA1SE, 245 Leominster Rd., Lunenburg, MA 01462-2031; 978-549-5507; aa1se@arrrl.org

Northwestern Division AK, EWA, ID, MT, OR, WWA

Alaska: David Stevens, KL7EB, 8521 Golden St., Apt. 4, Anchorage, AK 99502 907-242-6483; kl7eb@arrrl.org

Eastern Washington: Jo Whitney, KA7LJQ, P.O. Box 2222, Yakima, WA 98907 509-952-5765; ka7ljq@arrrl.org

Idaho: Dan Marler, K7REX, 4620 Highway 30 S., New Plymouth, ID 83655-5309 208-914-8939; k7rex@arrrl.org

Montana: Kevin Kerr, W1KGK, P.O. Box 69, Plains, MT 59859-0069 406-242-0109; w1kgk@arrrl.org

Oregon: Scott Rosenfeld, N7JL, 3662 Vine Maple St., Eugene, OR 97405-4473 541-684-9970; n7ji@arrrl.org

Western Washington: Bob Purdom, AD7LJ, P.O. Box 65171, University Place, WA 98464-1171; 253-691-2388; ad7lj@arrrl.org

Pacific Division EB, NV, PAC, SCV, SF, SJV, SV

East Bay: Mike Patterson, N6JGA, P.O. Box 30627, Walnut Creek, CA 94598 925-200-8300; n6jga@arrrl.org

Nevada: Craig McVeay, N0CSM, 3820 Twilight Ave., Pahrump, NV 89048 305-712-0254; n0csm@arrrl.org

Pacific: Alan Maenchen, AD6E, 2164 Kamaile St., Wailuku, HI 96793-5458 408-382-1008; ad6e@arrrl.org

Sacramento Valley: Dr. Carol Milazzo, KP4MD, P.O. Box 665, Citrus Heights, CA 95611-0665; 916-259-3221; kp4md@arrrl.org

San Francisco: Dr. Antonis Papatsaras, AA6PP, 48 Bayo Vista Ave., Larkspur, CA 94939-1006; 415-861-5053; aa6pp@arrrl.org

San Joaquin Valley: Steven Hendricks, KK6JTB, P.O. Box 630, Inyokern, CA 93527-0630; 760-977-2590; kk6jtb@arrrl.org

Santa Clara Valley: James Armstrong, NV6W, 2048 Paseo Del Sol, San Jose, CA 95124-2048; 408-679-1680; nv6w@arrrl.org

Roanoke Division NC, SC, VA, WV

North Carolina: Marvin K. Hoffman, WA4NC, P.O. Box 2208, Boone, NC 28607 828-964-6626; wa4nc@arrrl.org

South Carolina: Matthew Crook, W1MRC, 220 Star Hill Ln., Lexington, SC 29072-6948; 803-386-1069; w1mrc@arrrl.org

Virginia: Jack Smith, KE4LWT, 515 New Life Dr., Ruckersville, VA 22968-3045 662-523-0000; ke4lwt@arrrl.org

West Virginia: Dan Ringer, K8WV, 18 W. Front St., Morgantown, WV 26501-4507 304-292-1999; k8wv@arrrl.org

Rocky Mountain Division CO, NM, UT, WY

Colorado: Amanda Alden, K1DDN, 230 Glenmoor Rd., Canon City, CO 81212-7705 719-735-8444; k1ddn@arrrl.org

New Mexico: Bill Mader, K8TE, 4701 Sombereite Rd. SE, Rio Rancho, NM 87124 505-250-8570; k8te@arrrl.org

Utah: Brett Pruitt, K7BDP, 239 S. Valley View Dr., Hurricane, UT 84737-4413 435-922-1114; k7bdp@arrrl.org

Wyoming: Garth Crowe, Sr., WY7GC, 2342 Sagewood Ave., Casper, WY 82601-5018 307-689-1340; wy7gc@arrrl.org

Southeastern Division AL, GA, FL, PR, SFL, VI, WCF

Alabama: Dennis Littleton, K4DL, 2230 Bishop Rd., West Blocton, AL 35184-4246 205-718-4410; k4dl@arrrl.org

Georgia: Hank Blackwood, K4HYJ, 406 Dawnville Rd. NE, Dalton, GA 30721 706-529-5647; k4hyj@arrrl.org

Northern Florida: Scott Roberts, KK4ECR, 2361 Oak Hammock Ln., Orange Park, FL 32065; 904-759-7812; kk4ecr@arrrl.org

Puerto Rico: Carmen N. Greene Rodriguez, KP4QVQ, Parc. San Romualdo 52 Calle H, Hormigueros, PR 00660-9735; 787-246-5634; kp4qvq@arrrl.org

Southern Florida: Barry M. Porter, KB1PA, 14555 Sims Rd., Apt. 259, Delray Beach, FL 33484; 561-499-8424; kb1pa@arrrl.org

Virgin Islands: Fred Kleber, K9VV, P.O. Box 24275, Christiansted, VI 00824-0275 k9vv@arrrl.org

West Central Florida: Michael Douglas, W4MDD, 2527 Apple Blossom Ln., Wauchula, FL 33873; 863-585-1648; w4mdd@arrrl.org

Southwestern Division AZ, LAX, ORG, SB, SDG

Arizona: Rick Paquette, W7RAP, 1600 W. Sunkist Rd., Tucson, AZ 85755-9561 520-425-6877; w7rap@arrrl.org

Los Angeles: Diana Feinberg, A6DF, P.O. Box 4678, Palos Verdes Peninsula, CA 90274-9618; 310-544-2917; a6df@arrrl.org

Orange: Bob Turner, W6RHK, P.O. Box 973, Perris, CA 92572 951-236-8975; w6rhk@arrrl.org

San Diego: Bruce Kripton, AG6X, 5755 Castleton Dr., San Diego, CA 92117-4058 619-813-5505; ag6x@arrrl.org

Santa Barbara: John Kitchens, NS6X, P.O. Box 178, Somis, CA 93066 805-216-2569; ns6x@arrrl.org

West Gulf Division NTX, OK, STX, WTX

North Texas: Steven Lott Smith, KG5VK, 125 Contest Ln., Ben Franklin, TX 75415-3830 318-470-9806; kg5vk@arrrl.org

Oklahoma: Mark Kleine, N5HZR, 2651 84th Ave. SE, Norman, OK 73026 405-410-6756; n5hzh@arrrl.org

South Texas: Stuart Wolfe, KF5NIX, 408 Cedar Grove Rd., Rockdale, TX 76567 512-660-9954; kf5nix@arrrl.org

West Texas: David Overton, W5JDO, 2812 W. Shandon Ave., Midland, TX 79705-6101 432-553-5597; w5jdo@arrrl.org

EXPERT AMPLIFIERS

The Smartest Amps on the Planet

THOUSANDS SOLD WORLDWIDE

UPGRADE YOUR STATION TODAY



SPE EXPERT 1.5 K-FA



SPE EXPERT 2K-FA



SPE EXPERT 1.3 K-FA



EXPERT 1.5 K-FA TAURUS

NOW SHIPPING



ICOM IC-7300



KENWOOD TS-890



YAESU FTDX10



ICOM

KENWOOD

YAESU
Radio for Professionals

Our amplifiers work great with Kenwood Icom and Yaesu

Fully automatic • Built in ATU • Built in coax switch • Built in watt meter • 1.3k and 1.5k models are portable • Small and lightweight • Takes up minimal space on the desk


We Take Trade-Ins!



EXPERT
AMPS USA

1875 17th NE St.,
Suite 100
Paris, TX 75460
www.expertamps.com
sales@expertamps.com
Telephone: (903) 737-0773





BUDDIPOLE

Secure online ordering:
www.buddipole.com

See our videos:
www.youtube.com/buddipole

BUDDIHEX

- **Ultra Lightweight:** Just 9.5 lbs fully loaded
- **6 Bands:** 6, 10, 12, 15, 17 and 20 meters
- **Quick setup** – less than 20 minutes
- **Power Handling** from 600W (BNC) to 1500W (SO239)
- Use with a Telescopic Push-up Mast
- Perfect for Field Day, Camping, POTA, or in your backyard



POWERMINI 2

- Compact Portable DC Power Management System with built-in Solar Charge Controller
- Power Management includes Current and Voltage readout
- High Contrast OLED display
- User-definable Low Voltage Alarm + Cutoff
- Solar Controller for use with Panels up to 6 amps
- Maximum Current Handling Capacity – 40 amps



BUDDISTICKPRO

- New Versahub Feedpoint with Quick-Attach Shockcord Tripod Legs
- Multi-band Design works 9 bands (40m – 2m) with one adjustable coil
- Lightweight at less than 3 lbs
- Compact and perfect for POTA, SOTA, and portable operating
- Rated from QRP to 250 Watts PEP



OUR PRODUCTS
ARE PROUDLY
MADE IN USA



NEW ADDRESS:

2011 W 3000 S, Suite C
Heber City, UT 84032

CONTACT US:

info@buddipole.com
(435) 244 2211

SPRING DEALS ARE DROPPING!

ELECRAFT K4

HIGH PERFORMANCE DIRECT-SAMPLING SDR



THE GO-TO RADIO FOR DXPEDITIONS, DXERS AND CASUAL USERS

- ↻ Crystal-clear, low-fatigue RX audio
- ↻ 160-6M all-mode operation with a rugged 100W PA
- ↻ Ultra-low RX/TX phase noise and TX CW bandwidth
- ↻ Precision DSP filtering down to 50 Hz
- ↻ Color panadapter with touch and mouse tuning
- ↻ Built-in remote operation (server and client)



KPA1500 AMPLIFIER

The K4 interfaces seamlessly with the KPA1500 and KPA500 Amplifiers

SHOP NOW & SAVE BIG!

Up Front

Stepping Up

John Morelli, W1JGM, shared the many facets of ham radio with his friends, including the process of acquiring one's license. Interest was high, so he approached his club, the Candlewood Amateur Radio Association, about sponsoring a class. A hybrid approach was decided upon, meeting first in person to go over class expectations, distribute materials, and have a question-and-answer session. After several online meetings, they met again for in-person demonstrations and hands-on radio experience. The Northville Amateur Radio Association/Candlewood Amateur Radio Association VE Team administered the exam. The class was a success — nine new Technicians and two new Generals! John thanks the volunteers — John Ahle, W1JMA; Dan Thill, N2DGT, and Vinny Tompkins, N2OHH — who helped make his first training class such a success.



Students taking their license exams. [John Morelli, W1JGM, photo]

Birdies

Hams often refer to spurious signals on their radio as *birdies*. Typically tones or chirps, birdies are unwanted signals caused by radio or nearby oscillators. You can do without these annoying sources of interference.

Dennis Lazar, W4DNN, was surprised that the birdies on his satellite radio signals were evidently caused by an osprey, a real birdie!



[Dennis Lazar, W4DNN, photo]



[Kosta Kropivny, VA7KL, photo]

Stealth Antenna

Kosta Kropivny's, VA7KL, wife, Elena Terekhova, used a vertical 102-inch whip antenna to grow kiwi-fruit. Testing showed that the SWR dip shifted down by 150 kHz on the 80-meter band. Elena thought the vine made the antenna more attractive; Kosta noted that the fruit harvest increased.

If you see something ham-related out in the world, take a photo of it and send it to "Up Front" at upfront@arri.org.

WATT THE F?

AURORA™
A NEW DAY FOR THE UNEXPLORED

Welcome to Aurora.

500 unapologetic watts are waiting. Introducing the world's first truly integrated 500W SDR transmitter. Designed for the modern operator, it's not just a radio, it's a revolution. Weighing in at only 18 pounds, this portable transceiver runs cool. Runs quiet. Runs like nothing you've ever seen before. This is a new day for the unexplored.

Available Models:

AU-510 / AU-510M / AU-520 / AU-520M

FlexRadio.com/Aurora



This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained.



90TH ANNIVERSARY

1935 • 2025

ARES[®]

READY • RESPONSIVE • RESILIENT

The ARRL Amateur Radio Emergency Service[®] (ARES[®]) consists of radio amateurs who have voluntarily registered their qualifications and equipment with their local ARES[®] leadership, for communications support in public service, and when all types of disasters strike.

Become part of your local ARES[®] group today and make a difference for tomorrow.



ARRL The National Association for
Amateur Radio[®]

Learn more at www.arrl.org/public-service

Push Boundaries

Hear More. Go Farther.



IC-9700
2M / 70CM / 23CM



IC-718
HF All Band Transceiver



IC-7300
HF / 6M



ID-52A PLUS
2M / 70CM / Analog / Digital



IC-2730B
2M / 70CM Analog



IC-7760
HF / 50 MHz
Additional control heads available (RC-7760)



IC-PW2
HF / 6M 1 kW Amplifier

©2025 Icom America Inc. The Icom logo is a registered trademark of Icom Inc. All specifications are subject to change without notice or obligation. 31675



www.icomamerica.com/amateur
insidesales@icomamerica.com

For the love of **ham radio**.



ICOM

Correspondence

Letters from Our Members

Eye-Catching Equipment

I enjoyed George Mistic's, KE8RN, "Classic Radio" article in the May 2025 issue. I'm unfamiliar with Dentron products, but the MLX-Mini QRP concept transceiver really caught my attention. Its color, shape, and control knobs look very modern, except for the S-meter.

I am a retired automotive technician, and to my eyes, that concept transceiver looks good. From my perspective, a device must first perform its functions as designed, be serviceable, and then style can come into the picture, which is quite different from the automotive world, where style grabs your initial interest.

Stephen Kramme, KD6KXT
Novato, California

Club Camaraderie and Remote Operating

I am a member of the Olympia Amateur Radio Society (OARS), NT7H, in Olympia, Washington. OARS is very active in the community, helping with fundraising events like marathons and bike rides, and attending preparedness expos, license classes, monthly test sessions, and so much more.

My wife and I decided to move to a 55+ community apartment complex. I wanted to remain on the air, but could not have any antennas that exceeded the boundaries of my third-floor balcony. Vector network analyzer testing revealed that a small-space antenna would not work. I tried several antenna configurations, and they all failed to produce a usable signal. Packet radio is not an option because all

of the local repeaters and packet stations are on the other side of the building. I presented my dilemma to OARS, seeking their advice.

Lee Chambers, KI7SS, offered to let me remotely access his FLEX-6500. So, I downloaded *SmartSDR*, logged into his radio, and was back on the air! Now, I can regularly check in to the Washington State Emergency Net, browse 20, 15, and 10 meters for that rare DX, and participate in contesting and casual ragchews, all thanks to Lee's generosity!

OARS members share problems and step up to help find solutions. If there is a club in your area, join it. If you don't have a local club, start one.

Phil Cornell, W7PLC
Olympia, Washington
Life Member

School Project Generates Interest

I am a geometry/physics teacher at the all-girls Cabrini High School in New Orleans, Louisiana. After my students finished a chapter on similar polygons, scale factors, ratios, and proportionality, they were divided into groups. Each group was given a cubical quad or a Yagi antenna. They were required to measure the reflector, driven, and director elements and compute the scale factor between them.

A satellite was directly southeast of the school at an elevation of 37 degrees, so they tried to hear it while my radios scanned the military satellite band. They were able to hear people in Brazil, though not very well.

My students didn't know this, but a few days earlier, I had gotten permission from the all-boys Archbishop Shaw High School to allow Michael, KJ5CZH, to get on the air to talk to us via the 146.86 repeater. The girls had questions prepared, and I put the student with the question "Where are you located?" first in line. When he said he was at Archbishop Shaw High School, it was pandemonium! A teenage boy was on the other end of the radio! Most of the questions were about ham radio, but at the end, I let them ask whatever they wanted. If the girls wanted to talk to Michael, they would have to get their ham radio licenses. Now, they are showing interest!

Alvin Mahler, III, N5VZH
Raceland, Louisiana

It Never Hurts to Ask

I have an Extra-class license and live in a 55+ community high-rise building. A couple of months ago, I got permission to put a wire up! I have been operating VHF for years and wanted an HF station, so now I have a 66-foot wire, an LDG Electronics RU-9:1 Unun, an LDG Electronics Z-100Plus tuner, an Icom IC-735 transceiver, and a new love for ham radio. So, never say "I live in an apartment; I can't operate HF." Talk to the person in charge, and you might be surprised.

Ted Pinsker, WA3BOJ
Pittsburgh, Pennsylvania

Send your letters to letters@arrl.org. We read every letter received, but we can only publish a few each month. We reserve the right to edit your letter for clarity, and to fit the available page space. Letters published in "Correspondence" may also appear in other ARRL media. The publishers of *QST* assume no responsibility for statements made by correspondents.

A High-Performance and Robust Antenna with GRAZIOLI BRAND STANDARDS

- ✓ Grazioli MV6
- ✓ No Traps, No Coils,
No Moving Parts,
No Additional Radials
Required
- ✓ 1/4 Wave Ground Plane
- ✓ Full Length 1/4 Wave
Elements for 20, 17, 15, 12,
10, and Six Meters!
- ✓ Single Coax Feed
- ✓ 3000 Watts!
- ✓ Available Now at
MTCradio.com
- ✓ ALL Grazioli Products
in Stock



**Grazioli
MV6**

KENWOOD

ICOM

YAESU
Radio for Professionals

1875 17th NE St.,
Suite 100
Paris, TX 75460



We Take Trades!

sales@maintradingcompany.com
Telephone: (903) 737-0773

Timewave Dealers

- Ham Radio Outlet www.hamradio.com
- R&L Electronics www.randl.com
- Japan Communication www.jacom.com
- Radio Parts Japan www.radio-part.com

***NEW!**

ANC-5 Antenna Noise Canceller

See a June 2024 preview at
www.timewave.com!

Shipping begins in July 2024

All the features of the ANC-4+:

- External TX/RX control - great for QRP operation
- Continuously Adjustable TX hang time
- Noise amp front end protection
- TX LED indicator
- SMT construction w/ gold-plated PCB
- Heavy extruded aluminum housing for precise tuning and mechanical stability - matches Navigator!

Kill Noise before it reaches your receiver!

Great for suppressing power line noise, plasma TV noise & many other local electrical noises.



Navigator

The Premier Sound Card Modem!

See QST Short Takes Review - May 2014-P. 62

- Quiet - hear what others miss!
- Proven USB Sound Card built-in
- Precise FSK
- Genuine K1EL Winkeyer CW IC
- Complete - Six FTDI COM ports
- Universal Rig Control for every radio
- Works well with HRD, M110A, Fldigi, FT8 & many more software programs
- Front-Panel Audio & CW controls
- USB connected and powered
- Convenient - No annoying jumpers!



PK-232SC+

Multimode Data Controller*

- RTTY
- Packet
- Pactor
- CW
- PSK31 & all the Sound Card modes!

**Choose from a wide variety of upgrades
& accessories for any PK-232*

Customize your PK-232 installation with our complete line of upgrades, accessories and cables.

100,000 sold - All-time top selling data controller!

- Single USB connection to computer
- USB Sound Card built-in
- 3-Way Rig Control built-in - logic level, RS-232 & USB!
- Computer isolated from radio
- Real FSK & AFSK
- keyboard CW - send and receive
- Dual Port - two radios at same time!

■ HamLinkUSB™ USB-to-RS-232 Adapter

Proven FTDI Chip. USB A & C, 9 and 25 pins for all radios, TNCs, Rotor Controllers & more!

■ HamLinkUSB™ Rig Control+

C-IV, CAT, RTS (PTT, FSK or CW) for sound card software
Perfect for HRD owners with simple sound card adapters



ARRL **SWEEPSTAKES**

ICOM® **DREAM STATION**

www.arrl.org/DreamStation

DREAM BIG! >>

Win this Dream Station with the **latest gear** from Icom.



IC-7760
60th Anniversary Signature Edition
HF/50 MHz 200 W Transceiver



IC-PW2
1 kW Linear Amplifier



SM-50
Desktop Microphone



Seiko Watch
Icom 60th Anniversary
Limited Edition

>> DREAM NOW!

JOIN OR RENEW

SET UP AUTO-RENEW

DONATE TO DIAMOND CLUB

3 Ways to Enter*:

Members automatically earn ARRL Sweepstakes entries when they **join or renew** (earn 1 entry), **set up auto-renewal** (earn 2 entries), or **donate to Diamond Club** (earn 1 entry for every \$50 donated) any time from **January 3 through December 31, 2025**.

Limit of 6 entries per person.

* No Purchase Necessary. For **Official Rules** visit www.arrl.org/DreamStation/rules.

ARRL The National Association for Amateur Radio® is the sole sponsor of the ARRL Sweepstakes. Icom® is a registered trademark of Icom Inc.

W1AW Schedule

PAC	MTN	CENT	EAST	UTC	MON	TUE	WED	THU	FRI
6 AM	7 AM	8 AM	9 AM	1300		FAST CODE	SLOW CODE	FAST CODE	SLOW CODE
7 AM-12 ⁴⁵ PM	8 AM-1 ⁴⁵ PM	9 AM-2 ⁴⁵ PM	10 AM-3 ⁴⁵ PM	1400-1945	VISITING OPERATOR TIME				
1 PM	2 PM	3 PM	4 PM	2000	FAST CODE	SLOW CODE	FAST CODE	SLOW CODE	FAST CODE
2 PM	3 PM	4 PM	5 PM	2100	CODE BULLETIN				
3 PM	4 PM	5 PM	6 PM	2200	DIGITAL BULLETIN				
4 PM	5 PM	6 PM	7 PM	2300	SLOW CODE	FAST CODE	SLOW CODE	FAST CODE	SLOW CODE
5 PM	6 PM	7 PM	8 PM	0000	CODE BULLETIN				
6 PM	7 PM	8 PM	9 PM	0100	DIGITAL BULLETIN				
6 ⁴⁵ PM	7 ⁴⁵ PM	8 ⁴⁵ PM	9 ⁴⁵ PM	0145	VOICE BULLETIN				
7 PM	8 PM	9 PM	10 PM	0200	FAST CODE	SLOW CODE	FAST CODE	SLOW CODE	FAST CODE
8 PM	9 PM	10 PM	11 PM	0300	CODE BULLETIN				

W1AW's schedule is at the same local time throughout the year. From the second Sunday in March to the first Sunday in November, UTC = Eastern US time + 4 hours. For the rest of the year, UTC = Eastern US time + 5 hours.

♦ Morse code transmissions: Frequencies are 1.8025, 3.5815, 7.0475, 14.0475, 18.0775, 21.0675, 28.0675, 50.350, and 147.555 MHz.

Slow Code = practice sent at 5, 7½, 10, 13, and 15 WPM.

Fast Code = practice sent at 35, 30, 25, 20, 15, 13, and 10 WPM.

Code bulletins are sent at 18 WPM.

For more information, visit us at

www.arrl.org/w1aw

♦ W1AW Qualifying Runs are sent on the same frequencies as the Morse code transmissions. West Coast qualifying runs are transmitted by various West Coast stations on CW frequencies that are normally used by W1AW, in addition to 3590 kHz, at various times. Underline 1 minute of the highest speed you copied, certify that your copy was made without aid, and send it to ARRL for grading. Please include your name, call sign (if any), and complete mailing address. Fees: \$10 for a certificate, \$7.50 for endorsements.

♦ Digital transmissions: Frequencies are 3.5975, 7.095, 14.095, 18.1025, 21.095, 28.095, 50.350, and 147.555 MHz.

Bulletins are sent using 45.45-baud Baudot, PSK31 in BPSK mode, and MFSK16 on a daily revolving schedule.

Keplerian elements for many amateur satellites will be sent on the regular digital frequencies on Tuesdays and Fridays at 6:30 PM Eastern time using Baudot and PSK31.

♦ Voicetransmissions: Frequencies are 1.855, 3.99, 7.29, 14.29, 18.16, 21.39, 28.59, 50.350, and 147.555 MHz. Voice transmissions on 7.290 MHz are in AM double sideband, full carrier.

♦ Notes: On Fridays, UTC, a DX bulletin replaces the regular bulletins. W1AW is open to visitors 10 AM to 3:45 PM Monday through Friday. FCC-licensed amateurs may operate the station during that time. Be sure to bring a reference copy of your current FCC amateur license. In a communication emergency, monitor W1AW for special bulletins as follows: voice on the hour, teleprinter at 15 minutes past the hour, and CW on the half hour.

W1AW code practice and CW/digital/phone bulletin transmission audio is also available real-time via the *EchoLink Conference Server W1AWBDCT*. The conference server runs concurrently with the regularly scheduled station transmissions. The W1AW Qualifying Run texts can also be copied via the EchoLink Conference Server.

During 2025, Headquarters and W1AW are closed on New Year's Day (January 1), Presidents Day (February 17), Memorial Day (May 26), Independence Day (July 4), Labor Day (September 1), Veterans Day (November 11), Thanksgiving and the following day (November 27 and 28), and Christmas and the following day (December 25 and 26).



KENWOOD

Versatile and Flexible Radio Returns with
a New Look and Soaring Functions
That'll Thrill Amateur Radio Enthusiasts.



NEW TRIBANDER **TH-D75A** 144 / 220 / 430 MHz TRIBANDER

Key Features

- **APRS® Protocol¹ compliant**
To exchange GPS location data and messages in real-time.
- **D-STAR² with Simultaneous Reception on DV mode**
Compatible for transferring voice and digital data over D-STAR networks.
- **Tough & Robust** – meets IP54/55 Standards
- **Wide-band and multi-mode reception**
- **Built-in IF Filter** for comfortable reception (SSB/CW)
- **DSP-based Voice Processing** and Reputable KENWOOD Custom Tuned Sound Quality
- **Bluetooth®, microSD/SDHC Memory Card Slot** for flexible link with a PC
- **Reflector Terminal mode** to access D-STAR Reflectors
- **USB Type-C** for Data Transfer and Charging
- **Built-in Digipeater** (a digital repeater) station to transmit received data
- **Built-in GPS unit**
- **Easy-to-read Transflective Color TFT Display**
- **Call Sign Readout**

^{*1}: APRS® (The Automatic Packet Reporting System) is a registered trademark of TAPR (Tucson Amateur Packet Radio Corp.)

^{*2}: D-STAR is a digital radio protocol developed by JARL (Japan Amateur Radio League).

All other company names, brand names and product names are registered trademarks or trade names of their respective holders.

Specifications, design, and availability of accessories may vary due to advancements in technology. Actual product colors may differ from photograph due to photography or printing conditions. Brand or product names may be trademarks and/or registered trademarks of the respective holders.

The content of this document is based on information available at the time of its publication and may be different from the latest information.

This device has not been authorized as required by the rules of the Federal Communications Commission. This device is not, and may not be, offered for sale or lease, or sold or leased, until authorization is obtained.



ARRL The National Association for
Amateur Radio®

2024 ARRL Leadership Donors

ARRL gratefully acknowledges the following individuals, clubs, and organizations for their generous support in 2024 with donations of \$1,000 or more. Donors listed below contributed to the ARRL Diamond Club, the Second Century Campaign, the Spectrum Defense Fund, the Education & Technology Fund, the W1AW Endowment, the Ham Aid Fund, and the Legislative Issues Advocacy Fund.

Rev. Dr. Alicia, KG6LJ, and
Dave, K6XG, Abell
Alan R. Ahasic, W9AN
Paul and Brenda Allen
George (K1IG) and
Annette (KB1LSH) Allison
Louis G. Arnold, K9ALP
Dwight Aussieker, K9QJ
Tony Baker, AA3HD
Donn Baker, WA2VOI
Baker Family Foundation (W5IZ
& W5JKB)
Capt. Jerome Baliukas, K7ENH
Sherman Banks, W4ATL, and
Mary Banks, K4MRY
John L. Barber, N5JB
Bob Barden, MD0CCE
Glen Barney, NY3E
Robert Battagin, WB6ONM
Kenneth Bauer, W9WGQ
Kevin T. Beal, K8EAL
John Beaton, K7TY
Michael Beck, W7EDO
Richard P. Beebe, K1PAD
Dave, W6AQ+, and Sam,
W6QLT, Bell
Paul Belton, W7VY
Dennis W. Berkheiser, K9HSX
Vernon Berry, NN5E
Douglas Besemer
Mr. Jinofer Kavasi Bhujwala,
VU2JJJ
William Bird, WB2BWE
Joseph Blaschka, Jr., WA7DJZ
Rod Blocksom, K0DAS
Harry Bluestein, N6TE
Douglas Bodily, KG6UCZ
James Boehner, N2ZZ
Andrew Bonnot, K5QR
Gerry Boudreaux, W5JC
William Boze, N4HB
William Brown, K9LF
Dave Bruse, W4DTR
Mark D. Bryan, KB4IR
James Bruce Burnette, K5PX
Frank Butler, Jr., W4RH
Patrick C. Cain, K0PC
Kermit, W9XA, and Caron,
W9QLT Carlson
John Carobine, WB8RFB
Philip Carter, WD8QWR
Donald Chamberlain, W9DC
Joseph Chiu, KK6POK
Stephen Claar, NU1B
Kelley Clond, NT9F
Jay Close, K0GEO
Jim Cloutier, KC9JAC
Jim Coakley, K7HZ

Adam E. Coffey, N8DDW
Terry Conboy, N6RY
Barry Cook, W0MOG
Jack Cox, KA4OTB
Kay Craigie, N3KN, and
Carter Craigie, N3AO+
Gerald E. Crawford, K7UPJ, and
Mary Ann Guenther
Dan Dankert, N6PEQ
Robert Dannels, W2GG
Michael Davidson, N5MT
Donald E. Daze, N5DD, and
Amy R. Daze, KC5DJI
James DeLoach, Jr., WU0I
Philip and Julia DeMuth
Robert DePierre, K8KI
Joseph DeVincentis, Jr., K08V
Frank, W3LPL, and Phyllis
Donovan
Brian "Doc" Dowd, W1DOC
Mickey, AK5Q, and Debbie,
KD5EFM, Driver
Bruce Driver, W8JNO
Richard E. DuBroff, W9XW
Timothy J. Duffy, K3LR
Richard Easterday, WA2SBS
Peter Eaton, W5FP
Tim Ellam, VE6SH
Jack L. Espinal, KY4EA
Christopher Fahrenbach,
WB9G
Craig F. Fastenow, K0CF
Jim Fenstermaker, K9JF, and
Shirley Fenstermaker, W7SAF
Jack J. Ference, W3KX
Joseph Fleagle, W0FY
Robert Fontana, AK3Y
Thomas Fox, WB2BCD
Bruce J. Frahm, K0BJ
Clive A. Frazier, K9FWF
M. Adrienne Free, K3MAF
Gil Frey, Jr., K4JST
Warren R. Fugate, W3WE
Dr. Charles S. Fullgraf, KE4OAR
Paul Gaffney, NM1Z
James C. Garland, W8ZR
Karen Gerharter-Goodman,
KG6USN
Steve, WD4CFN, and Patty
Ghertner
Charles Gibbs, Jr., WA6IAH
David Ginsberg, N3BKV
Robert Glorioso, W1IS
John Glover, W2QL
Daniel L. Goelzer, KD3G
Steve Goggans, K7LZJ, and
Lyndie Goggans, N7PKM

Jeffrey, K3DUA, and Beth
Goldman
John Good, W1GS
Charles Gooden, K9LC
Robert Goodwin, III, N4HCI
Kenneth R. Goodwin, K5RG
James Graffy, AE7W
Kevin Grantham, N5KRG
Marty, K2PLF+, and Patricia,
N6WHB, Green
Robert Greenheck, KB9ACQ
Alvin Groff, K0VIM
Arthur Hadden, WA4CEM
Dr. Timothy D. Hamlin, KE5ICO
Robert Harder, WB8ILI
Bob Hardie, W5UQ
Sierra Harrop, W5DX
Douglas Hart, AA3S
Zachary, N14K, and Katherine
Hartzell
Russell Haskins, KM6EOQ
Margaret Jones-Hayes and
Edward Hayes, N6XEM
Larry C. Hazelwood, W5NZS
Robert Heider, W0EJO
Conrad Hilton, KO4WQT
John F. Hodapp, WA5TDX
Elizabeth W. Hoffert and
Fred W. Hoffert, III, NA2U
Matt Holden, K0BBC
Fred Hopengarten, Esq., K1VR
Mark Hopkins, NA4O
Alfred Hovey, Jr., WA9BZW
Paul Husby, W0UC
Bob Inderbitzen, NQ1R, and
Michael Bower
Thomas Inglin, NR8Z
David M. Jaksa, W0VX, and
Judith A. Jaksa, W0JJ
Leland James
Edward R. Jansson, WD4DTC
Gregory Jigamian, N6GZJ
La Reintz Johnson, II, WN3Y
Josh Johnston, KE5MHV
Richard Jones, Jr., KJ5QY
Shaun Jones, N9LMS
John Jones, WB8CQV
Charles D. Joseph, N5JED
Frank Kaleyias, KV5FD
Mario L. Karcich, K2ZD
Ian H. Keith, N8IK
Fred, AB1OC, and Anita,
AB1QB, Kemmerer
Malcolm Keown, W5XX
Kerry Kingham, WA4BQM
Andrew Kirk, WB2C
Scot Klein, KN6IHC
John R. Kludt, K7SYS

Kenneth D. Knudson, N5TY
Jeffrey T. Kopcak, K8JTK
Thomas Kopinski, W0TTK
Jeff, WA2RVT, and Loan,
KB2PTN, Kostiuk
Mike Kowalsky, AC8Y
John Kramer
Bernie Krasowski, KD5QHV,
and Linda Krasowski, KE5BQK
Kyle Krieg, AA0Z
E Peter, W2LL, and Deborah
Krulewitch
Mark Kupferschmid, AC9PR
Peeter Lääne, ES5NC
David Larrabee, K1BZ
James R. Latham, AF6AQ
David F. Levy, K3DFL
Bill Lippert, AC0W
John Litz, NZ6Q
Jim Lommen, KC7QY
Ronald K. Long, W8GUS
Joshua Long, W9HT
Gary G. Lopes, WA6MEM
Paul J. Lourd, W1IP
Robert O. Loving, Jr., K9JU
Carl Luetzelschwab, K9LA, and
Vicky Luetzelschwab, AE9YL
Joseph Lynch, N6CL
Lee MacDonald
Joe Makeever, W5HS
Paul Mandel, W4PGM
John Marchbanks, Sr., W4PMM
Kenneth Marron, KM2Z
Gary Martek, W7DO
Peter Mathisen, AK7PM
Kevin Mc Clure, WN9O
Charles P. McConnell, W6DPD
Bruce McIntire, AE4M
Kristen McIntyre, K6WX
Tinsley Meekins, Jr., K3RUQ
Christine Mele, W4SLH
Michael Metroka, WB8BZK
Jim Mezey, Jr., W2KFF
F. Peter Michaelis, N8TR, and
Mary Michaelis, N8DMM
Wayne, N7NG, and Margaret
Mills
Andrew Milluzzi, KK4LWR
David Minster, NA2AA
Barry Mitchell, N0KV
Mike Moore, KB6TW
John Moore, WA3BRZ
Jim Morgan, KA2FIQ
William C., N2COP, and Pamela
Morine
George Morris, W8RUT
Ned Mountain, WC4X
Kevin Murray, KK9RM

Ray Mustafa, WA2NBG
 Edgar Myers, III, AD0WN
 Douglas Neller, KC9VFI
 Joel Nelson, W9NXM
 Fred and Diane Neuman
 Martin Newingham, AG3I
 Ivan Nordstrand, Jr., AE8IN
 Robert, Jr., N3RN, and
 Carol, KA3EEO, Nygren
 Larry, W9INE, and Karen Olson
 Gerald Ortoli, KE4ZDY
 Dan L. Osbourne, W5AFY
 William Overstreet, K4AJ
 John Owings, K4LSX
 Juan Pablo Pagliano, LU6DJX
 Tim Palange, NW7TP
 Ronald Panetta, WB2WGH
 Antonis Papatsaras, AA6PP
 Howard B. Patterson, Jr., W5VY
 John T. Patterson, WC0W, and
 Leigh Patterson, WC0T
 Carl Peck, KN6SZT
 David Penrose, K1DHP
 Michael Phillips, WB9SIS
 John E. Pinkham, K3PER
 Stanley Pope, K9MFI
 Michael Powell, W1KU
 George Power, III, K0GCP
 Arthur Priebe, Jr., N5ART
 Robert Rader, Jr., W0RTG
 Michael Raskin, W4UM, and
 Sherry Raskin, W4SLR
 Ed Ratledge, K3CWF
 Gary Ratterree, K0NET
 Dr. James C. Rautio, AJ3K
 Bob Ravenscroft, KE7JZ
 Dr. Jerry Redding, KA8Q

Fred J. Regennitter, K4IU, and
 Judy Regennitter, K0UH
 Joseph Reisert, Jr., W1JR
 Thomas Renegar, K3UE
 Raymond P., W4RPR+, and
 Cynthia Richard
 Scott Robinson, AG7T
 Craig Rockenbach, WA3TID
 Rick Roderick, K5UR, and
 Holly Roderick
 Ren P. Roderick, K7JB
 James Roop, K9SE
 Alfred C. Rousseau, W1FJ
 Thomas Rousseau, K7PJT
 Stanford H. Rowe, K6VWE
 Keith Rutledge, KB1FFS
 Michael Ryan, Jr., K1WVO
 Jeff Ryan, K0RM
 John Sager, WJ7S
 Joseph Salvatore, N1DJH
 Craig Sande, AE7I
 Greg, W4OZK, and
 Sherry, KM4VSW, Sarratt
 Mitchel Sayare, NK3H
 Randy Schaaf, W9ZR
 Thomas M. Schaefer, NY4I, and
 Beth Whidden
 Maurice L. Schietecatte, N4LZ
 George Schindler, WB0IIS
 Keith Schlottman, KR7RK
 Fred Schneider, K9OHE
 Steven Schoch, K06G
 Barney, K3LA, and Carol
 K3LEA, Scholl
 Steven Schopp, KD2BS
 Carl Schroeder, K9CS
 Brian Schroeder, AJ6NT

C. Wayne Schuler, Al9Q
 Gretchen Schwartz, K3GNS
 Jason John Schwarz, N4JJS
 Walter J. Sepaniac, Jr., N5TQ
 Paul D. Sergi, Sr., NO8D
 Robert Shotwell, WA1KUZ
 Galen Shubert, K0KS
 Ron, N6GB, and Desiree
 Skatvold
 Betty Lou Skidmore
 Bernie Skoch, K5XS
 Preston, KD4BC, and Ellen,
 KA4TRM, Smith
 Michael Snyder, KA7IKR
 Steven L. Somers, AE6SS, and
 Robin Somers, KJ6ISJ
 James Spaulding, W0UO
 Peter Stackpole, N1MLE
 Daryl, W7TAE, and Samia,
 N7DCB, Staehle
 Rod J. Stafford, W6ROD
 Andrew Stewart, KB1OIQ
 James Strickland, Jr., WB4HUX
 Robert B. Tabke, N7IP
 Stephen Tell, K4TPF
 Mark J. Tharp, KB7HDX, and
 C. Jo Whitney, KA7LJQ
 Craig, K9CT, and Ilean
 Thompson
 Ron Tingle, K4ML
 Jonathan Titus, KZ1G
 Michael Tortorella, W2IY
 James Totten, WA8HUB
 Joseph Trench, AA3B
 Dr. Guy "Bud" Tribble, N6SN
 Kent W. Trimble, K9ZTV
 James Troup, WA3PTF

Daniel Vadney, KC2YRC
 Michael, W8MM+, and
 Margaret Valentine
 Michael S. Varga, NR3C
 Roger Volk, K0GOB
 Warren Volz, KD5YPH
 Bob Voss, N4CD
 William Waldschmidt, W9WA
 Hank Wall, Jr., W0CZE
 Joe Walsh, WB6ACU
 Robert Walsh, WA8MOA
 Solveig A. Walstrom
 Mike, W8ZY, and Letha Walters
 Michael Ware, NN3I
 James Weigand, N9BW
 Richard Weiss, N4FKH
 Richard Wetherald, NZ8C
 Carl Wick, Sr., N3MIM
 Douglass Wiles, WF4B
 Mary Williams, WM4RY
 Stephen C. Williams, WB4ZCP
 Tom Williams, WA1MBA
 John Williams, K8JW
 John Wilson, K3KXJ
 Alfred Woollacott III
 Phil, AB7RW, & Barbara,
 AC7UH, Yasson
 Michael J. Zak, W1MU
 Lee Zalaznik, K16OY
 Stanley Zawrotny, K4SBZ
 Thomas K. Zicarelli, KA1IS
 Arthur I. Zygielbaum, K0AIZ
 10 Anonymous Donors



Maxim Society Donors

The Maxim Society honors individuals, clubs, and organizations whose lifetime contributions to ARRL exceed \$10,000. This distinctive program, named for ARRL founder Hiram Percy Maxim, was created in 2002.

Maxim Society Members have supported ARRL and the ARRL Foundation through their contributions to the ARRL Diamond Club, the Second Century Campaign, the Spectrum Defense Fund, the Education & Technology Fund, and the W1AW Endowment. Members' generosity allows ARRL to continue to offer outstanding programs and services, and to promote amateur radio across the country and around the world.

Millenium Class

(Lifetime Giving of
 \$1,000,000 – \$4,999,999)

Michael, W8MM+, and
 Margaret Valentine

Century Class

(Lifetime Giving of
 \$500,000- \$999,999)

David Brandenburg, K5RQ
 Kay Craigie, N3KN, and
 Carter Craigie, N3AO+
 Paul D. Sergi, NO8D

Fellow Class

(Lifetime Giving of
 \$250,000-\$499,999)

William Bird, WB2BWE
 Dayton Amateur Radio
 Association
 James C. Garland, W8ZR

Kan Mizoguchi, JA1BK
 Robert Rader, W0RTG
 Bob Ravenscroft, KE7JZ
 Edward Snyder, MD, W1YSM,
 and Rose Snyder

Founder Class

(Lifetime Giving of
 \$100,000-\$249,999)

Dave, W6AQ+, and Sam,
 W6QLT, Bell
 Donald E. Daze, N5DD, and
 Amy R. Daze, KC5DJI
 Craig Goldman, K2LZQ
 Jeffrey, K3DUA, and Janis
 Goldman
 Marty, K2PLF+, and
 Patricia, N6WHB, Green
 Robert O. Loving, Jr., K9JU
 Craig, K9CT, and Ilean
 Thompson

Steven West, W7SMW, and
 Donna Karam, KC5FTN
 Michael J. Zak, W1MU

Benefactor Class

(Lifetime Giving of
 \$50,000-\$99,999)

George (K1IG) and
 Annette (KB1LSH) Allison
 Louis G. Arnold, K9ALP
 Sherman Banks, W4ATL, and
 Mary Banks, K4MRY
 Richard P. Beebe, K1PAD
 Frank Butler, W4RH
 Ken Byers, K4TEA
 Frank, W3LPL, and Phyllis
 Donovan
 Martin S. Ewing, AA6E
 Andrew Forsyth, AF3I
 Steve Goggans, K7LZJ, and
 Lyndie Goggans, N7PKM

Elliot Gross, KB2TZ
 Elizabeth W. Hoffert and
 Fred W. Hoffert, III, NA2U
 Thomas J. Hutton, N3ZZ
 William Lillie, N6BCT
 Ozaukee Radio Club, Inc.
 Raymond P., W4RPR+, and
 Cynthia Richard
 Rick Roderick, K5UR, and Holly
 Roderick
 Thomas M. Schaefer, NY4I, and
 Beth Whidden
 Walton Stinson, W0CP, and
 Mary Kay Stinson, K0ZV
 Bob Streeter, W8ST, and
 Donna Streeter, W9DJS
 Dave Topp, W5BXX
 Michael Tortorella, W2IY
 Joe Walsh, WB6ACU

West Allis Radio Amateur Club,
Inc.
Richard S. Wujciak, K2RW
Carl Young, K5HK
Lee Zalaznik, K16OY
Arthur I. Zygielbaum, K0AIZ
3 Anonymous Donors

Ambassador Class

*(Lifetime Giving of
\$25,000-\$49,999)*
Dwight Aussieker, K9QJ
Donn Baker, WA2VOI
Baker Family Foundation (W5IZ
& W5JKB)
Mark A. Behrens, W4GP
Paul Belton, W7VY
Dennis W. Berkheiser, K9HSX
Brook Byers, K6TKM
Steve W. Chaddick, WA4ZDD
Lee Ciereszko, N4TCW, and
Emily Wengrovius, WN4ECW
Thomas Clements, K1TC
Joseph Cloutier, KC9JAC
Thomas, N5TC+, and
Judith, K5JRC, Comstock
Dr. Robert Dannals, W2GG
Mickey, AK5Q, and
Debbie, KD5EFM, Driver
Timothy J. Duffy, K3LR
Craig F. Fastenow, K0CF
Kenneth A. Fath, N4KF
Presley Foster, W5PD
Warren R. Fugate, W3WE
Dr. Charles S. Fullgraf, KE4OAR
Robert Greenheck, KB9ACQ
Conrad Hilton, KO4WQT
Mary Holt, KC8OIP
Paul R. Horenstein, K2PH
George R. Isely, W9GIG
Frank S. Kaleyias, KV5FD
Dr. John Karickhoff, AA4JJ
Ian H. Keith, N8IK
Nels Knutzen, W0PEC
Bill Lippert, AC0W
Joel R. Miller, W7PDX, and
Martha C. Miller
Thomas K. Mills, K3TK
Ray Mustafa, WA2NBG
Fred and Diane Neuman
North Fulton Amateur
Radio League
Gayle Olson, K6GO, and
Mike Binder, NA6MB
Joseph Osburn, Jr., W4CFA
Col. (Retired) Dino Papas,
KL0S, and Lt. Col. Toby
Papas, KL0SS
Ray Pautz, N0RP+, and
Katie Pautz, W0KTE
Ulrich L. Rohde, Ph.D., N1UL
Alfred C. Rousseau, W1FJ
Maurice L. Schietecatte, N4LZ
C. Wayne Schuler, Al9Q
Edmund O. Schweitzer, III,
W7KOW
Kamal "Kam" Sirageldin, N3KS
Jimmy R. Sorrells, MD,
WA9ABB+

Daryl, W7TAE, and Samia,
N7DCB, Staehle
St. Paul Radio Club, K0AGF
Stratford Amateur Radio Club
Roger A. Strauch, KD6UO
(ex-WA1KZW)
Ron Tingle, K4ML
W. Paul Trouten, W8PI
Scott Tuthill, K7ZO
Bob Voss, N4CD
Gary Wagner, K3OMI
Solveig A. Walstrom
Dick Weber, K5IU
John Williams, K8JW
Thomas K. Zicarelli, KA1IS
Ivan Zuckerman, WB4LXR
2 Anonymous Donors

President Class

*(Lifetime Giving of
\$10,000-\$24,999)*
Rev. Dr. Alicia, KG6LJ, and
Dave, K6XG, Abell
Alan R. Ahasic, W9AN
Dwayne Allen, WY7FD, and
Katie Allen, WY7YL
Dave Anderson, K4SV
Merit R. Arnold, W6NQ+
Gary Audiss, N6SI
Donald J. Backys, K9UQN
RoseMarie Bagioni, N1DSP, and
Thomas Brooks, KE1R
Capt. Jerome Baliukas, K7ENH
John L. Barber, N5JB
Bob Barden, MD0CCE
Don Barner, K8GV
Glen Barney, NY3E
Bill Barr, N4NX
Norman, WA8COB, and
Shannon Bash
Richard Battles, WB4BYQ
John Beaston, K7TY
Bob Beaudet, W1YRC
Michael Beck, W7EDO
Jay Bellows, K0QB, and
Bonnie Bellows
Douglas Besemer, K0VPL
Rod Blocksom, K0DAS
Gerry Boudreaux, W5JC
Ralph Bowen, N5RZ
Karl F. Bowman, W4CHX
Barrie G. Britton, W6DX, and
Linda Britton, N6OGW
Brian E. Broggie, W6FVI
William G. Brown, K9LF
Dave Bruse, W4DTR
Mark D. Bryan, KB4IR
Randall J. Bynum, NR6CA
Byron "Pat" Cahill, W0BM
Patrick C. Cain, K0PC
Kermit, W9XA, and Caron,
W9QLT, Carlson
Central Arizona DX Association
Donald Chamberlain, W9DC
J. Craig Clark, Jr., K1QX
Jay Close, K0GEO
Adam E. Coffey, N8DDW
Kenneth A. Cowin, KD2HHT
Gerald E. Crawford, K7UPJ, and
Mary Ann Guenther

Mark J. Croney, W4ZF
David A. Daley, AC2BA, and
Rhonda J. Daley, AC2FX
Patrick Darby, K5PAT
William J. Deegan, III, K9XT
Robert DePierre, K8KI
Richard Dievendorff, K6KR
Brian "Doc" Dowd, W1DOC
Bruce Driver, W8JNO
Joe Dubeck, NA9A
Daniel J. Dubray, NS5G+
Richard E. DuBroff, W9XW
Tim Ellam, VE6SH
James Elliott, K6FUI
Edward Erickson, W2CVW+
Jack L. Espinal, KY4EA
Frank Fallon, N2FF
Alan J. Feldmeier, N0XP
Jim Fenstermaker, K9JF, and
Shirley Fenstermaker, W7SAF
Gary J. Ferdinand, W2CS
Jack J. Ference, W3KX
Joseph E. Fleagle, W0FY
Sean Fleming, K8KHZ
Bruce J. Frahm, K0BJ
Joseph E. Frank, W1SOV
M. Adrienne Free, K3MAF
Tom Frenaye, K1KI
Dr. Gil Frey, Jr., WA7ONE
Ken Garg, W3JK
Max George, NG7M
F. Clark Gesswein, N4CG
David Ginsberg, N3BKV
Robert Glorioso, W1IS
John Glover, W2QL
Daniel L. Goelzer, KD3G
John Good, W1GS
Kenneth R. Goodwin, K5RG
Bob, W2CYK, and Jesse,
W2EEO, Greenberg
David H. Greenhut, N6HD
Gwinnett Amateur Radio
Society
David A. Hall, N7JEI
Jay Hamann, W0YUK
Dinette Hamilton, KD4BJS, and
Hollice J. Hamilton, KB4AZR+
Dick and Kathie Hanson,
K5AND
Joel Harrison, W5ZN, and
Kim Harrison
Margaret Jones-Hayes and
Edward Hayes, N6XEM
Hans J. Heimbarger, N6TCZ
Bill Hider, N3RR
William E. Himwich, K3PN
John F. Hodapp, WA5TDX
Edward F. Hogan, KE1LV
Fred Hopengarten, Esq., K1VR
Mark Hopkins, NA4O
Mark Hubelbank, K1NFD
Ed B. Hudgens, WB4RHQ
William Hudzik, W2UDT
Walter R. Huebner, KD0BDO
Paul Husby, W0UC
David M. Jaks, W0VX, and
Judith A. Jaks, W0JJ
Edward R. Jansson, WD4DTC
William L. Johnson, W3FI

Glenn, W0GJ, and Vivien,
KL7YL, Johnson
Charles D. Joseph, N5JED
Leslie P. Kalmus, W2LK
Dick Kalt, W1FYI
John C. Kanode, N4MM
Steven Katz, N8WL, and
Constance Barsky, WD8ODC
Joseph S. Kennedy, WQ6Q
Andrew Kirk, WB2C
John R. Kludt, K7SYS
Kenneth D. Knudson, N5TY
Jeffrey T. Kopcak, K8JTK
Jeff, WA2RVT, and Loan,
KB2PTN, Kostiuik
Bernie Krasowski, KD5QHV,
and Linda Krasowski, KE5BQK
L. Kirk Kridner, KV5Q
E Peter, W2LL, and

Deborah Krulwich
Martti J. Laine, OH2BH
Wesley Lambole, W3WL
James R. Latham, AF6AQ
David F. Levy, K3DFL
Joe Locascio, K5KT, and
Marian Locascio, K5KKT
Bob Locher, W9KNI
Ronald K. Long, W8GUS
Gary G. Lopes, WA6MEM
Paul J. Lourd, W1IP
Ron Lowrance, K4SX
Carl Luetzelschwab, K9LA, and
Vicky Luetzelschwab, AE9YL
Joe Makeever, W5HS
Bruce Marcus, N1XG
Robinson Markel, W2IVS
Ron, W7GTF, and MaryLou
McCollum
Ronald McCombs, WA7ONE
Charles P. McConnell, W6DPD
J. Daniel McCranie, AA6GG
Kristen McIntyre, K6WX
Gene McPherson, N0MHJ
Christine Mele, W4SLH
Michael Metroka, WB8BZK
Wayne, N7NG, and Margaret
Mills
David Minster, NA2AA
Dennis Moore, K7UMH
John Moore, WA3BRZ
William C., N2COP, and
Pamela Morine
William Mueller, AA5WM
Warren W. Munro, KH6WM
Northern California DX
Foundation, Inc.
Robert, Jr., N3RN, and
Carol, KA3EEO, Nygren
Larry, W9INE, and Karen Olson
Orlando Amateur Radio Club
Gerald Ortolini, KE4ZDY
Dan L. Osbourne, W5AFY
William Overstreet, K4AJ
Edward Parish, K1EP
Howard B. Patterson, Jr., W5VY
John T. Patterson, WC0W, and
Leigh Patterson, WC0T
Kurt Pauer, W6PH

Anthony Perales, A1U
PHD Amateur Radio
Association, Inc.
Michael Phillips, WB9SIS
John E. Pinkham, K3PER
Thomas W. Porter, W8KYZ
Scott D. Prather, N7NB
Arthur Priebe, N5ART
Michael Raskin, W4UM, and
Sherry Raskin, W4SLR
Mark Ratajack, K7MTR
Ed Ratledge, K3CWF
Dr. James C. Rautio, AJ3K
Dr. Jerry Redding, KA8Q
Fred J. Regennitter, K4IU, and
Judy Regennitter, K0UH
Joseph Reisert, W1JR
Bruce Richardson, W9FZ, and
Jancie Hoettels, KA9VVQ
Gary Rickheim, W0ARW
John Ritter, K7VGF
John Mark Robertson, K5JMR
Ed Robinson, W5XT

Kimberly A. Roden, W5KAR,
and James M. Roden, K5JR
Ren P. Roderick, K7JB
Thomas Carlton Rogers, II
Evan P. Rolek, K9SQG
James Roop, K9SE
Jerry Rosalius, WB9Z, and
Valerie Hotzfeld, NV9L
Stanford H. Rowe, K6VWE
F. Douglas Rue, W2EN
Joseph Salvatore, N1DJH
Dave Sarault, N3XF
Eric Scafe, K3NA
Keith Schlottman, KR7RK
Fred Schneider, K9OHE
Steven Schoch, K06G
Barney, K3LA, and Carol,
K3LEA, Scholl
Peter Schumacher, AE7C
Gretchen N. Schwartz, K3GNS
Jason John Schwarz, N4JJS
Howard J. Schweitzer, II,
AB3GH

Mark W. Scott, K4MV, and
Catherine Scott, KA5DZW
Paul V. Seamon, Jr., N2RI
Claudia and Edward (KD5M)
Seeliger
Walter J. Sepaniac, N5TQ
John R. Shepherd, AD6NR
James Shurts, W0NO
Six Meter Club of Chicago, Inc.
Timothy B. Slay, N4IB
Steven L. Somers, AE6SS, and
Robin Somers, KJ6ISJ
James L. Spencer, W0SR
Rod J. Stafford, W6ROD
David Sumner, K1ZZ, and
Linda Churma Sumner,
KA1ZD
Jim Talens, N3JT
Rick Tavan, N6XI
Jonathan Taylor, K1RFD
Temple ARC Inc., W5LM
Mark J. Tharp, KB7HDX, and
C. Jo Whitney, KA7LJQ
J. S. Jamie Tolbert, Jr., WW3S

Dr. Guy "Bud" Tribble, N6SN
Kent W. Trimble, K9ZTV
John Uhl, W5ZE
Arnold G. van der Valk, AG3V,
and Suzanne C. van der Valk,
ND0D
Vienna Wireless Society, Inc.
David Walker, K0COP
Hank Wall, W0CZE
Tom Walsh, K1TW
Dan White, W5DNT
Rihard Wiklund, MD, K1MGH
Tom Williams, WA1MBA
Mark E. Wise, N0GEH
E. Glenn Wolf, Jr., N5RN
Walter L. Wooten, W1LW
Scott Wright, K0MD
Brian Wruble, W3BW
James Clair Wyant, W7AH, and
Tammy Orr, W7CYL
YASME Foundation
John C. York, MD, KE5V
Allen Zimmerman, K3WGR
19 Anonymous Donors



Legacy Circle Members

The ARRL Legacy Circle recognizes individuals who have provided for ARRL in their wills or other estate plans. Gifts received in this capacity — unless otherwise designated — provide unrestricted revenue to be used wherever resources are most needed, either through the ARRL Endowment or to assist in offsetting operational costs

John, W5JON, and Catherine,
W5HAM, Abbruscato
Rev. Dr. Alicia, KG6LJ, and
Dave, K6XG, Abell
Robert Ahmann, W7SC
Robert Antoniuk, N2SU
Alan Applegate, K0BG
Zachary Bakker, K2ZDB
Andrew Barbour, AG4XN
Bob Barden, MD0CCE
Robert C. Beach, W8LCZ
Michael Beck, W7EDO
Mark Beckwith, N5OT, and
Kathryn Stewart
Bob Beebe, GU4YOX/KX6N
Steven Bense, W9SRB
Jim Boockholdt, N4AL
Alvin C. Borne, W6IVO
S. Clint Bradford, K6LCS
James Bruce Burnette, K5PX
George Byrkit, K9TRV, and
Mary Byrkit
William Carrigan, Jr., N1FJZ
Kenneth R. Cary, K9UCX
David, KE0OG, and Loretta,
KB0VWW, Casler
Roberta Chamalian, WB1ADL,
and Peter Chamalian, W1RM
J. Craig Clark, Jr., K1QX
Gerald E. Crawford, K7UPJ, and
Mary Ann Guenther
Jose R. Cruz, KA2KCR
Edward Dana, W1TEZ
Jonathan D. Daniels, K4ETC,
and Jessica Daniels

John De Primo, K1JD
Richard Dievendoff, K6KR
Mickey, AK5Q, and
Debbie, KD5EFM, Driver
John Egger, K3GHH
Ronald D. Erickson, K0IC
Jim Fenstermaker, K9JF, and
Shirley Fenstermaker, W7SAF
Carl First, N6CKV
Bruce J. Frahm, K0BJ
Clive A. Frazier, K9FWF
James M. Galm, W8WTS
Bill Gerhold, III, K2WH
Asuna Gilfoyle, W2FUR
Steve Goggans, K7LZJ, and
Lyndie Goggans, N7PKM
Itlice Goldthorpe, K4LVV
Stephen Greenbaum, WB2KDG
Elliot Gross, KB2TZ
Sierra Harrop, W5DX
Douglas Hilton, WD0UG+, and
Diane Hilton, WD1ANE
Thomas H. Hodgson, W3DNN
Elizabeth W. Hoffert and Fred
W. Hoffert, III, NA2U
Geoffrey S. Howard, W0CG
J. C. Jackson, Jr., WB4ABY
Glenn, W0GJ, and Vivien,
KL7YL, Johnson
Frandy Johnson, N1FJ
John C. Kanode, N4MM
Mario L. Karcich, K2ZD
Robert Kares, K3SUH
Steven Katz, N8WL, and
Constance Barsky, WD8ODC

John Kennon, N7CQQ
David L. Kersten, N8AUH
Randall K. Kirschman, K6HEP
James Kleis, WB4WGH
Ethel M. Kramer
Aman Kumar, N5QQQ
Mark Kupferschmid, AC9PR
Edward Lapinski, KV1P
Charles Laufman, K2JLD
Rick Lindquist, WW1ME
Joe Locascio, K5KT, and Marian
Locascio, K5KKT
Joshua Long, W9HT
Paul J. Lour, W1IP
William Marx, W2CQ
Ron, W7GTF, and MaryLou
McCollum
Kristen McIntyre, K6WX
Gene McPherson, N0MHJ
Gary A. Mikitin, AF8A
Joel R. Miller, W7PDX, and
Martha C. Miller
George J. Molnar, KF2T
Richard Mondro, K4FQT
Theodore A. Morris, NC8V
Thomas H. Nail, WA2BCK
David A. Norris, K5UZ
Art Pahr, K9XJ
Col. (Retired) Dino Papas,
KL0S, and Lt. Col. Toby
Papas, KL0SS
Benjamin Patton, N4AXE
Ernest Paul, KC2WD
Aaron Pollack, K2RP
Ernest Porter, N4JOQ

John Putnam, W1DRG
Lawrence Quinn, W1LDQ
Michael Raskin, W4UM, and
Sherry Raskin, W4SLR
John P. Rautenstrauch, N2MTG
Bavi Reese, II, W3WKP
Alfred C. Rousseau, W1FJ
Stanford H. Rowe, K6VWE
Barney, K3LA, and Carol,
K3LEA, Scholl
Rev. Les Shattuck, K4NK
Arnold Shatz, N6HC
Clarence Shmitka, K6AQI
Charles F. Spetnagel, W6KK
Wayne Starnes, KU4V, and
Catherine Starnes
Walter Stinson, W0CP, and
Mary Kay Stinson, K0ZV
Norbert Suchanek, WE5Z
John Thomas, AE3M
John J. Thornton, W6RR, and
Jane M. Thornton, K6HDX
Hal Turley, W8HC
Bob Vallio, W6RGG
James Ward, W6AAJ
Robert Wareham, N0ESQ
Johnny Welch, KE6K
Steven West, W7SMW, and
Donna Karam, KC5FTN
Dan White, W5DNT
Tom Whiteside, N5TW
Allen Zimmerman, K3WGR
10 Anonymous Donors

Operating *WSPR* QRPpp: It's All About the Noise

Quieting your local interference helps with receiving the weakest signals.

Conrad Trautmann, N2YCH

Weak Signal Propagation Reporter (WSPR) is a digital mode within *WSJT-X* (see Figure 1). The data that's generated by the *WSPR* network can be used to check your antenna's performance for transmitting and receiving, and to see what band paths are open at a particular time of day from your location. Recently, I've been using *WSPR* to improve my antenna systems and to help measure the effects of reducing local noise sources.

WSPR sends approximately 2-minute-long QRP digital transmissions containing the originating station's call sign, the Maidenhead grid locator, and the transmit power level being used. Stations typically use anywhere from a few milliwatts to 5 W when sending these signals for QRP (5 to 1 W), QRPp (less than 1 W to 100 mW), and QRPpp (less than 100 mW) operations. *WSJT-X* allows you to select how often you want to send the transmission and which bands to use. There's a schedule in *WSJT-X* that allows band hopping for stations using a multiband antenna

to transmit on different bands. When you're not transmitting, it listens for and decodes other transmitting stations and can post those station location spots to the *WSPR* network database.

When it's not transmitting, *WSPR* will receive and post the beacons it hears to www.wsprnet.org. Similar to the way www.pskreporter.info operates, www.wsprnet.org provides maps of where and when the aforementioned station spots are received, the relative received signal strength, the mode, and the frequency being used. After setting up my station to transmit and receive on *WSPR*, and looking on www.wsprnet.org at my spots reported by receiving stations the previous day, it was a thrill to see my 250 mW signal reaching all over the world.

Eliminating Local Noise

Tom Paratore, WA2TP, a friend I met in the *WSPR* community, explained how to use these beacons as a tool to improve my station's receiving capabilities. I have a decent HF transceiver, a dipole antenna, and a hexbeam antenna on a rotator — I was making contacts without any problems. However, Tom told me it was all about the noise and recommended using a KiwiSDR, which is a wideband software-defined radio (SDR) that shows the entire spectrum, from 0 Hz to 30 MHz, and, when set up just right, will show




Figure 1 — *WSJT-X* screens in *WSPR* mode.



Figure 2 — Some of the available *WSPR* transmitters, transceivers, and filters.

Top Spotters by spot count distance band duplicates

v4.0.0 Database by Arne, Hosting by Rob, Site by Phil VK7JJ

prefs

advanced search

24 hours to midnight UTC

24 hours to now UTC

midnight to now UTC

custom day selector...

-click column headings to sort

-click callsign for band summary

-click table cells for unique & band spots

-click ==> copy table data to clipboard

=> Displaying data from 2025-01-01 00:00:00 to 2025-01-02 00:00:00 UTC

rank	reporter	locator	#raw	#dups	#unique	LF	MF	160m	80m	60m	40m	30m	20m	17m	15m	12m	10m	6
Totals ==>		200	3,636,808	564	219,683	173	1,006	1,878	13,684	1,202	45,239	34,865	57,906	20,199	20,474	8,820	14,216	6
1	WA2TP	FN30lu	50466	0	2313	2	14	14	120	9	382	330	600	230	252	116	244	
2	N2YCH	FN31jg	45580	0	2050	0	10	11	113	5	313	294	498	208	256	126	215	
3	GM0UDL	IO77vo	32242	0	1996	3	17	35	121	22	316	280	518	223	191	114	156	
4	EA8BFK	IL38bo	24129	0	1995	0	0	6	85	18	256	203	431	224	276	180	316	
5	KX4O	FM18cp	35567	0	1955	0	10	14	96	5	317	276	475	204	232	123	203	
6	KA7OEI-1	DN31uo	51344	0	1949	5	14	11	107	1	315	259	451	211	213	157	202	
7	N2HQI	FN13sa	35861	0	1928	2	8	8	107	4	354	320	417	199	208	120	180	
8	WD4ELG	FM06be	35352	0	1889	0	0	12	105	0	328	290	639	166	196	83	70	
9	W1BW	FN54nh	27397	0	1858	0	0	11	100	5	253	266	493	200	243	153	134	
10	OE9GHV	JN47wk	42319	0	1854	6	25	37	158	32	373	282	443	151	159	83	105	

Figure 3 — WSPR Top Spotters for January 1, 2025.

a lot of noise emanating from all sorts of things in the waterfall. The RX-888 MKII is another SDR model that can monitor all of the bands from 2200 to 6 meters, simultaneously. (See Figure 2 for some of the available WSPR hardware.)

If you're trying to receive a 250 mW WSPR signal transmitting from a beacon in Australia (a VK beacon), the QRM (interference) generated by an after-market, wall-wart switching power supply connected to your cell phone charger a few feet away from your antenna could be loud enough to block out the VK beacon. Your antenna and ability to hear distant signals is only as good as how low (quiet) the local noise is.

With a lot of guidance from experienced folks, I began my hunt for noise. I measured my success of eliminating the noise by my placement on the WSPR Top Spotters leaderboard (<https://wspr.rocks/topspotters/topb.html>), which provides a record of how many beacon transmissions you receive, spot, and post by band (it refreshes daily at 0000 UTC). The website allows you to sort beacon reception by distance and received signal strength. As I found and eliminated my local interference sources, my receive sensitivity improved, and I was able to hear more beacons from farther away. When I began in May 2024, I was ranked 62 out of the top 200 WSPR receive sites. Now, I regularly place in the top 10 and have even been ranked as high as number two (see Figure 3)!

I could write an entire article on the various noise sources I found, but here are just a few examples.

- I own a Tesla, and it's recommended that the car be attached to the charging cable while parked. I would always leave it plugged in with the onboard ac-to-dc inverter constantly running, even if it wasn't charging, creating a noise level of S5 or more on all of 40 meters. In the KiwiSDR waterfall display in Figure 4, the yellow and orange bars to the left show the local AM broadcast band stations. The bright green bar in the center shows the noise generated after plugging in the Tesla, but not charging it. At 9, 11, 13, and 15 MHz, there are shortwave broadcasters.
- I unplugged the Sonos speaker in my garage because it was creating noise up and down the band.
- A USB-powered LED strip mounted over the top of my Icom IC-7610 transceiver was creating S7 spikes throughout the 20-meter band. I didn't see them when I was running FT8 on my Icom, but I did on the KiwiSDR waterfall.
- I discovered that the air conditioner in a window in my shack was creating a lot of wideband noise on 10 meters. Putting snap-on ferrite cores over the power cord suppressed the noise.

These are just the highlights, as I found more noise (mostly self-inflicted) created by my own equipment. It wasn't until someone showed me the right tools and how to use them that I learned I had a problem and where to look for it. Each time I've discovered even a small noise source and eliminated it, my WSPR beacon receive statistics improved. If I can reliably




Figure 4 — An SDR waterfall showing the noise from a Tesla charger from 7 to 9 MHz.

pick up those 250 mW VK beacons 16,000 kilometers away, I should be able to hear anything, anywhere, provided the band is open. Having a sensitive, selective radio and a fantastic high-gain antenna alone won't eliminate the S5 inverter noise coming from the car in the garage. But good advice for correctly using the tools needed to chase down and isolate noise in your shack can be a huge help. Check out Clinton Turner's, KA7OEI, blog (<https://ka7oei.blogspot.com>) for more information. As suggested on his blog, I used a tinySA and an active antenna to build a loop to locate my noise sources.

Other Useful Software

I was surprised to learn that there are a number of *WSPR* skimmer software applications that you can connect to an SDR to listen to all (or almost all, depending on your SDR make and model) HF amateur bands simultaneously and post the results to spotter sites. I'm using a Linux application called *WsprDaemon* (<http://wsprdaemon.org>). I typically operate Microsoft, but I learned how to use Linux (with the help of the internet and ChatGPT) and was able to muddle my way through repurposing an old PC to load and run the Linux Ubuntu server. Other applications you can use to do this include the Airspy HF+ server and KiwiSDR's built-in *WSPR* extension, among others. Seeing your reception on more than one band at a time will help you determine what frequencies your antenna is optimized for and give you an at-a-glance look at how the bands are doing at your location that day. For example, I've used the data from my own *WSPR* receivers to determine the best band for operating Parks on the Air® (POTA®). If a band isn't receiving the beacons, then it's unlikely I'll have success making a meaningful amount of contacts. You can also use VOACAP (www.voacap.com/hf) or DXMaps (www.dxmaps.com) to see this data, but the *WSPR* receiver provides a real-

time report on how things are performing at your house or receive site.

Antenna Improvements

Once my local noise sources were addressed, I turned my focus to antenna performance. I experimented with changing the antenna that was feeding my receiver to see how my receive performance compared to other receive stations in my area. The *WSPR* Top Spotter website allows you to sort by grid square, so you can compare your station's reception against others nearby. This is helpful because your geographic location on Earth has a lot to do with how many beacons you can receive.

WsprDaemon allows you to connect more than one SDR at a time, and it uploads only the strongest received signal by band. This functionality allows me to have multiple antennas aimed in different directions that feed two separate SDRs to get north/south and east/west coverage. When you connect two or more SDRs, you can conduct antenna tests against yourself to see which antenna will be better to use on a particular band or in a particular direction. The online reports at www.wspr.rocks make it possible to compare the received signals from each SDR.

Final Thoughts

WSPR QRPpp beacons transmitting from all over the world, along with using tools like *WsprDaemon*, KiwiSDR, and RX-888 MKII, have helped me find and eliminate my local QRM and determine what my best antennas are and how to orient them for the best reception. I enjoyed learning the Linux commands and watching *WsprDaemon* post the spots. Finally, it was satisfying to see my station climb up the *WSPR* Top Spotters leaderboard as I made those changes and improvements.

All figures provided by the author.

Conrad Trautmann, N2YCH, became a licensed amateur in 1994. He holds an Amateur Extra-class license and is an accredited ARRL Volunteer Examiner. Conrad spent 44 years as a broadcast engineer and technology manager in commercial radio and recently retired from his job as Chief Technology Officer of Cumulus Media. He's an avid digital mode and POTA operator and is a founding member of CT-POTA@groups.io. Conrad can be reached at n2ych@arri.net.

For updates to this article, see the **QST** Feedback page at www.arri.org/feedback.

VOTE

If you enjoyed this article, cast your vote at www.arri.org/cover-plaque-poll

The Power Connector Adapter Hub

When you want to attach a device to a power source, the connectors are often incompatible; WA8QMV has a solution.



The PCAH in use.

Donald “Don” Whiteside, WA8QMV

When I need to make power connections to my devices under test, I often end up with a scattered array of wires with alligator clips connected to power jacks, resistors, test leads, etc. So, I created a solution that has several different jacks and connectors all in one place. The result is the Power Connector Adapter Hub (PCAH), a simple box featuring multiple power jacks of various types. As seen in the lead photo, the front of the PCAH has two sets of dual banana binding posts and two dc power jacks, which are the standard size of 5.5-millimeter outer diameter (OD) × 2.1-millimeter inner diameter (ID). The rear of the PCAH, shown in Figure 1, has an automotive cigarette lighter jack (with cover), a housing with two pairs of Powerpole® connectors (with cover), and a BNC

connector for attaching an oscilloscope, a digital voltmeter (DVM), or other test equipment.

The PCAH permits easy interconnection of devices for temporary testing purposes. For example, you can plug an ac/dc adapter into one of the jacks, a DVM into the BNC connector or banana jacks, and a load resistor into the banana jacks. You can easily insert a dc ammeter in series with the load resistor. Similarly, you can connect a mobile radio or a handheld with a Powerpole or cigarette-type connector to the applicable jack. You can attach a power supply to the banana jacks and a DVM to the BNC to monitor the voltage.



Figure 1 — The rear view of the PCAH.

Build the PCAH As Is

Assembly is straightforward. As you can see in Figure 2, the connectors are all wired in parallel. You can find the needed components at electronic parts supply retailers such as Powerwerx, which has the Powerpole connectors (SKU# PanelPole2) and the cigarette lighter jacks (SKU# PanelCIG). Amazon, Jameco Electronics, Mouser Electronics, and DigiKey can provide dc power jacks, BNC jacks, and banana jacks.

Modify for Your Situation

You can make changes to suit your needs. You may use larger-gauge wire and connectors with higher current ratings. You may also desire different dc connectors, such as a 5.5-millimeter OD × 2.5-millimeter ID connector (used on some portable transceivers), or even a USB-C or USB 3.0 connector. While my dc jacks are wired with positive voltage center pins, some applications may require a negative voltage center pin. If needed, you can add a polarity-reversing switch for a specific jack or reverse-wired connectors. An LED that indicates reverse voltage might be a good




Figure 2 — The PCAH wiring diagram.

addition in such cases. Of course, always double-check your dc polarity before connecting any equipment. You will want to select a case size based on the type and number of connectors you will be using. You may choose either a metal or plastic enclosure, such as those sold by Hammond Manufacturing and other companies. If you use metal, I suggest insulating the connectors from the housing to avoid potential short circuits.

For those who do a lot of bench testing, the PCAH can simplify your dc interconnect setups — it certainly did for me.

All photos provided by the author.

Donald “Don” Whiteside, WA8QMV, licensed since 1965, holds an Amateur Extra-class license and an FCC commercial General Radiotelephone license. He received BBA and MBA degrees from the University of Michigan-Flint, and he possesses various professional certifications. Don is retired from biomedical engineering, healthcare management, and state government careers. He is now an author, podcaster, and the founder of CareerLantern.com, a career-oriented website. When not on the radio or spending time with his family and wife of 50+ years, Don enjoys playing guitar with a blues/rock band at charity events. He may be reached at wa8qmv@gmail.com.

For updates to this article, see the **QST** Feedback page at www.arrl.org/feedback.



Strays

Third Year of Morse Academy Underway

Morse Academy began its third year in March, welcoming beginners and advanced learners. Morse code classes take place in a dedicated classroom on board the SS *Rotterdam*, anchored in Rotterdam, Netherlands. The former Holland America Line cruise ship is now operated by WestCord Hotels as a hotel with extensive facilities. The classroom is equipped with individual sending and receiving stations for each participant and is fully supported with state-of-the-art audiovisual tools to enhance the learning experience.

Using a simple Morse code key supported by a transmitter and receiver, participants learn to connect with the world without relying on cables, satellites, or computers. The curriculum follows the renowned Koch method, ensuring an effective and structured approach to learning Morse code. Additionally, advanced students have the opportunity to enroll in the Operating Practice Module, allowing them to further hone their skills and operate confidently on the airwaves as experienced CW operators.

To learn more about Morse Academy and to check class schedules, visit <https://morseacademy.nl>.

— Harm de Haan, PG2GF



Certificate of Code Proficiency Recipients



This month, ARRL recognizes merit and progress in Morse code proficiency on the part of the following individuals, who have achieved proficiency at the following rates, in words per minute.

November 2024

Edward K. Metzler, KN9V 10
Paul B. Walp, WB6PIO 10

December 2024

Brian A. Bayani, KT3X 10
Gary L. Carlson, KF5NV 10
Barry G. Fluxe, W4LSV 10
Barry G. Fluxe, W4LSV 15
Franz Willy Odenthal, DK5EQ 15
Kurt Hohler, HB9FMJ 20
Jonathan Leung, VA7JC 20
Lance Martin, VK6DU 20
Gary W. Stephan, AE4GS 20
Kurt Hohler, HB9FMJ 25

January 2025

Ronald M. Bell, KG5CWH 10
Luke A. Sandell, KN4FVR 10
Freddie O. Cruz, AA2QL 15
Forrest Phillips, AE0QH 15
Ron Kinney, KC0ZPS 30

February 2025

Michael R. Meadows, KE0FFT 10
James J. Werth, KD1AO 15
Barry G. Fluxe, W4LSV 20
Dominick F. Golino, NR2Z 20
Roger L. Burkhardt, N3GE 25

March 2025

Richard L. Eilers, Jr., K4RLE 10
Horacio S. Falciglia, KA8TVY 10
Sherrick A. Slattery, KA6NZB 15
Brian A. Bayani, KT3X 20

April 2025

Scott A. Fronius, N1HQZ 10
Steven M. Johnson, WB4WBO 10
Clifford R. Cantrell, N5GWU 15

Congratulations to all of the recipients.

July 2025 W1AW Qualifying Runs

W1AW, the Hiram Percy Maxim Memorial Station at ARRL Headquarters in Newington, Connecticut, transmits Morse code Qualifying Runs to assist ham radio operators in increasing and perfecting their proficiency in Morse code. Amateur radio operators can earn a Certificate of Code Proficiency or endorsements by listening to W1AW Qualifying Runs.

July Qualifying Runs will be transmitted by W1AW in Newington, Connecticut, at the times shown on 1.8025, 3.5815, 7.0475, 14.0475, 18.0775, 21.0675, 28.0675, 50.350, and 147.555 MHz. The West Coast Qualifying Runs will be transmitted by K9JM on Wednesday, July 23, at 9 PM PDT (0400 UTC on July 24) on 7047.5 kHz. Unless indicated otherwise, sending speeds are from 40 to 10 WPM.

Amateur radio operators who participate in Qualifying Runs may submit proof of 1 minute of the highest speed they have copied in the hope of qualifying for the Certificate of Code Proficiency, or an endorsement to their existing certificate.

Legibly copy at least 1 minute of text by hand, and mail the sheet to: W1AW Qualifying Runs, 225 Main St., Newington, CT USA 06111.

Include \$10 (check or money order) if this is a submission for your initial Code Proficiency certificate; \$7.50 if you are applying for an endorsement (available for speeds up to 40 WPM). Your text will be checked against the actual transmissions to determine if you have qualified.

Members of the North Fulton (Georgia) Amateur Radio League (<https://nfarl.org>) are offering to subsidize the total cost of a Code Proficiency

certificate or endorsement submission for any individual age 21 years and younger, and who reside in either the US or Canada. Participants who wish to make use of this offer should indicate on their Qualifying Run submissions they are age 21 or younger, and certify as such via their signature. Eligible participants are not required to send any fee with their Code Proficiency submissions.

For more information about Qualifying Runs, please visit www.arrl.org/qualifying-run-schedule

For information about how to qualify for the Certificate of Code Proficiency, please visit www.arrl.org/code-proficiency-certificate.



W1AW Qualifying Run Schedule – July 2025 (All times are in Eastern Daylight Time.)

Monday	Tuesday	Wednesday	Thursday	Friday
	7/8 9 AM – 1300Z 10 – 35 WPM	7/9 4 PM – 2000Z 10 – 35 WPM	7/10 10 PM – 0200Z (7/11 – UTC) 10 – 40 WPM	7/11 7 PM – 2300Z 10 – 35 WPM
7/14 7 PM – 2300Z 10 – 40 WPM	7/15 4 PM – 2000Z 10 – 35 WPM	7/16 9 AM – 1300Z 35 – 10 WPM		
	7/22 10 PM – 0200Z (7/23 – UTC) 35 – 10 WPM		7/24 9 AM – 1300Z 10 – 35 WPM	7/25 4 PM – 2000Z 10 – 40 WPM
7/28 10 PM – 0200Z (7/29 – UTC) 10 – 40 WPM		7/30 4 PM – 2000Z 35 – 10 WPM	7/31 9 AM – 1300Z 35 – 10 WPM	

Product Review

Xiegu X6200 HF and 6-Meter QRP Transceiver

Reviewed by Phil Salas, AD5X
ad5x@arrl.net

I've had the opportunity to review most of the Xiegu products, so I was pleased to be asked to review their latest offering — the X6200.

Overview

The X6200 appears very similar to the X6100, which I reviewed for the July 2022 issue of *QST*. Like the X6100, the X6200 transmits on all 160- to 6-meter amateur bands and has a general-coverage receiver that tunes from 500 kHz to 30 MHz and 50 to 54 MHz. But there are some noticeable differences. The X6200 also receives WFM from 88 to 108 MHz, and air band from 108 to 136 MHz. The X6200 has the BPSK, CW, and RTTY decoders, similar to its predecessor, the X6100, but it also has an FT8 decoder. On transmit, the X6200 puts out 5 W with its attached battery, and 8 W with an external 13.8 V dc power supply (the X6100 put out 10 W with an external power supply). And there are settings in the X6200 that permit the user to change display colors.

The X6200 also has front handles that protect the knobs and display. The X6200 does not have an I/Q output. In my opinion, the biggest improvements are the easily replaced lithium battery pack that just snaps into the back of the X6200, and the front protection handles. The X6200 comes with the snap-on battery, a USB-A/USB-C cable, a hand microphone and cable, a plug-in charger, and a dc power cable. If you purchase it from Radioddity, you will also receive a printed 160-page detailed color operation manual. The full X6200 specifications and ARRL Lab measurements are shown in Table 1.

Interfaces and Controls

The X6200 has easily accessible controls and interfaces. On the left side is the BNC antenna connector and a 5.5 × 2.5-millimeter dc power jack (see Figure 1). On the right side you'll find a microSD memory card slot, USB-C slave and host ports, an RJ-45 microphone jack, 3.5-millimeter three-conductor jacks for an external speaker or headphone and a CW key, and an



XPA125B amplifier interface (four-conductor — amp key, ALC, and band data; see Figure 2).

The top-side right three buttons are dual-function (see Figure 3). The normal function, displayed on each button, is enabled by tapping the button. The secondary function, as labeled below the button, is enabled by pressing and holding the button. As an example, to enable the ATU, tap the **ATU** button. For the ATU to tune, press and hold the **ATU** button. Tapping the **FST** button changes the main dial tuning step. The Xiegu-labeled plate on the upper right covers an expansion slot. There is also a bottom expansion slot available. However, nothing is currently being sold for these expansion slots.

The top-side left buttons are all single-function. The **PTT** button is used when operating the X6200 as a handheld with its built-in microphone. The **MODE** and **BAND** switches are self-explanatory.

On the front panel, tapping the volume control cycles its function from AF gain to RF gain to squelch. The six buttons below the **POWER** button bring up different menus. And the six keys below the display are soft

Bottom Line

With up to 8 W of output power, an internal auto tuner, and a snap-on lithium battery, the Xiegu X6200 is a self-contained transceiver in a rugged, compact package that will appeal to portable operators.



Figure 1 — The Xiegu X6200 left side, showing the RF and dc interfaces.

keys whose functions change based on which menu is being displayed. Finally, there is a multi-function knob on the lower left. During normal operation, the outer control ring adjusts transmit power, and the inner control ring can tune the frequency (I'm not sure why one would use this in lieu of the main tuning knob). When any of the detailed menus are selected, the outer knob selects the parameter to be changed, and the inner knob adjusts the parameter.

Power Requirements

The X6200 can be powered from an external 12 – 15 V dc 4 A power supply, or from the attached 7.2 V dc 3200 mAh lithium battery. A 5.5 × 2.5-millimeter dc power cable with bare end wires is supplied for connecting external power. When an external power supply with voltage greater than 11 V dc is connected, the X6200 automatically powers itself from that power supply. The attached battery is charged when the radio is off and either a standard 13.8 V dc power supply or the supplied external charging adapter is connected. You must turn on charging in menu **SETTING 2** to charge the internal battery, though I'm not sure why you would ever want this turned off. The internal



Figure 2 — The Xiegu X6200 right side, showing the mic, data, key, and audio interfaces.

X6200 charging circuit automatically stops charging upon charge completion. During charging, the Xiegu indicator light flashes green, and is solid green when charging is complete. I found that I could get about 2 hours of casual operating at 5 W before the X6200 shut down due to a low battery. A fully discharged battery takes about 7 hours to charge.

Firmware Updates

I recommend checking for the latest firmware before you begin using the X6200, as firmware changes seem to happen frequently. Radioddity maintains the latest X6200 firmware on their website, as well as step-by-step instructions for the update procedure. You will need to download *Rufus* 3.10 from <https://filehorse.com/download-rufus/50198>. *Rufus* is a free utility that creates and formats a bootable USB flash drive. I created a firmware folder for this X6200 into which I placed *Rufus* and downloaded the latest firmware from www.radioddity.com/pages/xiegu-download. However, if you don't have a microSD card, you will need to purchase one and a microSD-to-USB adapter if your PC doesn't have an integrated reader. To update the X6200, copy the latest firmware to the microSD card using *Rufus*.

With the X6200 powered off, insert the microSD card into its slot on the X6200. When the X6200 is turned on, it will automatically update the operating system. The X6200 will turn off automatically. You must then remove the microSD card, power on the X6200, select the **SYSTEM** menu, and then select **FIRMWARE UPGRADE**. Finally, press the **UPGRADE** soft key. This process took me only about 5 minutes — plus the time waiting for Amazon to deliver my microSD card and USB adapter!



Figure 3 — The Xiegu X6200 top side, showing the mode, band, ATU, and expansion port.

Table 1 — Xiegu X6200 HF Transceiver S/N V5K#V41141, Firmware 1.0.3

Manufacturer's Specifications

Frequency coverage:

Receive: 0.500 – 136 MHz.

Transmit: 1.800 – 55.000 MHz (amateur bands only).

Power requirements: 12 – 15 V dc.

Receive: 650 mA max.

Transmit: 3 A max.

Modes of operation: CW, AM, SSB, synchronized AM (SAM), narrow FM (NFM), wide FM (WFM).

Receiver

SSB/CW sensitivity:

MDS: –138 dB.

AM sensitivity: 10 dB S/N, preamp, attenuator, noise blanker, noise reduction off, AGC on:

0.5 – 1.99999 MHz: 10 μ V.

2.0 – 30.0000 MHz: 2 μ V.

50 – 54.0000 MHz: 2 μ V.

FM sensitivity: 10 dB S/N, preamp, attenuator, noise blanker, noise reduction off, AGC on:

28.00 – 30.000 MHz: 0.2 μ V.

50.0 – 54.0000 MHz: 0.2 μ V.

Blocking gain compression dynamic range:

Not specified.

Reciprocal mixing dynamic range:

Not specified.

Measured in the ARRL Lab

Receive and transmit as specified.

At 13.8 V dc:

Receive: 440 mA (max. brightness and volume, no signal).

Transmit: 2.9 A (typical) at 8 W RF output. Microphone adds 20 mA to current consumption when connected.

As specified.

Receiver Dynamic Testing

Noise floor (MDS), 500 Hz bandwidth:

	Preamp Off (dBm/ μ V)	Preamp On (dBm/ μ V)
3.5 MHz	–131/0.06	–139/0.02
14 MHz	–133/0.05	–140/0.02
50 MHz	–128/0.09	–137/0.03

10 dB (S+N)/N, 1 kHz tone, 30% modulation, 6kHz BW:

	Preamp Off (dBm/ μ V)	Preamp On (dBm/ μ V)
1.02 MHz	–94/4.6	–98/2.8
3.88 MHz	–93/4.8	–103/1.6
50.4 MHz	–91/6.2	–102/1.8

12 dB SINAD, 3 kHz deviation, 15 kHz BW:

	Preamp Off (dBm/ μ V)	Preamp On (dBm/ μ V)
29 MHz	–96/3.5	–110/0.75
52 MHz	–96/3.5	–105/1.2

500 Hz BW Offset	20 kHz	5/2 kHz
Preamp	Off/On (dB)	Off/On (dB)
3.5 MHz	123/114	123/123
14 MHz	122/115	122/122
50 MHz	121/114	122/119 ¹

Preamp Off	20 kHz (dB)	5 kHz (dB)	2 kHz (dB)
3.5 MHz	119	113	110
14 MHz	121	117	113
50 MHz	96	90	87

Two-Tone Intermodulation Distortion (IMD) Testing (500 Hz BW) Using Single External Dither Signal

Band/Preamp	Spacing	Measured IMD Level	Measured Input Level	IMD DR
3.5 MHz/Off	20 kHz	–131 dBm	–43 dBm	Up to 88 dB
14 MHz/Off	20 kHz	–133 dBm	–44 dBm	Up to 89 dB
14 MHz/On	20 kHz	–140 dBm	–54 dBm	Up to 86 dB
14 MHz/Off	5 kHz	–133 dBm	–44 dBm	Up to 89 dB
14 MHz/Off	2 kHz	–133 dBm	–44 dBm	Up to 89 dB
50 MHz/Off	20 kHz	–128 dBm	–43 dBm	Up to 85 dB
50 MHz/On	20 kHz	–137 dBm	–42 dBm	95 dB

FM adjacent channel rejection:

Not specified.

Preamp on: 29 MHz, 67 dB¹; 52 MHz, 63 dB¹.

FM two-tone third-order IMD dynamic range: Not specified.

Preamp On	20 kHz	10 MHz
	Offset (dB)	Offset (dB)
29 MHz	77 ¹	91 ¹
52 MHz	76 ¹	

Spectral display sensitivity:
Not specified.

S-meter sensitivity: Not specified.

Notch filter: Adjustable notch frequency
and depth, off/auto/manual modes.

DSP noise reduction: Not specified.

Squelch sensitivity: Not specified.

Receive bandwidth: Not specified.

Receive processing delay time:
Not specified.

Audio output: 0.5 W (4 Ω , $\leq$ 10% THD).

Transmitter

Power output @ 13.8 V dc:

SSB/CW/FM: 8 W; AM: 2.5 W. Internal
battery 5 W ($\pm$ 1 dB); AM: 1.5 W.

Spurious signal and harmonic
suppression: $\geq$ 50 dB.

Third-order IMD products: Not specified.

CW keyer speed range: Not specified.

CW keying characteristics: Not specified.

Transmit-receive turnaround time (PTT
release to 50% audio output):
Not specified.

Receive-transmit turnaround time:
Not specified.

Transmit phase noise: Not specified.

Size (height, width, depth, including protrusions): 3.5 $\times$ 8.5 $\times$ 2.7 inches.

Weight: 2.1 pounds (1.8 pounds without battery).

¹ Measurement was noise limited at the value shown.

² See Lab Notes; AGC fast and slow settings appear to be reversed in CW mode.
The time was reduced to 526 ms when AGC was set to slow.

	Preamplifier Off (dBm)	Preamplifier On (dBm)
Waterfall	-123	-128
S9 Signal	Preamplifier Off (μ V)	Preamplifier On (μ V)
14 MHz	39.8	8.4
50 MHz	70.7	10.3

Up to 42 dB attenuation, AUTO: 69 ms attack time.

Up to 10 dB.

At threshold, preamp on, FM, 29 MHz, 0.67 μ V;
52 MHz, 0.22 μ V.

Range at -6 dB points (bandwidth):

CW narrow (250 Hz BW): -180 to 66 Hz
(246 Hz). SSB wide (2700 Hz BW): 149 to 2847 Hz
(2698 Hz). AM (9 kHz BW): 7 to 3977 Hz (7940 Hz).

32 ms.

As specified. THD 2.5% at 1 VRMS.

Transmitter Dynamic Testing

As specified.

HF: typically, $>$ 70 dB; worst case, 28 MHz: -54 dB;
50 MHz: -72 dB. Complies with FCC emissions
standards.

@ 8 W PEP	3rd (dBc)	5th (dBc)	7th (dBc)	9th Order (dBc)
3.5 MHz	-26	-38	-51	-57
14 MHz	-26	-38	-51	-66
50 MHz	-23	-52	-56	-66
Worst case (10 meters)	-20	-36	-39	-47

@ 5 W PEP

14.250 MHz -28 -48 $<$ -99 $<$ -99

6 - 60 WPM; iambic mode A&B.

See Figures A and B.

S-9 signal, AGC fast:

SSB: 55 ms.

CW, QSK = 100 ms (default): 1550 ms.²

SSB, 27 ms; FM, 29 MHz, 13 ms; 52 MHz, 12 ms.


See Figure C.

Xiegu X6200 Key Measurements Summary

20 kHz Reciprocal Mixing Dynamic Range (dB)




20 kHz Blocking Gain Compression (dB)



20 kHz Third-Order IMD Dynamic Range (dB)




2 kHz Reciprocal Mixing Dynamic Range (dB)




2 kHz Blocking Gain Compression (dB)



2 kHz Third-Order IMD Dynamic Range (dB)



Transmit Third-Order IMD (dB)



Transmit Ninth-Order IMD (dB)



Transmit Keying Sidebands (dB)



Transmit Phase Noise (dBc/Hz)



KEY: QS2507-PR180
Receiver measurements with preamp off.
Transmitter measurements at 8 W RF output.
Bars off the graph indicate values over or under scale.

Table 2 — X6200 ATU Resistive Load and Loss Testing

VSWR/Impedance		160m	80m	40m	20m	10m	6m
8:1/6.25 Ω	Loss	NT	NT	25%	9%	NT	66%
4:1/12.5 Ω	Loss	NT	NT	14%	16%	32%	20%
3:1/16.7 Ω	Loss	NT	19%	14%	16%	22%	22%
2:1/25 Ω	Loss	12%	16%	7%	11%	13%	16%
1:1/50 Ω	Ref	0%	0%	0%	0%	0%	0%
2:1/100 Ω	Loss	12%	12%	14%	21%	25%	26%
3:1/150 Ω	Loss	23%	28%	28%	32%	29%	41%
4:1/200 Ω	Loss	NT	27%	29%	28%	32%	66%
8:1/400 Ω	Loss	NT	NT	26%	29%	35%	76%

Additional Testing

The X6200 auto tuner is specified to match loads from 20 Ω (2.5:1 SWR) to 175 Ω (3.5:1 SWR). This is similar to the 3:1 SWR auto tuner matching range of many 100 W transceivers. I went beyond this range using the setup described in my article published in the March 2021 issue of *QEX*. See the test results in Table 2. Because the auto tuner uses discrete inductance/capacitance (L/C) steps, it won't always achieve a perfect 1:1 SWR. Therefore, the radio output may vary based on the actual load it sees, which can affect the loss measurements. And the radio output cannot be accurately measured into the auto tuner because the auto tuner is integral to the radio. The reference power was set at 5 W with the auto tuner bypassed and transmitting into a 50 Ω load. No tune (NT) in Table 2 means that the tuned SWR was >2:1, as displayed on the X6200 screen.

As you can see in Table 2, the losses are typically around 1 – 1.5 dB within the specified 2.5:1 to 3.5:1 SWR matching specification. For maximum efficiency, it is best to use an antenna that is reasonably well matched.

Next, I checked the S-meter readings against my tinySA Ultra signal generator on 20 and 6 meters. The IARU defines S9 for the HF bands to be a receiver input level of -73 dBm, or 50 μ V. For VHF, the recommendation defines S9 to be a receiver input level of -93 dBm, or 5 μ V. Though 6 meters is technically a VHF band, the HF recommendation is often used for this band. Finally, the recommendation defines that the difference between each S-unit should be 6 dB. The X6200 test results are shown in Table 3.

As you can see, the X6200 S-meter readings are quite accurate on 20 meters, and off by about 1 S-unit on 6 meters. Also, the S-meter readings drop 1 S-unit per 6 dB just as they should. There is some loss of accuracy around S1.

Table 3 — X6200 Displayed S-Meter Readings vs TinySA Ultra Signal Level

	20m	6m
tinySA Output Level	S-Meter	S-Meter
-73 dBm (S9)	S9	S8
-85 dBm (S7)	S7	S6
-97 dBm (S5)	S5	S4
-109 dBm (S3)	S3	S2
-121 dBm (S1)	S2	S1

Operating the X6200

On the front panel, tap the **POWER** button to turn on the radio. The X6200 takes around 20 seconds to boot up, so be patient! To




Figure A — CW keying waveform for the Xiegu X6200 showing the first two dits using external keying. Equivalent keying speed is 40 WPM. The upper trace is the key closure; the lower trace is the RF envelope. Horizontal divisions are 20 ms. The transceiver was being operated at 8 W output on the 14 MHz band using QSK set to its default of 100 ms. The first-dit rise time is 4.5 ms; the fall time is 4.3 ms. The second-dit rise time is 4.4 ms; the fall time is 4.3 ms. The first-dit on delay is 10.6 ms; the off delay is 8.9 ms. The second-dit on delay is 10.6 ms; the off delay is 9.0 ms.




Figure B — The spectral display of the Xiegu X6200 transmitter during keying sideband testing. Equivalent keying speed is 40 WPM using external keying and the default rise-time setting. Spectrum analyzer resolution bandwidth is 10 Hz. The transmitter was being operated at 8 W PEP output on the 14 MHz band, and this plot shows the transmitter output ± 1 kHz from the carrier. The reference level is 0 dBc, and the vertical scale is in dB.




Figure C — The spectral display of the Xiegu X6200 transmitter output during phase noise testing. Power output is 8 W on the 14 MHz band (red trace) and 50 MHz band (green trace). The carrier, off the left edge of the plot, is not shown. This plot shows phase noise 100 Hz to 1 MHz from the carrier. The reference level is -90 dBc/Hz, and the vertical scale is 10 dB per division.

Lab Notes: Xiegu X6200 HF and 6-Meter QRP Transceiver

The ARRL Lab's testing of the Xiegu X6200 uncovered some issues with its AGC operation. The AGC attack time would occasionally be reduced to zero regardless of what it was set to. When operating CW, AGC does not begin to normalize the received signal until after the QSK delay time has expired. With a long QSK delay and AGC set to fast, there was up to a 900 ms period in which the audio increased to a stable level. We also observed that the settings for fast and slow are reversed in CW mode. While operating SSB, the AGC acts as expected.

Overall CW performance of the X6200 was not optimal. On powering on the radio or after changing bands, the RF output in CW mode was limited to less than 1 W until there was a key-down for a period of a few hundred ms. After detecting this long key-down, the radio would then take a few seconds to achieve the RF power it was set to. Switching bands or modes would cause the unit to revert to this behavior every time. While QSK can be set from 0 to 1000 ms, settings below 20 ms produced erratic and undesirable results during our testing, which caused abrupt cutoff of the RF waveform. This will generate a large amount of harmonic energy on the air, causing key clicks. The QSK setting default is 100 ms, and it is recommended to leave it set to the default. In general, there was substantial variation in the key-down-to-RF transmit times, and depending on the code speed, the dit and dah lengths could change as well. Xiegu has confirmed that they are working on a firmware update to fix some of these issues. Xiegu has also made hardware changes that will be implemented in units manufactured going forward. If you have an original unit for which the newest firmware doesn't fix some of the CW issues, Xiegu has offered to upgrade existing units in the field for a fee. Contact Xiegu for more information. — *Rick Ciervo, W1CIE, Senior Laboratory Engineer*

turn off the X6200, press and hold the **POWER** button until the radio turns off. This takes about 5 seconds. As you can see in the lead photo, the display is large and easy to read, while providing a tremendous amount of simultaneous information. Virtually everything you need to know is shown — including the receive spectrum, filter bandwidth, waterfall, and all the different operating parameters.

CW Operation

Next, it was time to have fun. I began with my favorite mode — CW. Tapping the **KEY** button brings up one of two CW menus. One menu permits you to adjust keying speed, key type, iambic keyer mode, and CW tone frequency, and to monitor tone level. Tap **KEY** again and you can set the break-in time delay and the dot/dash ratio, and turn the CW trainer on and off. Because I adjust keying speed frequently, I normally leave the **KEY1** menu up. You can select either CW or CWR (reverse) with the CW mode key on the top of the radio. Tap the digital filter (**DFL**) button to select one of three default filters: 500 Hz, 250 Hz, and 1200 Hz. Each of these filter bandwidths can be readjusted if desired. The default break-in delay is 100 ms, but it can be set from 0 to 1 second in 10 ms increments. However, the delay will never be less than about 50 ms due to the SDR signal processing latency. I set the break-in delay to 500 ms to minimize the T/R relay clicking, which works well for casual QSOs. For DX chasing you will want to set it for less. I operated CW on 40, 30, 20, and 17 meters using a 43-foot vertical. The CW reports were all excellent, with no reports of key clicks or chirps.

SSB Operation

I operated SSB mostly on 20 – 10 meters with my 43-foot vertical. For SSB on 40 meters, 5 W is a pretty marginal power level, but it is reasonably effective on the higher bands. The three SSB default receive filter bandwidths are 2900 Hz, 2400 Hz, and 1800 Hz. Again, the filter bandwidths can be modified easily if desired. All transmit audio reports were very complimentary. There is a speech compressor that is easily enabled, and added “punch” to my signal, as reported by several folks I talked with. In almost all cases, hams I talked to couldn't believe I was running just 5 W.

Digital Modes

The X6200 can be operated with a computer and sound card for RTTY, PSK, JT65, or any of the other popular digital modes. The computer interface is via the **DEV** port on the X6200, using the supplied USB-C/USB-A cable. There are built-in decoders for RTTY, CW, BPSK, and FT8. I am not a digital operator, but because the decoders are built into the X6200, I just had to do some monitoring. The RTTY, BPSK, and FT8 decoders work well. The CW decoder works well for stronger signals that are almost perfectly sent.

Additional Features

The X6200 has most of the features you would expect to see in transceivers today. These include receiver preamp and attenuator, RIT/XIT, and split operation. There are five voice message memories and five text memories. And there are 200 frequency memories. All of the radio functions can also be accessed through the hand microphone. Finally, for the more advanced operator, the X6200 includes 2.4 GHz wireless LAN and Bluetooth features.

Conclusion and Final Thoughts

I found the X6200 transceiver very easy and enjoyable to operate. Because of the SDR architecture, more capabilities and features will undoubtedly be added over time. Finally, there is an X6200 user group at <https://groups.io/g/FXradio>. It is certainly worth joining in order to keep up with operating information, problems, and firmware updates.

Manufacturer: Chongqing Xiegu Technology Co., Ltd. 5th Floor, Building A, No. 8 Qingfeng South Rd., Keyuancheng, Tangxia Town, Dongguan City, Guangdong Province, China. www.cqxiegu.com. Distributed and supported in the US by select US distributors. Price: X6200 HF transceiver, \$799; extra battery, \$70.

Ham2K Portable Logger

Reviewed by John Leonardelli, VE3IPS
ve3ips@gmail.com

The portable logger (PoLo) by Ham2K is an exceptional logging tool designed for amateur radio enthusiasts participating in Parks on the Air® (POTA®), Summits on the Air (SOTA), World Wide Flora and Fauna (WWFF), and similar activities. Optimized for smartphones with data plans, it offers seamless on-the-go operation. Its standout feature is a clean, user-friendly interface, making logging quick and intuitive — even during fast-paced pileups. The app automatically updates its database, ensuring the latest park and summit information is readily available. This eliminates the need for manual updates and lets users focus entirely on their activations.

The Origin of PoLo

PoLo was created by Sebastian Delmont, KI2D, an active portable operator who sought a better solution after finding other loggers frustrating or limited. Initially a personal project to meet his needs, PoLo evolved through feedback from a highly engaged user community. With its open-source, modular design, PoLo empowers users to customize and improve the app to suit their preferences. Active forum discussions and feature requests further underscore its strong user base and commitment to continuous improvement.

In the early days of portable operations, I relied on the ARRL MINILOG and a pencil. Transferring paper logs to a PC logger, however, was tedious. To simplify this, I tried going paperless with a laptop in the field. Over time, I experimented with various setups:

Bottom Line

The Ham2K PoLo is one of the fastest and easiest ways to log your amateur radio operations on the go.

- Laptops: large, heavy, and difficult to use inside a car, even with a steering wheel desk.

- Netbooks: compact but slow, with screens that were hard to read in sunlight.

- Tablets (Android and Apple): lightweight, but pen inputs were finicky, and adding a Bluetooth keyboard negated portability.


- Power banks: essential for extended sessions but added complexity.

The constant juggling of devices, cables, and hotspots made field logging cumbersome. A notebook failure that resulted in the loss of 6-meter sporadic-E logs forced me to seek a better solution. For an upcoming DXpedition, I needed a reliable, lightweight, and intuitive solution. Using a laptop in 40°C heat wasn't practical, and I wanted dependable QRZ lookups to verify call signs during pileups. After frustrations with other Android logging apps, I discovered PoLo.

Use Smartphones for Portable Logging

Today's smartphones offer better speed, portability, and internet access than older netbooks, making them ideal for logging. With a smartphone-based logger like PoLo, I can:

- Easily input call signs with live lookups.
- Send log files to my email for backup and uploads.



- Operate seamlessly with one device — no sun glare, no clamshell hassles.

- View on-screen QSO counts, distances, and operator names.

Initially, I thought PoLo was overly complex due to its powerful features. However, after reading the manual and practicing during a flight to Aruba, I quickly mastered it. For park-to-park contacts involving multiple parks (e.g., 2-fers or 3-fers), PoLo's ability to log all parks simultaneously is a game-changer, saving time and effort.

Key Features

Multi-Operator Support

PoLo supports husband-and-wife or family teams activating on weekends, managing multiple operators seamlessly.

Dual-Program Logging

In Europe, WWFF is their version of POTA, and many parks are part of both programs. For example, during my Aruba activation, I used Ham2K PoLo to log contacts for both POTA and WWFF, generating separate logs effortlessly. No need for manual data entry into separate systems.

Contact Search

During my activities, I worked some special event stations and memorable contacts that I wanted to send a QSL card to. PoLo searches all logs on the device for matching contacts.

Free Availability

PoLo is a free download from the iTunes Store (for iPads and iPhones) and Google Play Store (for Android devices).

App Overview

Settings Tab

- Add your call sign.
- Enable dark mode, prevent screen locking, or choose right/left-hand mode.



Figure 4 —The PoLo "Spots" tab. Clicking a spot populates the QSO tab with all contact details, enabling quick responses.



Figure 5 — The Polo "Map" tab, showing your contact locations by band on the map.

- Set up QRZ and SOTAwatch log-ins for automated call sign lookups and self-spotting.

- Access the Ham2K forums and Discord server for discussions.

Main Screen: New Operation

- Enter the station call sign, location, and operator details.

- Select your activity (e.g., POTA). The app uses smartphone GPS to show nearby parks or allows manual searches.

- For multiple-park activations or WWFF logging, add all relevant parks, and PoLo will manage the logs automatically.

QSO Tab (see the lead photo)

- Enter the hunter's call sign, and PoLo will perform a QRZ lookup to display their name, city, state/province, and distance.

- Record signal reports and notes before saving.

- Visual feedback includes emojis, country flags, QSO counts, and status icons (e.g., a coffee cup for contributors).

Spots Tab (see Figure 4)

- PoLo supports live spots for POTA, SOTA, and WWFF.

- Clicking a spot populates the QSO tab with all contact details, enabling quick responses.

- Filter by band and mode for better management.

Map Tab (see Figure 5)

- After your activation, view a map displaying contact locations by band.

- Use this feature for antenna analysis and radiation pattern insights by comparing contacts made with different antennas.

Operations Tab

- Add station details, locations, and activities.
- Export logs in ADIF or Cabrillo format for easy uploads to POTA, WWFF, or contest platforms.

Use Cases

Aruba DXpedition

During a DXpedition to Aruba, PoLo made logging effortless. I logged contacts directly on my smartphone, relying on its data plan for call sign lookups and file backups. Even in areas without cellular coverage, PoLo stored all data locally, allowing me to export logs later. After returning to my condo, I used PoLo to email logs, upload them to POTA/WWFF websites, and send QSL cards via QSOCardCreator.

Winter Field Day Plus POTA

Combining Winter Field Day (WFD) with a POTA activation was seamless. While PoLo handled POTA logging perfectly, it lacked the dashboard features of *N3FJP WFD Contest Log*. However, I exported ADIF files from PoLo and imported them into *N3FJP*, viewed the dashboard for multipliers, and then generated the WFD log submission. This streamlined workflow eliminated the need for separate loggers. Please note that the current PoLo versions include full support for multipliers, scoring, and summaries for WFD, Field Day, and QSO parties.

Tablet Mode

Tablets offer additional flexibility with larger keyboards and side-by-side views. For example, on an iPad mini, horizontal mode allows simultaneous display of info, spots, or maps. A smartphone hotspot may be required for internet connectivity.

Future Features

Ham2K plans to introduce cloud syncing, CAT control, and desktop versions for Windows, Mac, and Linux in 2025. Features like CAT control will allow users to click on an active spot and automatically tune their transceiver to the activator's frequency. Search-and-pounce operations will also benefit from auto-logging of radio frequencies. If the Windows release allows all the goodness of the smartphone app with a sidebar display of spotting or map information, PoLo could make for an interesting logger for home use.

Conclusion

With its robust functionality — including automatic database refreshes, reliable backups, and efficient multi-program logging capabilities — PoLo is a game-changer for portable operators. It's an indispensable tool for portable amateur radio operators looking to streamline their activations and log upload workflow.

Manufacturer: Ham2K by Sebastian Delmont, KI2D, www.polo.ham2k.com. Price: Free and open-source, but donations are welcome.

Lynovation CTR2-MIDI

Reviewed by Pascal Villeneuve, VA2PV
va2pv@arri.org

For many years, Lynovation has been creating low-cost devices to interface with different software and radios.

The CTR2-MIDI is a small MIDI controller that can be used in combination with CAT software. You can program button functions and use the main VFO knob encoder to change frequencies, adjust volume, etc.

The CTR2-MIDI is another product designed by Lynn Hansen, KU7Q. It can work on different types of devices, and it's supported by the popular iOS and macOS software developed by Marcus Roskosch, DL8MRE, like *SmartSDR* (for FLEX radios), *SDR-*



Bottom Line

The CTR2-MIDI is a low-cost controller for remote software operations. It adds quick and easy access to functionalities similar to a physical radio.



Figure 6 — The CTR2-MIDI beside a 10.5-inch iPad Pro.

Control (for Icom radios), and more. Also supported are *Thetis* and the RHR Console from Remote Ham Radio (www.remotehamradio.com). In addition, it works with other radio control apps like Simon Brown's *SDR-Console*, *SparkSDR*, and *piHPSDR*. The manufacturer also mentioned that if the app supports MIDI control, the CTR2-MIDI should work with it. Keep in mind that the control functionalities will vary depending on the software used.

For this review I used the CTR2-MIDI firmware version 1.02.01 (February 2025), and all of my experiments were done using only the *SDR-Control* software for Icom radios, with all three versions — MacOS, iPad, and iPhone. For more details about the *SDR-Control* software from Marcus, DL8MRE, you will find the review in the November 2022 issue of *QST*.

Description

Measuring only 2.36 × 2.36 × 1.3 inches (including the VFO encoder knob), it feels heavy because of the solid metal VFO knob, so it's impressively stable on the desk



Figure 7 — The CTR2-MIDI rear panel.

for its size. See the CTR2-MIDI beside my iPad Pro, which is 10.5 inches, in Figure 6.

On the back of the unit (see Figure 7), you will find a USB-C port for connectivity, firmware upgrade, or powering the unit. This unit can connect via Bluetooth or USB; it doesn't have an internal battery, but a third-party solution exists (see <https://shop.g7ufo.radio/products/kit-battery-add-on-for-lynovation-ctr2-midi-and-ctr2-micro>). Without a battery for wireless Bluetooth connectivity, you will need a power source connected to the USB port. Beside the USB-C connector there is a "Paddle In" 3.5-millimeter (1/8-inch) stereo input jack that can be configured to use a paddle or a straight key/PTT.

On top of the unit, you will find the encoder, which I call VFO; this is also a pushbutton that is used to toggle between four modes, with each mode having a primary and secondary function. There are two yellow LED lights on the top left, which are used to provide an indication of the selected mode. In the first mode, the two yellow LEDs are off; in the second mode, only the one below is on; in the third mode, only the one above is on; and in the fourth mode, both are on. If you continue past the fourth mode with a short press, you get back to the first mode with both LEDs off. These modes are very useful. For example, in the first mode, the encoder knob is used as a VFO, the second mode can be programmed so the encoder knob becomes the control for the volume, and so forth. All of these knobs are customizable.

On the top right side, there is a red LED for "TX indication" and a green LED below indicating "Paddle mode." If you give a long push on the VFO encoder knob, it will toggle between paddle mode (green light off) and key/PTT mode (green light on). If you use a mono connector




Figure 8 — Windows PC screenshot of the Espressif software with the firmware update completed.




Figure 9 — The iPad *SDR-Control* software Tools menu.

for the key/PTT mode to the paddle input, you can build an adapter cable to use only the tip and the sleeve of the stereo connector, or you can simply change the mapping in the app for MIDI control 21 or 31, depending on which paddle mode the CTR2-MIDI is in. That way, it won't matter if the ring terminal is grounded by the mono plug.

There are also six programmable pushbuttons, labeled MFB1 to MFB6. The first three are located at the left of the centered encoder knob; the one at the top is MFB1, and the one at the bottom is MFB3. On the right side of the encoder knob there are three other buttons; the one at the bottom is MFB4, and MFB6 is the one at the top (see the lead photo). All of these are customizable. The MFBx buttons can be used to activate or deactivate functions like noise reduction (NR), noise blanker (NB), switching between filters, etc. You can also use a combination of the buttons to activate or deactivate functions like turning on and off the Bluetooth radio (more on this later).

Firmware Update

Updating the firmware is very different from what I'm used to. The CTR2-MIDI uses the ESP32-S3 processor, and you will need to download a third-party flashing software called *Espressif Flash Download Tools* (www.espressif.com/en/support/download/other-tools), which is more of a developer's tool for this platform. It's available only for Windows PCs, with Windows 7 or higher. Everything is explained in detail in the 38-page CTR2-MIDI operations manual. Both the firmware and the manual can be downloaded from the manufacturer's website (<https://ctr2.lynovation.com/download-ctr2-midi-firmware>).

Once you've downloaded the latest firmware and the *Espressif* software, you will need to connect the CTR2-

MIDI to a Windows PC USB port. I was unable to do this on macOS, but according to the manual this can also be done using terminal software like *PuTTY*. Next, you will need to follow the multiple steps shown in the manual. I encountered an issue with the COM port detection to flash the firmware, so I followed the manual and had to find the very small button to force it into program mode. This small button is located beside the USB-C connector inside the unit, but it is accessible without dismantling the unit. Pressing on it using a toothpick (as recommended in the manual) while connecting the USB port worked on the first try, and the upgrade was done in a few seconds. See Figure 8 for a screenshot of the *Espressif* software with the update completed.

The Lynovation YouTube channel has a video showing how to update the firmware (see <https://youtu.be/Si0i80jzNyQ>).

Connectivity

As mentioned previously, the CTR2-MIDI can be connected to your application either using a USB cable or via Bluetooth. But because you always need a power source via USB, I prefer using the USB connection directly to the computer or mobile device, as using Bluetooth won't make the CTR2-MIDI completely wireless. It will draw power from the computer, phone, or tablet, and you may need a special adapter if the mobile device needs to be charged at the same time, so Bluetooth may come in handy if you use a separate power source for the controller.

When using USB, you connect the USB cable before starting the application. With *SDR-Control*, you go into the **TOOLS** menu (see Figure 9) and select "MIDI Controller" (see Figure 10) or "CTR2 Controller" mode (see Figure 11). The "CTR2 Controller" is the preferred mode because it's preconfigured for the CTR2-MIDI.




Figure 10 — The *SDR-Control* MIDI Controller settings for USB connection mode.




Figure 11 — The *SDR-Control* CTR2 Controller settings for Bluetooth connection mode.

Keep in mind that the MIDI Controller and the CTR2-MIDI tool in this app support both connection modes. Every time you toggle between the two connection modes, you will need to restart the software and the controller by unplugging the USB cable, as there is no power switch on the unit.

With the new firmware, both modes (the iOS and the macOS versions) in *SDR-Control* are equally easy to set up. In previous versions, the Bluetooth connection required a third-party MIDI software so the device would recognize the controller; now you can simply click on “Find CTR2 Bluetooth LE Controller,” and it will find it instantly (see Figure 9 for the controller settings for the CTR2 Controller mode).

If you have the mobile version of *SDR-Control* for iPhone, only the Bluetooth CTR2 Controller mode is available. I have the software version running on my iPhone 15 Pro, and I’m able to power the unit using a USB-C-to-USB-C cable while running in Bluetooth — but I don’t know for how long. Most of the time when I use the iPhone app, I can’t attach the CTR2-MIDI to it, as I’m usually on the move.

Customizing the CTR2-MIDI

When you download the latest firmware, it includes three files with a “.map” extension. These are preprogrammed for different platforms (FlexRadio, Icom, and Thetis) to give you a starting point for controlling your radio. These files can be customized directly into the remote software.

To customize mine, I had to look at the manual and use trial and error. With *SDR-Control* you can import the mapping settings from the provided files with the firmware, customize it, and export the file. This can be shared via iCloud and imported on another device.

That’s what I did to have the same configuration on my iPad and my Mac. Keep in mind that if you use the Bluetooth and the USB connection, you will have to import the mapping into both connectivity modes (see Figures 10 and 11).

You can do many things with the CTR2-MIDI. I can’t list them all in this review, so it is best to read the manual to learn more about the possibilities.

Using the CTR2-MIDI

Once you’ve completed the setup, updated the firmware to the latest version, and customized the button functions, you’re ready to play.

After a little while you will get accustomed to your CTR2-MIDI configuration. It just adds a radio feel to your remote software operations. It’s way more intuitive than using the iPad touchscreen for commonly used functions. With the CTR2-MIDI, I now have a physical VFO knob for my mobile device using the *SDR-Control* software. I can also quickly adjust the volume; change bands, modes, and filters; and activate frequently used functions like NB and NR — all without the need to use the iPad touchscreen. Plus, it’s small enough to be carried around in a backpack or directly in a pocket.

The unit doesn’t seem to draw a lot of current on my mobile device. I didn’t measure it, but I frequently use it in USB mode on my iPad and have never run out of power, though it’s rarely used more than 2 hours at a time. According to the manual, when the Bluetooth radio is on, the CTR2-MIDI draws around 93 mA. When Bluetooth is off, the current draw is around 43 mA. The Bluetooth radio can be turned on and off by pressing the **MFB6** and **ENCODER** buttons; a Morse code signal will be heard for the active status (“BLE 0” means Bluetooth radio is off, and “BLE 1” means Bluetooth radio is on).

Conclusion

If you’re using any of the compatible software, especially *SDR-Control* or *SmartSDR*, to control your radio, you can’t go wrong with the CTR2-MIDI. It’s inexpensive for what it does, and firmware updates are frequent. It provides a better operating experience than just a software interface, while allowing quick and easy access to functionalities that make the operations feel more like a physical radio. Note that Lynovation recently released a new product called CTR2-Dial, which consists of a CTR2-MIDI with an added touchscreen.

Manufacturer: Lynovation, www.lynovation.com.
Price: assembled unit, \$69; kit, \$49.

Ask Dave

Get more information from the “QST: Ask Dave” YouTube playlist at <https://bit.ly/3z2MBMI>.

Equipment Maintenance, Emergency Phrases, and Tuning

Sometimes, It's as Simple as Cleaning

Q Paul Lux, K1PL, asks: I have a dipole that sometimes goes dead, and nothing is heard. Sending out a single dit with my FTDX101D can bring it back to life. Sometimes, after working fine, it goes back to zero signal, which can be an issue in the middle of a contact. What's going on, and how do I fix it?

A I've had this same problem. You have a dirty mechanical connection in your antenna system or a radio that needs cleaning. It's just enough of an issue that a single dit can cause an almost imperceptible arc across the mechanical connection to fix the issue, at least for a while. Picture the entire path between your radio's transmitter section and the antenna. There are coax connectors, relays, and any RF wiring that is screwed down. Also, many elements of your ground system have mechanical connections because that is the best practice for grounding. A bad solder joint can conduct sometimes, but other times, it will not.

Any ham station that's more than a couple of years old will encounter this problem. The root cause is gradual corrosion. The solution is to clean all of the mechanical connections. Get some contact cleaner like DeoxIT D5. Spray the cleaner on the center plug and sleeve. Clean the male plug with the cleaner and a lint-free microfiber cloth. Spray some more on the center, put the coax into the female receptacle, and work it back and forth. A Q-tip can be used to get into the receptacle. Do this for all coax connections. You may want to lower the problem dipole to the ground to spray the connections and untighten and retighten them. If you have coax switches in your shack (I have two Alpha Delta Delta-4 switches in mine), open them up to spray the contact cleaner. Then move the switch rotor back and forth and wipe them out.

You will find mechanical contacts in your antenna tuner that you may need to clean. Your radio is quite new, and its relays are sealed, so checking that would be a last resort. You should do this cleaning once a year or so. Note that crimped coax connectors can have this same problem. Try re-crimping the connector. In older-

style connectors, make sure the coax shield is properly soldered through the little holes on the side. A touch of rosin flux (not acid flux used in plumbing) can help with the soldering.

When this happens to me, I do an antenna tuning cycle with my Icom IC-7300. That usually brings things back to life for my entire radio session.

Using CW for Emergencies

Q Jouni Hiltunen, OH2GVD, of Finland, asks: How should distress calls be made using CW? There seems to be little or no information about how this should be done.

A There are two possibilities. First, if an emergency response net is already set up, you can check into the net. In the US, the custom is to say “break break break” to indicate you have urgent traffic and need to break in. This is why FM users should always leave a pause after each transmission. This is usually done via voice modes because emergency responders rarely know Morse code. Second, if you have an emergency and no access to commercial communications systems such as cell phones or landlines, your first resort is probably VHF systems using voice. If CW is what is available, like in the instance of using QRP CW for a Summits on the Air event, it's perfectly okay to use this. The procedures in Finland may differ from those in other places, but most countries around the world have agreed to say “Mayday, Mayday, Mayday.” It should be said three times in English for voice. This is a very distinctive sound and will attract attention.

When someone calls you, you need to give your location first. Your location can be in reference to a well-known landmark, a kilometer marker on a numbered highway, or even GPS coordinates. Note that Maidenhead grid squares should not be used because they will mean nothing to an emergency responder.

The next item of information you should provide is the nature of the emergency, such as “I broke my leg coming down the Karhunkierros Trail.” Once the ham




Figure 1 — A close-up of a homemade fan dipole built for 40, 20, and 10 meters. The antenna also tunes up well on 15 meters. [Dave Casler, KEØOG, photo]

on the other end of your communication has the first responders on the line, they may have more questions for you. They will want to keep your communications going until help arrives.

For CW, the procedure is nearly identical except that the distress call is “SOS SOS SOS.” If no one comes back to you, send your location, SOS, and your call sign in case someone is listening and can call the proper authorities. Note that SOS is simply a prosign, not an acronym.

Check these procedures with your local club to see if there are any local differences.

Tuning Troubleshooting

Q Rodney Price, KG5FPJ, asks: I’m building a fan dipole for 20, 15, 10, and 6 meters, similar to Figure 1. I was able to get 20 and 10 meters working. Then I tried to add 15 and 6 meters; 15 meters worked, but 6 meters would not tune. I rebuilt the entire project several times. On my fifth try, before adding the 6-meter element, I checked the standing wave ratio on all the bands. All the intended bands tuned, including 6 meters — even without the 6-meter element. How did that happen?

A The first rule of antennas is that everything affects everything. Many folks have noticed they can

use their radio’s tuner to transmit on 15 meters when the antenna is cut for 40 meters. This is because 15 meters (21 MHz) is near the third harmonic of 40 meters (7 MHz). The relationship isn’t perfect, but it works with a modest tuner. I looked at various combinations of harmonics on your antenna to see what might be going on, but I couldn’t find an obvious relationship.

I suspect that if you move the antenna higher, lower, or to a new position, its frequency response might be different. Also, without a 6-meter element, the radiation pattern for 6 meters may be oddly shaped.

Send your questions to askdave@arrl.org. I answer some questions here, and some via videos on my YouTube channel (www.youtube.com/davecasler), or during my weekly livestream on Thursdays at 6:45 to 8:15 PM Mountain Time on my channel.

Supporting the Lone Rock Fire Response

ICS and ARES training merged in the fight against a massive Oregon wildfire.

Stephen Saltzman, AE7NW

The Lone Rock fire began on July 13, 2024, in north-central Oregon. Within weeks, it grew to consume almost 140,000 acres — equal to almost 10 times the size of Manhattan.

Though much bigger in area than the land affected by the January 2025 fires in Southern California, this part of Oregon is sparsely populated; there are fewer than 23,000 people in the four affected counties combined. This meant that relatively few people had to be evacuated. Of course, it also meant that there were few local resources and little infrastructure available to fight the fire. It took about a month for the fire to be 98% contained, and for all of the evacuations to be called off.

The Collective Response


This was the first Federal Emergency Management Agency (FEMA) activation I've participated in, and frankly, I was blown away by how well it worked. Despite the remoteness of the location, a "town" of 876 people was created almost overnight to respond to the incident, including staff from the US Forest Service, National Weather Service, Federal Aviation Administration, Oregon Department of Forestry, and more.

A formal Incident Command System (ICS) was established, with sections for planning, logistics, operations, and finance. ICS is a framework often used in emergency situations to define and delegate the roles, responsibilities, and resources used in the response.

The Comms Team

The Communications (Comms) Tent was placed next to the Medical Tent to facilitate coordination. I was told that this is standard practice at all FEMA deployments.

There were two to five radio operators on duty from 8:00 AM to 10:00 PM, and one to two radio operators for the graveyard shift. I was one of two volunteers from Multnomah County Amateur Radio Emergency Service® (ARES®), along with David Bumpus, AI7TG. The paid staff were all Fire and Rescue communication professionals from Oregon, Washington, Colorado, and Nevada. There were also four professionals managing, fixing, and occasionally relocating four mobile repeaters covering the disaster zone. All were under



The primary Comms Log maintained by the Comms Team throughout the response.

the watchful and supportive eye of acting Comms Leader Cas Hoag from Reno Fire and Rescue.

Comms Team Duties

The pad in the lead photo was the primary Comms Log. Information on the pad was added to proper ICS-309 forms during slack periods, and then the scratch paper was turned in with the ICS-309 forms at the end of every day. Both were audited for consistency.

There was one big difference between my normal ARES and Community Emergency Response Team exercises and the Lone Rock Fire response: my radio communications were mostly with tired firefighters working in the heat and smoke, not trained Emergency Communications radio operators. In general, the firefighters didn't speak slowly, use prowords, or spell things out using International Telecommunication Union phonetics. Instead, they used a lot of their own slang and acronyms.

Most forms of voice traffic were location updates (e.g., “AMBO 36 in transit to DP60,” or “REMS staged at DP64”). The next most common were requests for supplies (e.g., “2-mile-long fire hose needed at DP60”). AMBO refers to ambulance, REMS refers to Rapid Emergency Medical Service, and DP refers to Drop Point.

All location updates were marked on 3 × 4-foot maps, which were important for things like identifying the closest ambulance to respond to medical emergencies. An 8.5 × 11-inch map showed the RF propagation coverage of the four mobile repeaters surrounding the fire. This map was invaluable for ensuring that responders were never stranded in harm’s way without radio communications, and it was generated using www.cloudrf.com. The site also offers a free plan, as shown at www.cloudrf.com/plans.

Other duties included programming and providing radios to responders. In this case, the radios we used were \$2,300+ Bendix King VHF radios, which are the standard for forest fire responders in the US. These handhelds are huge, in large part because of the size of the batteries required to ensure 12+ hours of operation. Of course, they’re also built to withstand a lot of abuse (e.g., MIL-STD-810 and IP68 ratings). Note the size comparison to a Yaesu FT-5D in Figure 1.

Within the Comms Tent, we used Icom commercial handhelds to communicate with others at the Incident Command Post, but all voice traffic from the mobile repeaters was routed to an on-site Private Branch Exchange. The traffic was then sent to Voice over Internet Protocol phones that each had a push-to-talk button in the handle.

An Incident Within the Incident

The most stressful episode on any of my shifts was when we had what is known as an *incident within the incident*, or an immediate need for medical evacuation as part of the larger disaster response. In this case, the patient was a local resident in distress who was discovered by firefighters near the fire. The call initially came in as Code Yellow, meaning a medical emergency in which the patient is alert and breathing. We notified the Medical Tent and radioed for the closest ambulance to pick them up.

While the ambulance was en route, the patient’s condition was changed to Code Red. One of the on-site air traffic controllers had to be brought into the Comms Tent to call for a Life Flight Network helicopter from Portland, about 130 miles away. We needed to radio to the Crew and Ground Team to scout the closest loca-



Figure 1 — Heavy-duty Bendix King VHF handhelds on either side of a Yaesu FT-5D. All were used in the fire response.

tion to the patient on which the Life Flight helicopter could land. None were found nearby, so rather than clear an area for the helicopter, the decision was made to have the closest ambulance pick up the patient and transport them to a field where the helicopter could land.

Shortly after the helicopter took off, a large thunderstorm developed between Portland and the designated pickup area, so we had to activate a different helicopter from Bend. We were told the patient was still alive when he reached the hospital in Bend, but we received no updates after that.

An ICS and ARES Success

ICS works! Almost overnight, nearly 1,000 people from many different agencies and states set up a high-functioning Incident Command Post in the middle of nowhere, and in due time, a 140,000-acre fire was contained. ARES training works, too. I was fielding voice traffic and filling out ICS-309 forms within minutes of parking at the Incident Command Post.

All photos provided by the author.

Stephen Saltzman’s, AE7NW, wireless education began when he started and ran Intel’s Wi-Fi division, and later headed wireless investments for Intel’s venture capital arm. Those experiences exposed him to ham radio, but weekly commutes to Silicon Valley and raising two boys with his wife, Becki, meant putting off getting licensed until he retired in 2019. Since then, Stephen has been an active radio operator with both Multnomah County ARES and Portland Neighborhood Emergency Teams. He can be reached at stephen@saltzman.net.

For updates to this article, see the **QST** Feedback page at www.arri.org/feedback.

VOTE

If you enjoyed this article, cast your vote at www.arri.org/cover-plaque-poll

An Emergency Operations Center Station Alternative

Amateur radio speeds up severe-weather alerts with help from commercial television.

Gordon Mooneyhan, W4EGM

The KOCO television news station in Oklahoma City, Oklahoma, sits in Tornado Alley. Frank Johnson, a meteorologist at the station, helped implement a program where an amateur radio operator would be at the station during tornado watches and warnings. It created a symbiotic environment. The ham at the station had access to live weather radars and could relay the latest information to spotters in the field. KOCO was able to get reports at the same time as the National Weather Service (NWS) and got the report out to their viewers 30 – 45 seconds before the NWS sent it out. When it comes to tornadoes, seconds can make a difference. In 2007, Frank moved to South Carolina and became the Chief Meteorologist at WBTW News in Myrtle Beach. He saw the advantage of having a ham at the station for hurricanes, and his perseverance paid off.

Hurricane Matthew

On October 6, 2016, Myrtle Beach was in a hurricane warning. Since getting licensed in 1993, my usual post during storms has been at the Myrtle Beach Emergency Operations Center (EOC). However, the city recently relocated the EOC, and a couple of hams who are city firefighters were chosen to operate it. I was told that my services would no longer be needed, so I called the county Emergency Coordinator, Matt McGuire, AF4UZ, to see where my services could be useful. Less than 5 minutes earlier, he had gotten off the phone with Frank Johnson. Management at WBTW News had given Frank the okay to find a ham radio operator. Matt told me about the offer, and I knew that my Public Information Coordinator (PIC) knowledge would make me a perfect fit. Hurricane Matthew struck Myrtle Beach on October 8, 2016.

Monitoring Hurricane Matthew required a lot of trial and error. I was able to monitor the repeater on EchoLink with my laptop until the interference from hams around the country seeking information became too much. With the RF shielding in the building, my 5 W handheld couldn't get the repeater's signal, and the trustee was



The WBTW News station amateur radio setup, which includes a laptop to monitor the weather, a Kenwood TS-440S HF transceiver, and a Yaesu FTM-100D for VHF communications. The stack of index cards is used to pass messages to the producer. [Gordon Mooneyhan, W4EGM, photo]

forced to shut off the link to avoid interference with the net.

Our primary repeater is also on EchoLink, and I pleaded with the trustee not to disconnect it during the storm. At the same time, we were still getting interference from hams. In hindsight, I have nothing but praise for the trustee and how he balanced emergency communication needs with my need to monitor what was happening.

When I arrived at WBTW, Frank introduced me to everyone. The producers didn't understand why I was there until I monitored the local SKYWARN® net and heard a flooding report relayed to the NWS. I copied it and gave it to the producer, who said, "We haven't heard anything about this." I replied, "Wait a few minutes," and returned to my post. After about 5 minutes, the producer came by and said the NWS just broadcasted the flooding report. I smiled and told him I heard the report being sent to the NWS, and that's how I got it early. His reply was, "I get it now," which was priceless.

Working Out the Kinks

Every storm provides a new learning experience. In 2021, the engineering department finally installed a 2-meter vertical on top of the WBTW station. Now, I no longer depend on EchoLink, and I have a choice

of regional repeaters to monitor. I'm sure that made our trustee happy because he turned off the EchoLink connection before another storm arrived and avoided interference with nets.

On January 5, 2024, we were notified of a severe weather outbreak that would affect the entire state on January 9. I emailed Frank, suggesting that this could be the opportunity to implement our annual equipment test, and he agreed. By the time the main storm reached Myrtle Beach, its strength diminished. There were several flooded-road reports, and amateur radio once again proved its worth by getting WBTW the report before emergency management or the NWS broadcasted them.

The storms passed through much faster than initially forecast. Frank checked in with me after it was over and asked if I needed anything else. I mentioned that I have a spare high-frequency antenna at home, and it would be nice to monitor the Hurricane Watch Net. I told Frank I was happy to donate it, as well as an Astron 35 A power supply and an HF radio. A couple of weeks later, I received an email from Frank informing me that management and the engineering department were on board.

Lessons Learned

I've learned several lessons over the past 8 years. Perhaps the most important thing is that whoever is assigned to be at the news station needs to be comfortable talking to the press, especially at the last minute. During every hurricane, an anchor has asked me to be in the studio in about 5 minutes for an interview. That's barely enough time to stop by the restroom and do a quick once-over in the mirror to ensure I'm presentable. Keep in mind that you are in a professional environment, so dress the part. Khaki pants and a polo shirt or business casual attire are acceptable. If you have an ARRL name badge, make sure it's clean. When you speak in an interview, mention the generalities and avoid specifics. The station is doing 24/7

coverage of the storm already. Getting you on for a 10- to 15-minute interview about amateur radio is informative, and it sets the station apart from the competition. It's also a break from the continuous repetition of storm coverage.

With 23 years of experience at EOCs under my belt, the move to WBTW was very welcoming. An online search revealed that WBTW is the only television station in North and South Carolina, and one of the few in the Southeast, with a full amateur radio station for severe weather events and other emergencies. Maybe this will be the start of a new trend.



Chief Meteorologist Frank Johnson discusses his involvement with integrating amateur radio at WBTW News. Access the digital edition of *QST* (www.arrl.org/qst) to hear his story.

E. Gordon Mooneyhan, W4EGM, has been the Public Information Coordinator for the South Carolina Section since 2020 and an ARRL Public Relations Committee member since 2019. He won the 2018 Philip McGan Silver Antenna Award for public relations. Gordon retired from a career in business management. He is the author of three railroad dining car cookbooks and *Titanic: A Legal Perspective*, all of which are available at Amazon. Gordon can be reached at gmooneyhan@gmail.com.

For updates to this article, see the *QST* Feedback page at www.arrl.org/feedback.

VOTE

If you enjoyed this article, cast your vote at www.arrl.org/cover-plaque-poll

2024 SET Success

New Jersey ARES is better equipped for surprise crises, thanks to this trial run.

Michael Prasad, KC2UOA

The Simulated Emergency Test (SET) on October 5, 2024, in New Jersey proved to be a successful collaboration between the American Red Cross and the Northern and Southern New Jersey Sections of the Amateur Radio Emergency Service® (ARES®). In addition to the national Memorandum of Understanding (MOU) between the American Red Cross and ARES, New Jersey has an MOU between the American Red Cross New Jersey Region and the ARRL New Jersey Sections for disaster planning and response.

SET in Motion

The 2024 New Jersey SET assumed a complete disruption of commercial communications within the state, including telephone, cellular, and internet services. This aligns with the Primary, Alternate, Contingency, Emergency (PACE) plan for communications systems continuity of operations, outlined by the Cybersecurity and Infrastructure Security Agency, as shown in Figure 1.

ARES volunteers simulated supporting two served agencies' shelter operators: the American Red Cross New Jersey and local New Jersey County government facilities. The simulation compressed 3 days of shelter emergency communications utilizing voice and digital amateur radio communications into approximately 3 hours. Voice communications were used for resource requests, announcements, and instructions. Digital communications via Winlink were used to transfer

formal written messages, agency forms, damage assessment reports, local weather observations, and welfare messages for evacuees. Digital communications were used because they are faster and more accurate than formal verbal message handling. One of the goals of the SET is to utilize the most common technical capabilities (requiring the lowest level of licensing) to cover the wide range of operators, radios at sites, etc., while attempting to cover gaps in radio propagation, interference, and other factors impacting emergency-based voice and data communications.

There were 74 ARES operators for Northern and Southern New Jersey, and seven American Red Cross hubs were simulated. Forty-eight local shelters and Emergency Operations Center (EOC) sites were also represented. The teams handled 283 formal written messages. There were 91 for the American Red Cross, and 192 were directed to or from the local shelters. There were also 245 tactical messages, including 99 for the American Red Cross and 146 directed to or from the local shelters and EOCs. Volunteers put in 194 hours for the American Red Cross and 225.5 hours for the local shelters and EOCs.

Voice and Data Communications Systems Continuity Objectives

The New Jersey region of the American Red Cross follows a pyramid of strategic, operational, and tactical objectives for emergency communications (EmComm), as shown in Figure 2. During incidents that impact



Figure 1 — PACE plan outlined by the Cybersecurity and Infrastructure Security Agency. [Image courtesy of the Cybersecurity and Infrastructure Security Agency]

Voice and Data Communications Systems Continuity




Figure 2 — The voice and data communications systems continuity objectives pyramid. [Michael Prasad, KC2UOA, image]

the entire state, the American Red Cross organizes in a geographic hub-and-spoke model, as shown in Figure 3, using its existing offices for communications and logistics support between locations. Each hub was interoperable between PACE layers, and we also ensured there were redundancies and backups within each layer. For example, a primary voice-based EmComm layer could have copper landlines, Voice over Internet Protocol telephony, commercial cellular, and government emergency telecommunications service/wireless priority service. We are exploring Winlink, VARA FM, UHF/VHF simplex/repeaters, HF (60-meter, VARA), EchoLink, and more for the amateur radio PACE layer in New Jersey. Many of these tools are interoperable between EmComm layers. For example, Winlink can be used where there is commercial internet service and can be connected to places that do not have connectivity.

Challenges

The SET event leaders organized some planned but unannounced changes to disrupt the exercise momentum, such as severe weather, blocked roadways, and evacuee surges to existing shelter sites. These changes were timed and scheduled. However, some challenges occurred that were unexpected by everyone.

First, a solo operator at a key communications site canceled at the last minute. This was realigned when the Information Technology Disaster Resource Center (ITDRC), a national volunteer nonprofit organization, was able to step in to support that location for radio communications. Remember to always have additional

resources staged to backfill or supplant locations when necessary.

Then there was real-time police activity near an American Red Cross communications hub that caused roadblocks and more than a 2-hour delay at the start of the exercise. Only time could fix this, and message traffic resumed as soon as possible. The solution is being worked out because the physical dispersal of communications hubs depends on the topography, locations, and power of repeaters as well as other technical factors.

As a state, we are continuing to explore different bands, HF (which will require different licensing levels), and other options to bolster the capabilities of critical infrastructure/key resource sites.

Final Notes and Key Takeaways

The 2024 New Jersey SET showed that emergency communications can cover the whole state when the Northern and Southern New Jersey ARES teams coordinate with disaster services technology volunteers from the American Red Cross New Jersey Region. Communications connections for voice and digital transmissions were successful, even when unexpected challenges occurred, like relocating radio operators at the last minute, shifting operations due to frequency interference, poor or degraded equipment performance, and sporadic regional repeater performance.

One of the hallmarks of amateur radio operations for emergency services is demonstrating ARES team flexibility and problem-solving, which was put to the test during this SET. This exercise was successful, and the organizers want to conduct interoperable state-




Figure 3 — A rough draft of the hub-and-spoke American Red Cross emergency communications plan diagram. American Red Cross hubs communicate with each other and other local shelters. The hub at Princeton also communicates with the New Jersey Office of Emergency Management.

wide SETs more frequently during 2025 by linking the SETs to the routine monthly nets conducted by the American Red Cross stations, ARES/Radio Amateur Civil Emergency Service, and even Military Auxiliary Radio System/SHARED RESOURCES groups. Many times, these nets are geographically regionalized, and the capabilities and consistent operation of relays, repeaters, and usable frequency bands always need an improvement process. Emergency communications will always involve problem-solving and remain flexible.

SETs provide an opportunity to expand partnerships and support beyond the American Red Cross and ARES teams. During this SET, ITDRC was added as an exercise player to support one of the simulated shelter sites in an area that did not have ARES coverage. ITDRC benefited from this SET by practicing deploying their mobile assets and staff, which included amateur radio. The SET benefited from having the ITDRC team as a viable force multiplier.

These exercises help assess the need to upgrade radio equipment and directional antennas based on further investigation of adding backup bands/frequencies and confirm Winlink capabilities within American Red Cross EOCs. Continuing to involve American Red Cross command and general staff from a National Inci-

dent Management System/Incident Command System perspective would benefit everyone because message traffic is meaningful and actionable during the exercise.

Finally, the SET established a working framework for future SETs to be expansive in coverage, possibly including state-operated shelter sites, fixed kitchen sites, points of distribution, and other mass care elements for large-scale incidents. The framework is also in place if the healthcare and hospital networks want to exercise their PACE communications capabilities to include amateur radio.

Special recognition to Northern New Jersey Section SET Coordinator Jim Breheny, N2JLF, and Southern New Jersey Section SET Coordinator Tom Devine, WB2ALJ, for their response work and preparations for this SET exercise.

Michael Prasad, KC2UOA, has been a licensed ham since 2008. He is a Certified Emergency Manager and a long-time disaster volunteer for the American Red Cross. Michael can be reached at michael.prasad3@redcross.org.

For updates to this article, see the **QST Feedback** page at www.arrl.org/feedback.



A Case for Standardizing EmComm Training

Hams can unify and hone their emergency response with the PACE model, in addition to ICS and AUXCOMM training.



Amateur radio operators trained on the same materials prior to deployment can further cement their role as a critical part of disaster response and recovery.

John Minard, W5JXN, and J. M. Rowe, N5XFW

Amateurs have been instrumental during disasters, serving as a communication system when traditional infrastructure is either overwhelmed or destroyed. When power outages and system failures occur, hams can provide a resilient and reliable means of communication, often enabling messages to be transmitted over long distances, even from or to isolated or remote areas.

In situations such as the aftermath of Hurricane Katrina in 2005, the Haitian earthquake of 2010, or Hurricane Helene in 2024, ham radio operators provided crucial support by relaying emergency messages, reporting conditions, and maintaining communication between isolated communities and emergency services. This ability to function in environments with minimal infrastructure has solidified amateur radio as a vital component of disaster management plans across many jurisdictions.

Despite its critical role in emergencies, the lack of standardized training and protocols for hams can create

inefficiencies and confusion during a disaster. The variation in individual skills, familiarity with equipment, and understanding of emergency communication protocols can cause emergency managers to bypass utilizing the untrained (but licensed) amateurs. For this reason, it is necessary to standardize training for hams to ensure that their communication efforts are as effective and efficient as possible, thereby ensuring viability in that emergency communications (EmComm) arena.

EmComm Training Today

Current EmComm training is often informal, and it varies significantly across regions, organizations, and groups. In some areas, ARRL's Amateur Radio Emergency Service® (ARES®) and the FCC's Radio Amateur Civil Emergency Service (RACES) organizations reign supreme in EmComm training. In other places, local radio clubs and groups provide it. ARRL itself even offers EmComm training. But does this training *qualify* an operator to provide for a served agency during an emergency?



As of the 2023 NIMS update, ACMs and AUXCs are considered qualified positions within ICS.

The answers to this question depend on several factors. These include the operator's relationship with the served agency, their current training level and willingness to volunteer for further training, and how they, as a group, have performed during prior deployments.

What if it were possible to streamline and standardize EmComm training nationwide? Comparing the training programs for ARES and RACES to the Cybersecurity and Infrastructure Security Agency's Auxiliary Communications (AUXCOMM) training course reveals a great deal of overlapping material. The primary advantage of AUXCOMM is that, as of 2023, Auxiliary Communicators (AUXCs) and Auxiliary Communications Managers (ACMs) are now organic parts of the Incident Command System (ICS). In the ICS structure of the National Incident Management System (NIMS), a position task book is available for AUXCs to be considered *fully qualified*.

The variety of EmComm training available, with no set national standard, means there is no guarantee that operators will have the same knowledge or skill set when deployed to an incident. This results in issues that often lead to amateur radio being overlooked as an essential response and recovery asset. Some of these issues include:

- Inconsistent communication skills. With a standardized training program, hams would avoid miscommunication, delayed responses, and operational inefficiencies during disasters.

- Lack of interoperability. Operators often work alongside various emergency services and agencies, such as law enforcement, fire departments, and medical teams. Without standardized training, communication between amateur radio operators and first responders may be fragmented.
- Inefficient use of resources. In large-scale emergency responses, multiple ham radio operators may be deployed across different areas to provide communication links. Without clear protocols and training, operators may fail to coordinate effectively, leading to the duplication of efforts and overcrowding of radio frequencies.

The AUXCOMM program is the only current training program with positions mentioned in NIMS. Emergency managers, served agencies, and radio amateurs should accept it as the standard program. The ACM and AUXC have been listed as qualified positions within the Communications Unit of the Logistics Section since the March 2023 NIMS update.

Standardizing EmComm training is imperative for amateur radio's relevance to served agencies. This can be accomplished by training to the AUXCOMM standard, and integrating the Primary, Alternate, Contingency, and Emergency (PACE) planning model.

PACE Planning Model: A Framework for Reliable Communication

The PACE planning model helps ensure that communication remains operational, even when the primary method fails. It consists of:

- Primary (P). The primary communication method is the most reliable and preferred means of communication. For hams, this typically refers to the most established frequency or communication mode used under normal circumstances, such as a dedicated repeater or a reliable local frequency.
- Alternate (A). The alternate method is a backup communication option used when the primary process is unavailable or unreliable. This could involve switching to a different frequency or using a different mode of communication, such as digital or simplex.
- Contingency (C). The contingency method comes into play when both the primary and alternate methods fail. This could include using different frequencies, satellite communication systems, or alternative long-distance communication available to hams.
- Emergency (E). The emergency method is a last resort. This could include physical message delivery, voice communications using improvised equipment, or relying on local, informal networks.

The PACE model is essential in disaster scenarios because it ensures that communication systems are not overly reliant on a single method of transmission. In having multiple communication options, the model increases the chances that a reliable communication link can be maintained, even when parts of the infrastructure are compromised.

Incorporating the PACE model into EmComm training would equip operators with a structured approach to managing communication failures.

Integrating PACE and Ham Radio into ICS and AUXCOMM

ICS and AUXCOMM must be critical components of modern emergency management frameworks. Integrating ham radio support into ICS and AUXCOMM ensures that amateurs are effectively incorporated into the broader emergency management system. By adopting the PACE model within the context of ICS and AUXCOMM, the following advantages can be realized:

- Clear role definition. By embedding hams into ICS and AUXCOMM, the duties of each operator are clearly defined within the overall command structure.
- Standard Operating Procedures (SOPs). Standardizing the use of the PACE model within ICS and AUXCOMM enables the creation of clear, documented SOPs for hams.
- Improved coordination with other responders. ICS promotes interoperability between emergency responders. When hams are trained in ICS and familiar with its protocols, they are better equipped to communicate effectively with other agencies.
- Resource optimization. When using the PACE model within ICS and AUXCOMM, hams can avoid unnecessary frequency congestion, duplication of efforts, or communication bottlenecks.

ARES and AUXCOMM

Many hams are already trained through the ARES program and have successfully served their communities for decades. Ultimately, it is up to the served agencies and organizations to determine what certifications they require for volunteers. The training ARES provides is similar to the AUXCOMM program in many ways, including tasks associated with what is expected of AUXCs and ACs. ARES also provides an organizational structure through the national, district, Section, and local levels that helps coordinate hams and resources during times of need.

ARES has always been a solid foundation of EmComm, upon which a successful AUXCOMM program can be built. The basic requirements to be

an ARES volunteer are easy enough to fulfill through having an amateur radio license and a heart of service, and they pair well with AUXCOMM training. However, AUXCOMM is designed to work with an ICS organization.

This makes the prerequisite Federal Emergency Management Agency Independent Study courses, which ARES recommends, a requirement for AUXCOMM training. Many operators are surprised to learn that AUXCOMM does not teach operational techniques and technical skills, but how to function within a standardized ICS organization. Having the AUXCOMM certification tells served agencies from the start that the volunteer communicators have the requisite skills.

A Coordinated Service

Hams have long played a critical role in EmComm, but the lack of standardized training and protocols has hindered their effectiveness in disaster response. By incorporating the PACE communication model and integrating with ICS and AUXCOMM, we can enhance amateur radio's coordination, reliability, and efficiency during emergencies. Standardizing training will equip operators with the necessary skills and ensure seamless integration into the broader incident management framework.

John Minard, W5JXN, has been an amateur radio enthusiast since first testing in 2016. Since retiring from the fire service at the rank of captain in 2018, he has been employed by the State of Arkansas as an emergency management instructor. This role has led to him teaching emergency management and similar classes in Arkansas and Oklahoma, including Communications Unit Leader and AUXCOMM. When not teaching, working toward his PhD in emergency management, or spending time with his nine (soon to be 10) grandkids, John enjoys experimenting with all aspects of amateur radio, with a special interest in emergency communications. He can be reached at w5jxn@outlook.com.

First licensed in 1991 as N5XFW, J. M. Rowe is an Amateur Extra-class operator who holds the position of ARRL Section Emergency Coordinator for Arkansas. He is the Chair of the Arkansas Information Communication and Technology Unit Working Group, the SHARES/AUXCOMM/ESF-2 (Communications) Liaison Officer, the Chair of the Region 4 (Arkansas) 700 MHz Planning Committee, a member of the Arkansas Wireless Information Network Executive Committee, an at-large member of SAFECOM, Co-Chair of the SAFECOM/NCSSWIC AUXCOMM Action Team, and the Chair of the FEMA Region 6 AUXCOMM Committee. He holds a Master Instructor Certificate from the FEMA Center for Domestic Preparedness, and he teaches ICS-300, ICS-400, AUXCOMM, and COML. J. M. is responsible for all Arkansas Division of Emergency Management Auxiliary Communications. He can be reached at n5xfw@yahoo.com.

For updates to this article, see the QST Feedback page at www.arrl.org/feedback.

VOTE

If you enjoyed this article, cast your vote at www.arrl.org/cover-plaque-poll

ARES Celebrates 90 Years of Service

A legacy of resilient communication.

**Scott Yonally, N8SY, ARRL
Great Lakes Division Director**

For 90 years, the Amateur Radio Emergency Service® (ARES®), a program of ARRL, has stood as a pillar of support, providing crucial communication assistance during disasters and emergencies. This milestone anniversary marks 9 decades of selfless service, unwavering dedication, and a commitment to keeping communities connected when conventional communication channels falter.

An Amateur Radio Foundation

ARES volunteers are licensed amateur radio operators who dedicate their time, skills, and resources to ensure that vital information flows during crises. Their contributions are invaluable, bridging communication gaps and supporting emergency response efforts across the nation. ARES is a critical component of the emergency management landscape, working alongside organizations like the Federal Emergency Management Agency (FEMA), local emergency management agencies (EMAs), the Red Cross, and the Salvation Army.

The ARES network is built upon the foundation of amateur radio's technical capabilities and the unwavering commitment of its members. They stand ready to provide communications for damage assessment, relay health and welfare inquiries, and support logistical coordination when traditional infrastructure is either overloaded or nonexistent. ARES volunteers are unsung heroes, often operating behind the scenes, ensuring that emergency responders, government agencies, and the public receive the information they need to navigate challenging situations.

The seeds of ARES were sown in the early 20th century, out of recognition of the potential of amateur radio to provide emergency communications. Over the years, ARES has evolved alongside technological advancements, adapting to meet the ever-changing demands of emergency response. From its early days of using Morse code and vacuum tube technology to today's sophisticated digital modes and satellite communications, ARES has remained at the forefront of communication innovation.

The organization's long history includes providing critical support during countless natural disasters, including hurricanes, earthquakes, floods, and wildfires. ARES has also proven its value during man-

made emergencies such as transportation accidents, infrastructure failures, and public safety incidents. This sustained record of service has solidified ARES's reputation as a trusted and reliable partner in emergency communication.

ARES's strength lies in its commitment to interoperable communications. ARES volunteers are proficient in a variety of communication modes, including traditional analog systems like 2-meter and HF radio, as well as modern digital technologies like DMR, D-STAR, Fusion, and P25. This versatility allows ARES operators to seamlessly integrate with existing communication systems used by various agencies and organizations.

ARES also leverages digital modes such as Winlink and packet radio for sending formal radiograms and vital data. These digital capabilities enhance the speed and accuracy of communication, reducing the potential for errors during critical information transfer. Furthermore, ARES operators are adept at utilizing handheld radios and portable repeaters, enabling them to establish communication networks in areas where infrastructure is damaged or non-existent.

ARES's effectiveness is amplified through its strong partnerships with various agencies and organizations. ARES collaborates with FEMA, EMAs, the Red Cross, the Salvation Army, local emergency planning committees, and other stakeholders to develop and implement emergency communication plans. These partnerships ensure that ARES is well integrated into the broader emergency response framework.

ARES collaborates with organizations such as SAFECOM and the Cybersecurity and Infrastructure Security Agency (CISA) to promote interoperable communication standards and enhance the security of communication networks. Additionally, ARES works with AUXCOM to foster collaboration and share best practices, thereby strengthening the nation's overall emergency preparedness and response capabilities.

A Collaborative Effort

ARES often works in conjunction with Radio Amateur Civil Emergency Service (RACES), a service established by the FCC. While ARES is a volunteer organization under ARRL, RACES is a government-sponsored communication service that utilizes amateur

radio operators during declared emergencies. Many ARES volunteers are also RACES members, allowing for a coordinated and efficient response during emergencies when activated by a government entity. This collaboration ensures that amateur radio resources are effectively utilized to support official emergency communication needs.

ARES places a strong emphasis on training and preparedness. ARES volunteers participate in regular drills, exercises, and training courses to hone their communication skills and stay up to date on the latest technologies and procedures. These training activities ensure that ARES operators are ready to respond effectively during real-world emergencies.

Preparedness is a cornerstone of ARES's mission. ARES volunteers are encouraged to maintain their own emergency communication kits, including radios, power supplies, and other essential equipment. They are also encouraged to develop personal emergency plans and to be self-sufficient for extended periods. This commitment to preparedness ensures that ARES operators can respond quickly and effectively when disaster strikes.

ARES plays a vital role in supporting emergency management efforts at the local, regional, and national levels. ARES volunteers provide critical communication support for damage assessment teams, helping to gather information about the extent of damage and the needs of affected communities. They also relay health and welfare inquiries, connecting families and providing reassurance during uncertain times.

ARES volunteers support shelters, distribution centers, and other critical facilities, providing communication links between these locations and emergency operations centers. They also assist with logistical coordination, ensuring that resources are delivered to where they are needed most. In many communities, ARES is an integral part of the local emergency response plan, providing a reliable communication lifeline when all other systems fail.

Selfless Service

As ARES commemorates its 90th anniversary, we celebrate not just a milestone, but the selfless service that has been the lifeblood of the organization for 9 remarkable decades. ARES volunteers are the embodiment of the amateur radio ethos, a blend of deep-rooted community service and invaluable technical expertise. They are dedicated individuals, drawn



The slogan for the 90th anniversary of ARES indicates that ARES is a partner that is ready when the community is in need, that it responds quickly, and is resilient amid rapidly changing situations.

from all walks of life, united by a shared willingness to generously contribute their time, skills, and knowledge to assist others during their greatest times of need.

For 90 years, ARES volunteers have provided the vital communication link during emergencies, natural disasters, and public service events. Their contributions have made a tangible and profound difference in countless communities, saving lives by relaying critical information, providing essential communication support when conventional infrastructure fails or is nonexistent, and offering a beacon of hope during moments of crisis and uncertainty.

ARES's 90th anniversary is more than just a celebration of longevity; it's a testament to the enduring power of amateur radio and the unwavering commitment of its volunteers. It demonstrates the enduring relevance of a dedicated group of individuals who possess the technical skills and the unwavering spirit to serve. This milestone underscores the vital role amateur radio continues to play in supporting communities and bridging communication gaps during emergencies.

The Next Chapter

As ARES looks toward the future, it remains dedicated to its mission of providing indispensable communication support, empowering communities to better prepare for and respond to emergencies, and ultimately, saving lives.

The next chapter in ARES's history promises even greater innovation, enhanced collaboration with partner agencies, and a renewed commitment to service. This will ensure that ARES remains a vital and indispensable resource for emergency management professionals and the communities they serve, for generations to come. The legacy of service continues.

For more information on how to join an ARES group, visit www.arri.org/ares.

Simulated Emergency Test 2024 Results

ARRL Field Organization Supervisor Steve Ewald, WV1X

The 2024 ARRL Simulated Emergency Test (SET) gave amateur radio operators a great opportunity to put their training, plans of action, and working relationships with community organizations and government agencies to the test under simulated emergency conditions and scenarios. The results of the SET represent their efforts to be ready to respond when called upon.

Luzerne County SET Combined with Nuclear Drill 2024

Luzerne County Emergency Coordinator and PEMA Auxiliary Communications Officer David Kirby, N3SRO

Luzerne County Amateur Radio Emergency Service (LCARES) participated in the 2024 federally evaluated Susquehanna Steam Electric Station (SSES) drill on October 22. Voice and digital capabilities were tested between the Luzerne County Emergency Operations Center (EOC) in Wilkes-Barre, Pennsylvania, and various radio single resources located at multiple municipalities within the emergency planning zone. VHF repeaters were successfully used for voice communications and to transmit SSES, Pennsylvania Emergency Management Agency (PEMA), and Incident Command System (ICS) forms digitally.

HF voice and data communications were also successfully utilized between the EOC, PEMA Auxiliary Communications Service (ACS), and Eastern Pennsylvania Section leadership. Telemetry (position and weather) was also utilized using the county's available automatic packet reporting system (APRS).

Event Summary

Thirty-four individuals participated, including 28 field operators and six operators at the Luzerne County EOC. All municipalities in Luzerne County had an Amateur Radio Emergency Service®/Auxiliary Communications (ARES®/AUXCOMM) operator present.

LCARES was activated at 12 PM local time via a Team App push notification. The Incident Radio Communications Plan (ICS-205), Procedure C (an LCARES activation procedure), and assigned stations were sent out with the push notification. The net opened at 5:45 PM local time on the 146.61 MHz repeater located on Penobscot Mountain in Maine and the 146.46 MHz repeater located in Mountain Top, Pennsylvania.



Dallas County (Iowa) ARRL Emergency Coordinator Dan Case, KØWOI, operated as the Net Control Station from the Dallas County EOC during the 2024 SET on October 26. During the exercise, the Dallas County ARES group tested the reliability of amateur radio communications via the Perry 145.190 MHz repeater and simplex from the EOC to 13 shelter locations throughout the county. APRS was used at each shelter to track mobile stations participating in the net. Communication was also established between the Dallas County EOC and amateur radio stations in several communities in surrounding counties. [Dan Case, KØWOI, photo]

Eastern Pennsylvania Section ARES leadership was informed of the drill activation via the HF circuit — first, through the Eastern Pennsylvania Emergency Phone and Traffic Net on 3.918 MHz. The second notification method was the W3LUZ Winlink station, where a circuit was made on the 80-meter band (3.5 MHz) to a radio message server gateway station outside of the county.

The PEMA ACS was also activated for the drill. Two-way communications were established with PEMA headquarters through the HF circuit and the PEMA Digital Mobile Radio Talkgroup. The HF circuit was made with PEMA headquarters on 7.2505 MHz.

Each operator acted as a single resource team, checked in upon arrival at their designated location, and alerted the county EOC when they were ready to send and receive messages. The messages were transmitted from the EOC over the repeater using the *fldigi* program suite. This program allows us to input form data using the HTML format, transmit it over the air in approximately 60 – 90 seconds, depending on the size of the form, and then print the form in its original format. This entire process takes less than 5 minutes.

During the drill, each operator interfaced directly with emergency managers and Talen Energy officials at their assigned municipalities. The ICS was utilized for the duration of the drill. There were FEMA, PEMA, and Talen Energy officials evaluating the drill at the municipalities, including the county EOC.

In-house VHF APRS and HF voice and digital communications were tested as well. VHF APRS utilized local digipeaters to track operators' positions and local weather in the field. HF voice operations were used to check into the Eastern Pennsylvania Emergency Phone and Traffic Net and the PEMA ACS Net to simulate requesting resources outside of the affected area, from the county EOC to PEMA and Eastern Pennsylvania Section leadership.

Overall Observations and Comments

Overall, the exercise was deemed an overwhelming success. Nearly two-thirds of our LCARES registrants participated. Five operators from ARES teams from outside Luzerne County volunteered. Several operators also volunteered from the University of Scranton Amateur Radio Club, W3USR. This is clearly a testament to the dedication and camaraderie amongst the emergency communications units throughout the Eastern Pennsylvania Section.

We passed all SSES forms to the municipalities in a timely fashion. APRS was utilized to visibly track our operators on a map and message them in the field without any infrastructure available.

HF Winlink messaging can send emails and messages directly over a radio frequency to command staff at the EOC or to allow timely communications to resources outside the affected area when commercial infrastructure has been compromised.

LCARES has demonstrated that it can provide the emergency management agency and Talen Energy with emergency communications services.

Lyon County ARES in Search and Rescue SET

Lyon County ARRL Emergency Coordinator Patricia Polish, KE7JIV

Lyon County ARES (also LCARES) in Nevada participated in the 2024 SET on November 2, from 6:00 AM to 5:00 PM local time. Six members took part in the exercise. This SET supported the efforts of a training exercise with the Lyon County Sheriff's Search and Rescue (LCSSAR) and the Navy's Rotary Wing Weapons School.

The Navy simulated a crash site in which 17 Seahawk Weapons and Tactics Instructors (SWITIs) in three helicopters were shot down by hostile Lyon County forces and crashed into the Pine Nut Mountains in Nevada. The SWITIs' goal was to reach friendly forces to the east of the crash site. LCSSAR deputies were ordered to seal off the crash site and capture the surviving aircrew. LCSSAR

used four-wheel-drive vehicles, all-terrain vehicles, unmanned aerial vehicles, and man-tracking teams. This required good communications over a 7-mile distance in mountainous terrain. As communications are spotty in the exercise area, the LCARES team was asked to help facilitate communication for the LCSSAR team and the SWITIs.

ARES Groups in Alabama Prepare with Served Agencies

Montgomery County ARRL Emergency Coordinator Otto Arnoscht, N4UZZ

ARES of Montgomery County, Elmore County, and Autauga County in Alabama conducted a joint communications exercise on October 5, 2024, from 8:00 AM to 1:00 PM Central Time. This exercise involved voice and digital message traffic between hospitals, the Montgomery and Elmore County EOCs, the American Red Cross, and operators throughout Montgomery and Elmore Counties. The exercise was designed to practice emergency communications between public safety agencies and important institutions when electricity, cellular service, and internet have failed due to a catastrophic weather event. "The entire county communications system is built on P25," explained Montgomery County/City joint Emergency Management Agency Director Wayne Lyles. "We need amateur radio [as a] backup in the event the entire system goes down. Ham radio operators have the expertise and equipment to maintain communications. This exercise makes sure that they are ready."

In Central Alabama, we are vulnerable to hurricanes with spin-off tornadoes. These weather events can bring down cell phone and radio towers and prevent

2024 SET Top Ten

Section	Points
ARES Activity	
Alabama	2,213
Colorado	1,454
Michigan	1,449
Western Washington	1,422
Southern New Jersey	1,164
Maine	1,064
Eastern New York	1,054
Western New York	524
Missouri	522
Eastern Pennsylvania	505
Section/Local Nets	
Wisconsin	4,932
Alabama	944
Michigan	696
Georgia	274
Eastern New York	220
East Bay	184
Colorado	180
Western New York	171
Missouri	135
Ohio	87

them and the internet from working. During those times, hospitals need to coordinate, and public service agencies need to assess what is going on. They need to communicate to do that effectively. We are there

to provide that communication. ARES also provides trained volunteers for searches and other public safety agency needs.

ARES Activity								Section/Local Nets				
Area	Reporter	Points	Section Points	Area	Reporter	Points	Section Points	Area/Net Name	Net Mgr	Points	Section Points	
Atlantic Division				Leavenworth Co.	NJØP	234	522	Atlantic Division				
Eastern Pennsylvania				Missouri				Western New York				
Luzerne	N3SRO	391	505	St. Charles Co.	NØPNP	277		Ontario Co. #2			171	
Montgomery Co.	W3AFV	114		Boone Co.	NØAXZ	245		Ontario Co. #1	WB2VMR	94		
Maryland/DC			94	New England Division				Central Division				
Montgomery Co.	KN3U	94		Connecticut				Indiana				
Southern New Jersey				Region 5 — Town of			107	Monroe Co.				
Section-wide	WB2ALJ	597	1,164	Brookfield	W1QK	107		Tippecanoe Co.	KP4CI	34	63	
Cumberland Co.	N2MHO	169		Maine				Tippicanoe Co.				
Mercer Co.	WJ3P	159		Washington Co.	N1EP	317	1,064	Dunn Co. #2	KC9FXE	3,361	4,932	
Ocean Co.	WX2NJ	155		Cumberland Co.	KB1HNZ	285		Dunn Co. #1	KC9FXE	1,537		
Camden Co.	WB9ULP	84		Penobscot	K1CMN	121		Ozaukee Co.	KD9UWG	34		
Western Pennsylvania				Somerset Co.	KS1SI	121		Delta Division				
Beaver Co. #2	N3EJL	245	334	Waldo Co.	KC1LKI	116		Arkansas				
Beaver Co. #1	N3EJL	89		Aroostook Co.	KC1ECV	79		Cross Co.	W5ARS	54	54	
Western New York				Oxford Co.	N1YIS	25		Louisiana				
Ontario Co. #2	KC2DKP	203	524	Northwestern Division				Vernon Parish				
Ontario Co. #1	KC2DKP	177		Alaska				Tennessee				
Monroe Co.	N2JAC	144		Interior Alaska	AD7VV	133	133	Dickson Co.	N4JSB	31	31	
Central Division				Eastern				Great Lakes Division				
Indiana				Washington			107	Michigan				
Monroe Co.	KC9RPX	173	256	Klickitat Co.	W7GRH	107		Saginaw Co. #2	KC8YVF	231	696	
Tippecanoe Co.	KP4CI	54		Western Washington				Monroe Co.	KE8BYC	168		
Clark Co.	KB9OIC	29		Pacific Co. #1	N7CVW	488	1,422	WCARPSC	K8AGY	128		
Wisconsin				Pacific Co. #2	N7CVW	417		Saginaw Co. #1	KC8YVF	50		
Ozaukee Co.	KD9UWG	76	382	Clark Co. #2	AE7GQ	392		Gratiot Co.	N8DXR	37		
Dunn Co. #2	KB9MMT	166		Clark Co. #1	AE7GQ	125		Muskegon Co.	K8EOD	28		
Dunn Co. #1	K9BRM	140		Pacific Division				Ohio				
Dakota Division				Santa Clara Valley				200	Miami Co.			
Minnesota				Coastside of San				Hudson Division				
Carlton Co.	KCØAFE	25	25	Mateo Co.	KI6FAO	122		Eastern New York				
Delta Division				San Benito Co.	N6HKT	78		Warren, Washington Co.	KE2AGV	220	220	
Louisiana				Roanoke Division				Midwest Division				
Region 6	WB5JZP	69	694	Virginia			191	Iowa				
Tennessee				Fauquier Co.	KD6AKC	108		Dallas Co.	KØWOI	64	64	
Williamson Co.	KC1DWP	394	488	York Co.	WB4UHC	83		Missouri				
Rutherford Co.	KN4CCQ	61		South Carolina				Boone Co.	NØAXZ	135	135	
Dickson Co.	ND4N	33		Dorchester Co.	W3BRB	108	108	Pacific Division				
Great Lakes Division				Rocky Mountain Division				East Bay				
Michigan				Colorado				Solano Co.	KM6BXZ	184	184	
Wayne Co.	NXØH	233	1,449	Region 9	NØWKR	237	1,454	Rocky Mountain Division				
Saginaw Co.	KC8YVF	179		Larimer, Weld Co.	KA6ETE	219		Colorado				
District 5	KD8RHP	142		Adams, Arapahoe Co.	KD6UFO	215		Larimer, Weld Co.	KA6ETE	129	180	
Marquette Co.	N8NAV	124		Douglas, Elbert Co.	K8ZTT	207		Pueblo, Huerfano Co.	WBØYKO	51		
Muskegon Co.	K8COP	118		Region 5, District 2	WBØYKO	136		Southeastern Division				
District 6	N8UKH	108		Region 8, District 1	KIØKY	133		Alabama				
Emmet	W8NWO	107		Region 6, District 1	NØHQD	118		Madison Co. #1	KM4CJ	298	944	
Chaboygan Co.	W8NWO	105		Denver	KCØVAQ	104		Madison Co. #2	KM4CJ	298		
Charlevoix Co.	W8NWO	105		Region 10, District 3	KEØGVY	85		AEN-J	KE4QID	110		
Luce	K8PDC	86		Southeastern Division				Limestone Co.	K4AYK	93		
Alger Co.	KD8ZYW	76		Alabama			2,213	Marshall Co.	KD4BJW	88		
Delta Co.	NJ9V	33		Madison Co.	KK5H	933		Baldwin Co.	N4RAI	57		
Gratiot Co.	NØBV	33		Montgomery Co.	N4UZZ	384		Georgia				
Ohio				Baldwin Co.	K4EES	345		Cherokee Co. #2	W1JKU	160	274	
Montgomery Co.	KA8RUC	158	388	Colbert, Franklin, Lauderdale Co.	KE4QID	186		Cherokee Co. #1	WA4EOC	114		
Geauga Co.	N8ONI	152		Cross County	W5ARS	139		West Gulf Division				
Fairfield Co.	KE8CVP	78		Marshall	KD4BJW	123		Oklahoma				
Hudson Division				Limestone	K4AYK	103		Rogers Co.	AI5Q	80	80	
Eastern New York				Georgia				West Gulf Division				
Warren, Washington Co.	KD2BVA	626	1,054	Cherokee Co.	W1JKU	198	198	Oklahoma				
Orange Co.	KC2VTJ	227		West Gulf Division				Rogers Co.				
Sullivan Co.	KN2X	85		Oklahoma								
Rockland Co.	N2GOP	63		Rogers Co.	KBØZTX	181	181					
Westchester Co.	KD2OFD	53		West Gulf Division								
Midwest Division				West Gulf Division								
Iowa				West Gulf Division								
Dallas Co.	KØWOI	140	218	West Gulf Division								
Fayette Co.	NØZJT	78		West Gulf Division								
Kansas				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								
				West Gulf Division								

Happenings



ARRL Files Comments Responding to FCC Request for Input

ARRL filed comments (www.arrrl.org/files/file/Advocacy/ARRL%2025-133%20Comments%2004_11_2025.pdf) with the FCC in response to its request for public input on alleviating unnecessary regulatory burdens by deleting or modifying rules in the matter of “In Re: Delete, Delete, Delete” (www.arrrl.org/news/fcc-initiates-broad-inquiry-on-rules-to-delete-or-amend). Implementing ARRL’s suggestions would promote and protect the art, science, and enjoyment of amateur radio, and it would enhance the development of the next generation of radio amateurs.

In response to ARRL’s request, more than 200 members submitted suggestions that were reviewed when considering what rules should be deleted or modified. ARRL will continue to engage with members and advocate for the Amateur Radio Service.

In its filing, ARRL asked the FCC to delete or amend the following rules:

Delete the LF and VHF/UHF Symbol (Baud) Rate and Bandwidth Limitations

ARRL supports the deletion of these restrictions, as proposed by the FCC in late 2023. Doing so would enhance amateur experimentation with digital technologies.

Update and Modernize Entry-Level Technician-Class License Privileges

ARRL reiterated its earlier proposal for extending additional limited privileges for Technician-class operators. Adopting its proposal would provide new licensees an introductory window to HF data and phone communications that are at the core of the amateur radio experience. It would also serve to incentivize the next generation of technical leaders, just as Novice CW HF privileges did for earlier generations of operators.

Modernize 80/75-Meter Subband Divisions

ARRL requested action on an earlier proposal that would make more efficient and intense use of the 80/75-meter band. Changes in technology and modes since band usage was last addressed have resulted in overcrowding in one band segment, which would be alleviated by adoption of ARRL’s proposal.

Delete and Replace Obsolete Digital Code Limitations

ARRL asked the FCC to remove provisions that refer to digital codes that are obsolete and permit radio amateurs to experiment freely with new digital codes, so long as such codes are publicly documented and decodable over the air.

Implement Changes to Third-Party Rules Adopted Internationally at WRC-03

Although the US fully supported changes to the International Telecommunication Union Radio Regulations in 2003 that removed a treaty requirement for third-party messages, there is no record of this change having been considered, and the FCC’s rules were never conformed to the new provision. Being the only nation known to continue to require a formal treaty for such purposes has resulted in no new such treaties since the treaty changed more than 2 decades ago. Thus, ARRL asked the FCC to implement rules that are consistent with those internationally agreed to align with the rest of the world.

Delete Amplifier Drive Limitation

ARRL requested that the FCC act favorably on a pending proposal to remove limits to HF amplifier gain that add to amateur equipment cost and impede use of new efficient amplifier technology.

Remove Non-Current Personal Information in Amateur ULS Records

ARRL requested that the FCC complete a rulemaking, in which it proposed to have only current licensee information visible in the public (Universal Licensing System) database. Right now, if an amateur changes their address to a Post Office Box to shield their home address, the previous address remains visible. ARRL advocates for protecting the privacy of radio amateurs.

Delete Obsolete Identification Requirement for Special Call Signs

Users of special event call signs are required to identify with the FCC-issued responsible call sign at least once each hour. This can be confusing, especially on data and CW modes. ARRL proposed reliance on the web-

based database that clearly identifies each special event call sign and authorized period of use.

Delete Obsolete Paper License Replacement Provision

The FCC no longer mails physical copies of amateur radio licenses, so ARRL suggested deleting the rule that provides for sending paper replacements.

The FCC notice (<https://docs.fcc.gov/public/attachments/DA-25-219A1.pdf>) generated a lot of interest among radio amateurs, with hundreds

submitting comments directly to the FCC, as well as responding to ARRL's request for suggestions.

The FCC deadline for filing reply comments was April 28, 2025.

As of press time, it is hoped that the FCC will incorporate worthy suggestions in a Notice of Proposed Rule-making later this year. At that time, there will be a new opportunity for public comment on the specific rules that the FCC proposes to delete or modify.

Amateur Radio Helps 2025 Boston Marathon

More than 280 amateur radio operators volunteered during the 129th running of the Boston Marathon on April 21, 2025.

Operators were working at virtually every location connected with the race, including the starting line, the finish line, transportation points, and various operation centers, such as the Massachusetts Emergency Management Agency, the State Emergency Operations Center Unified Command Center, and the Boston Athletic Association Race Operations Center.

Combined, they performed communication duties that included logistics support as a primary function. Operators also provided backup support for medical and other public safety requests as needed.

"This is one of the largest public service events amateur radio supports in the US, and planning started over 6 months in advance," said Rob Macedo, KD1CY, of the Boston Athletic Association Communications Committee.



Amateur radio volunteers work the course net control location at the 2025 Boston Marathon. [Nancy Austin, KC1NEK, photo]



Rob Macedo, KD1CY, at the State EOC Unified Command Center. [Rob Macedo, KD1CY, photo]

Heritage CQ Amateur Radio Hall of Fame Inductees Named

The Heritage CQ Amateur Radio Hall of Fame, created by longtime amateur radio publisher Richard Ross, K2MGA (SK), will continue to honor hams in a new section of the hamgallery.com website.

CQ magazine ceased publication in October 2023. Ross died on April 27, 2024, and the change was made with the permission of his widow, Cathy.

The Heritage CQ Amateur Radio Hall of Fame honors licensed amateur radio operators and non-licensed

individuals who have made significant contributions to amateur radio, their professional careers, or another aspect of world affairs. A select and diverse group of amateurs will administer the new web page and review submissions.

The 2025 inductees are:

Professor Jim Breakall, PhD, WA3FET. Dr. Breakall's work has been instrumental in amateur radio antenna technology development for decades. Dr. Breakall has

authored numerous peer-reviewed scientific articles and books. He is an Institute of Electrical and Electronics Engineers (IEEE) Life Fellow and a Radio Club of America (RCA) Fellow. He has been awarded the IEEE David Sarnoff Award, the RCA Dr. Ulrich L. Rohde Award for Innovation in Applied Radio Science and Engineering, and the Dayton Hamvention® Technical Achievement Award.

Angel M. Vazquez, WP3R. Vazquez graduated from the City University of New York. He worked at WNYC as a radio engineer before moving back to Arecibo, Puerto Rico, and taking a job at the Arecibo Observatory in 1977. While there, he became the head of telescope operations. He has presented numerous talks on the Arecibo Observatory and his amateur radio experiences at the Dayton Hamvention antenna forums, the RCA Speaker series, Ham Radio Science Citizen Investigation conventions, and multiple amateur radio clubs around the world. He was named Puerto Rico Amateur of the Year in 2017.

Wayne Overbeck, PhD, N6NB (SK). Dr. Overbeck was co-inventor of the Quagi antenna, which is part quad, part Yagi. He was active in amateur radio for more than 68 years, and he was a communications law professor and textbook author, as well as an accomplished DXer and contester.

The nomination deadline for 2025 has passed, but more information about nominating procedures can be found at www.hamgallery.com/HOF/AmateurRadio/procedure.htm.

Section Manager Nomination Notice

To all ARRL members in Alabama, Alaska, Delaware, East Bay, Kansas, Michigan, New Mexico, Santa Barbara, Tennessee, and Western Massachusetts. You are hereby solicited for nominating petitions pursuant to an election for Section Manager (SM). Incumbents are listed on page 16 of this issue.

To be valid, a petition must contain the signatures of five or more full ARRL members residing in the Sections concerned. It is advisable to have a few more than five signatures on each petition. A sample nomination form is available on the ARRL website at www.arrl.org/section-terms-nomination-information. Nominating petitions may be made by facsimile or electronic transmission of images, provided that upon request by the Field Services Manager, the original documents are received by the manager within 7 days of the request. It is acceptable to submit signatures that have been sent via email or mail under the following guidelines: The petition copies must be made from the original form supplied by ARRL or downloaded from the ARRL website. The form must be exactly the same on both sides (i.e., autobiographical information should appear exactly the same on all copies). All forms/copies must be submitted together.

Candidates may use any of the available electronic signature platforms such as DocuSign, Dropbox Sign, and Signed PDF. Candidates who use an electronic signature platform to be nominated, as described above, do not have to send the original paper copies of the nominating documents. The packet that is sent to ARRL Headquarters must be complete. Multiple files or emails for a single petition will not be accepted.

We suggest the following format:

(Place and Date)

Field Services Manager, ARRL

225 Main St.

Newington, CT 06111

We, the undersigned full members of the _____ ARRL Section of the _____ Division, hereby nominate _____ as candidate for Section Manager of this Section for the next 2-year term of office.

(Signature _____ Call Sign _____ City _____ ZIP _____)

Any candidate for the office of Section Manager must be a resident of the Section, an amateur radio licensee of Technician class or higher, and a full member of ARRL for a continuous term of at least 2 years immediately preceding receipt of a nominating petition. Petitions must be received at Headquarters by 4:00 PM Eastern Time on September 5, 2025. If more than one member is nominated in a single Section, ballots will be mailed from Headquarters no later than October 1, 2025, to full members of record as of September 5, 2025, which is the closing date for nominations. Returns will be counted November 18, 2025. Section Managers elected as a result of the above procedure will take office January 1, 2026.

If only one valid petition is received from a Section, that nominee shall be declared elected without opposition for a 2-year term beginning January 1, 2026. If no petitions are received from a Section by the specified closing date, such Section will be resolicited in the January issue of *QST*. A Section Manager elected through the resolicitation will serve a term of 18 months. A Section Manager vacancy occurring between elections is filled through appointment by the Field Services Manager. — *Mike Walters, W8ZY, Field Services Manager*

Because no nomination petitions were received for the New Hampshire Section Manager election by the nomination deadline of March 7, 2025, nominations are hereby resolicited. See above for details.

Call for Nominations for ARRL Director and Vice Director

Attention: Full ARRL members in the Pacific, Rocky Mountain, Southeastern, Southwestern, and West Gulf Divisions. You have the opportunity to choose a Director and Vice Director to represent you for a 3-year term beginning January 1, 2026.

ARRL is governed by its Board of Directors. A voting Director is chosen by ballot by the full (licensed) ARRL members in each of its 15 Divisions. Vice Directors who serve in the absence of the Director at a Board meeting and succeed to the position of Director should a vacancy occur are chosen at the same time. Elections are held in five Divisions per year. It takes only 10 full members in a Division to nominate a candidate for either office.

Qualifications

The eligibility of nominees for the positions of ARRL Director and Vice Director will be reviewed by the Ethics & Elections Committee, composed of three Directors not subject to election this year: Scott Yonally, N8SY; Brent Walls, N9BA, and Tom Frenaye, K1KI. A nominee must be at least 21 years old and must have been licensed and a full member of ARRL for a continuous term of at least 4 years immediately preceding nomination. Each nominee must provide information concerning their employment, ownership, investment interests, and other financial arrangements to ensure compliance with the Conflict of Interest Policy (see Article 12 of the ARRL *Articles of Association and Bylaws* 18 – 24), available at www.arrl.org/general-information. The qualifications for Director and Vice Director are identical. All the powers of the Director are transferred to the Vice Director in the event of the Director's resignation, recall, move outside the Division, inability to serve, or death.

Nomination Procedure

Step 1: Obtain official nominating petition forms. Starting July 1, any full member residing in a Division where

there is an election may request an official nominating petition package in writing, either by letter or via email, to execadmin@arrl.org. The request must reach the ARRL Secretary *no later than noon EDT on Friday, August 8, 2025*. If you are seriously considering running or nominating someone to run, please don't wait until the last minute to request the forms; the deadline for submitting a completed petition form is just 1 week later.

Step 2: Complete the questionnaire and obtain signatures. Only the official form may be used. The candidate must complete the questionnaire, provide the information required to determine eligibility, certify its accuracy, and agree to assume the office if elected and to abide by all ARRL Articles of Association, Bylaws, and Governing Documents. To be valid, a nominating petition must name the candidate and must bear the wet (non-electronic) signatures of 10 full members of the Division.

Step 3: Submit the petition form. The completed form must reach the Secretary *no later than noon EDT on Friday, August 15, 2025*. The submission may be made by electronic transmission of images (i.e., a PDF or JPEG attachment to an email) or facsimile provided that upon request, the original documents are received by the Secretary within 7 days of the request. A person who is nominated for both Director and Vice Director may choose to decline the nomination for Director; otherwise, the nomination for Director will stand and that for Vice Director will be void.

Balloting

If there is only one eligible candidate for an office, he or she will be declared elected by the Ethics & Elections Committee. If there is more than one eligible candidate for an office, the full members in that Division who are in good standing as of September 10, 2025, will have the opportunity to cast ballots. Official voting documents will

be mailed and emailed to members who are eligible to vote no later than October 1, 2025. Votes must be electronically cast, or completed paper ballots must be received at the designated PO Box in the envelope provided, by noon Eastern Time on Friday, November 21, 2025. The candidate receiving the most votes will be declared the winner that day.

Absentee Ballots

A full member who is residing temporarily outside his or her home Division, including overseas, may arrange to vote in the home Division by notifying the Secretary before September 6, 2025, giving their current mailing address as reflected in the ARRL membership records (i.e., QST mailing address) and the reason that another Division is considered home. Members with overseas military addresses should take special note of this provision; in the absence of information received to the contrary, ballots will be sent to them based on their postal addresses.

The Incumbents

The incumbent Directors and Vice Directors, respectively, in the five Divisions in which elections will be held this year are:

Pacific: Tony Marcin, W7XM, and John Litz, NZ6Q

Rocky Mountain: Jeff Ryan, KØRM, and Dan Grady, N2SRK

Southeastern: Mickey Baker, N4MB, and Andy Milluzzi, KK4LWR

Southwestern: Dick Norton, N6AA, and Ned Stearns, AA7A

West Gulf: John Robert Stratton, N5AUS, and Lee Cooper, W5LHC

Public Service

The ATV and ARES Connection in Boulder, Colorado



EOC staff watching a BCARES live video feed of a Boulder County forest fire in 2022. [Allen Bishop, KØARK, photo]

In 1976, a massive downpour flooded the Big Thompson Canyon in Colorado, with more than 150 fatalities recorded. Agency staff had very few radios, so hams provided emergency communications on an ad hoc basis. In the aftermath, the Boulder County Sheriff's Office Civil Section called on the three ham clubs in the area to organize the Boulder County Amateur Radio Emergency Services® (BCARES) as a joint ARES®/Radio Amateur Civil Emergency Service (RACES) program. There was an amateur radio television (ATV) repeater in operation by the end of the 1970s, but RFI from an FM broadcast station at the repeater site resulted in dormancy during the '80s.

In 1989, Captain Bill McCaa, KØRZ, of the Boulder County Sheriff's Office, asked BCARES to provide the office with amateur television and an ATV repeater. The hardware and antennas were hosted on the sheriff's radio repeater site.

Around 1990, when the Gulf War began, there was a breakout of large anti-war protests. The Boulder Police Department wanted television imagery of the courthouse, which was a hub for protester activity, so they

gave handheld TV camcorders to ARES operators. The major supplier of ATV equipment during that era (up to 2014) was Tom O'Hara's, W6ORG, PC Electronics (www.hamtv.com).

Over the years, camcorders were deployed for many holidays and events that required major police activity, including Halloween, political events, riots, etc. Officials wanted ATV cameras placed on rooftops for use during these times.

In 1995, the University of Colorado (CU) campus police department wanted television monitoring of home football games. Four ATV cameras and 70-centimeter ATV video transmitter pack sets were purchased and provided for public safety. The Boulder County Special Weapons and Tactics (SWAT) team wanted imagery too, but ARES leadership was concerned with the safety of its members for such an application. However, Jack Ciaccia, WMØG, and Jim Andrews, KH6HTV, agreed to become volunteer members of the Boulder County SWAT team. They set up perimeters at crime scenes and received imagery of SWAT situations, providing live transmissions to a mobile command

Noteworthy Dates in ATV and BCARES History

1976 — BCARES was founded after the Big Thompson River Flash Flood.

1989 — Captain Bill McCaa, KØRZ, of the Boulder County Sheriff's Office asked BCARES to provide TV service, starting with coverage of numerous anti-war activities.

Early 1990s — BCARES was activated to set up TV cameras on rooftops overlooking the crowds celebrating Halloween on the Boulder city pedestrian mall on Pearl Street. More than 40,000 people filled the mall.

1995 — CU's police department requested BCARES ATV coverage of home football games, so BCARES supplied four TV camera teams transmitting simultaneous pictures on four 70-centimeter, 6 MHz TV channels to the police command post.

1997 — A small subunit of up to four specially trained volunteer BCARES members became part of the Boulder County SWAT team to assist with ATV. SWAT teams were called during an out-of-control student riot one night, so BCARES was activated, and TV cameras covered the streets and rooftops.

2010 — BCARES provided video coverage from mountaintops during the Fourmile Canyon Fire and was credited by the sheriff for saving several homes.

2015 — BCARES adopted HD 1080p DATV and converted their ATV repeater to digital.

2018 — The DATV repeater was moved to the National Center for Atmospheric Research, where it remains today. The WØBTV DATV repeater has wide-area coverage.

post. They also trained at Fort Carson, an army post where live fire ranges simulated armed conflict.

A Prominent Figure in ATV Developments

Andrews soon became a household name of ATV as he began to design and build television hardware for ARES public service applications. In September 2010, his ATV systems were used to support firefighting efforts during the Fourmile Canyon Fire in which more than 6,000 acres burned, destroying 168 homes. BCARES members were activated for an entire week at the emergency operations center (EOC), evacuation centers, and mountaintops. ATV cameras with long telephoto lenses were employed to monitor the fire, streaming live video to monitors at the EOC. If a place of interest developed, a compass heading would be taken so fire control assets could be deployed efficiently. The operation was credited for saving six homes, and BCARES received a commendation for their work.

In the aftermath of the fire, several members of one of the area clubs asked Andrews to build ATV transmitters for them, and he started KH6HTV Video (www.kh6htv.com). He continued to develop hardware for the mode, especially with solutions for ARES television operations.

ATV in the Field

Over the years, radio amateurs have used ATV to observe many forest fires, including the Cal-Wood Fire in 2020. The Boulder ATV repeater, WØBTV, was used to transmit views of the fire, which burned 600 acres of Boulder's mountaintops. Using a telephoto lens, Andrews', KH6HTV, camera was able to view the fire along the Front Range as it approached the first ridge of the Rocky Mountain foothills. Television images were received at the BCARES command post in the county's EOC, where they were displayed on a large-screen monitor.

However, BCARES's biggest technical achievement was providing services to the US Department of Homeland Security for a BOLDERBoulder 10K run after the Boston Marathon bombing, as there was concern there might be a copycat bomber. BCARES provided television imagery using four cameras at the start line and four cameras at the finish line in the CU football stadium. Using all eight 70-centimeter ATV transmitters with only four ATV channels available was accomplished by using an intermediate portable ATV repeater that was set up on Flagstaff Mountain. Combined quad images were then relayed via two 23-centimeter FM-TV links to the two command posts.

Future of ATV in ARES

In its early days, the cost of digital television (DTV) was prohibitive to most hams. However, by 2014, 5 mW DTV modulators finally became price-accessible, and BCARES deployed a demo DTV system at a CU football game. The CU police chief reveled in the dramatic increase of image quality — high-definition (HD) 1080p — and provided BCARES with \$10,000 to convert the old analog systems to the newer digital mode.

Andrews said that the DTV repeater has been the key to success for an active TV group. Today, there are more than a dozen DATV operators getting on the repeater for weekly nets. "Repeater access and experience are keys to successful and productive ARES deployments," Andrews said. More than half of the members of BCARES have been instructed on how to run the cameras and have been trained on picking up equipment from the 911 cache and setting it up in the field.

Exam Info



ARRL VE Teams — Go Digital in 2025!

In 2025, the ARRL Volunteer Examiner Coordinator (VEC) is moving to a completely digital program. Printed booklets and supply shipments will be discontinued as we shift teams to the ExamTools exam system for online or printed amateur radio exams.

ARRL VEC Program Available Services

Online Exams or Printed Exams

ARRL Volunteer Examiner (VE) teams can go completely electronic by using the ExamTools system (www.exam.tools) to administer online exams for in-person or remote video-supervised sessions. Teams can also print exams for their in-person sessions from this web-based program.

Remote Video-Supervised Sessions

Remote sessions are conducted using an online video conferencing platform with ExamTools on-screen tests (www.exam.tools).

Electronically File Exam Sessions to the VEC

Upload exam session documents or files for quicker service! New and upgraded licenses are transmitted to the FCC within 1 – 2 business days for weekend sessions, and they are usually transmitted on the same day for weekday sessions. Contact the VEC department for the upload instructions at vec@arrl.org.

Additional information about these services is located on the Resources for VEs web page at www.arrl.org/resources-for-ves.

ExamTools Examination System

Since June 2020, our VE teams have been shifting to the ExamTools system, which works well for online and printed exams. VE teams can use printed exams from ExamTools, or they can opt for online exams at in-person sessions or fully remote, video-proctored sessions.

ExamTools offers four options for conducting exam sessions:

1. Remote, video-supervised test sessions with online exams.
2. In-person test sessions with online exams.

3. In-person hybrid test sessions with some online exams and some paper exams.

4. In-person test sessions with all ExamTools-generated paper exams (with automated grading), or paper exams that will line up with our grading templates.

As mentioned in option number four, VE teams have two choices in ExamTools regarding printed exam grading, if they want to continue using paper exams (<https://docs.exam.tools/docs/cve/printedexamcreation>).

VEs can create printed exams that utilize GradeCam™ for grading tests. GradeCam will grade exams in seconds using the camera on a phone, tablet, or computer, which eliminates the need to manually grade the tests. Additionally, the score will automatically be recorded in ExamTools for each test.

VEs can also choose to print exams that align with our blue overlay grading templates, allowing teams to continue using compatible paper tests during exam sessions.

Regardless of the type of exam session that is managed through the system, the program offers registering and tracking candidates throughout the session, automated grading for on-screen or paper exams, online signing of Certificate of Successful

Question Pools Schedule

Review of the question pools is part of a regular process.

Each question pool is reviewed and updated on a 4-year rotation.

The **Technician**-class (Element 2) Pool is effective as of July 1, 2022, and it is valid until June 30, 2026.

The **General**-class (Element 3) Pool is effective as of July 1, 2023, and it is valid until June 30, 2027.

The **Amateur Extra**-class (Element 4) Pool is effective as of July 1, 2024, and it is valid until June 30, 2028.

No question pools will be updated or released in 2025.

A new Technician-class question pool will be released in 2026.

The Technician Pool Review Is Here

The Technician-, General-, and Amateur Extra-class amateur radio question pool reviews are part of a regular process. Each question pool is reviewed and updated on a 4-year rotation and designed around standard subject matter, such as FCC rules, operating procedures, radio wave propagation, electrical principles, circuits, signals and emissions, antennas and transmission lines, and safety. All amateur radio exams are created from these pools.

No question pools are scheduled to be released in 2025. The Technician-class (Element 2) question pool is currently being reviewed. The National Conference of Volunteer Examiner Coordinators (NCVEC) Question Pool Committee (QPC) welcomes comments and suggestions for new questions or changes to the topic areas for any of the pools. Please send your input to the NCVEC QPC at qpcinput@ncvec.org. An updated Technician-class question pool will take effect on July 1, 2026, and you can help shape the next pool.

Completion of Examination (CSCE) forms and 605 forms by the candidate and examiners, logging and compiling session statistics and the VE participation list (test report summaries), and output files for uploading to the coordinating VEC. Additionally, as mentioned, the program will create printed exams that are compatible with our blue overlay grading template designs. The easy-to-use program helps VEs conduct a session and provides a comprehensive solution for conducting all types of exam sessions.

An overview of the ExamTools system is available at <https://docs.exam.tools/docs/general>.

ARRL VEC staff can also provide detailed information by email.

Reducing License Grant Times From Weeks to Days

All VE teams must submit their completed exam session results via our secure web page for quicker service to their candidates. The web page has been an available program service since 2018. New and upgraded licenses are transmitted to the FCC within 1 – 2 business days for weekend sessions, and they are usually transmitted on the same day for weekday sessions. Using the web page also reduces our return shipping expenses, as we have been covering the cost of shipping the administered sessions back to ARRL

Headquarters. Uploading session results through our website is a vital program feature for our customers.

Looking Ahead to 2026 and Beyond

Moving VE teams to the ExamTools testing platform and to electronic session filing will allow for quicker service to candidates. The average wait time for a license grant has dropped to a few days instead of a few weeks (months when conducted by the FCC) for candidates who test with VE teams using these services.

Stronger results will be achieved by aligning with the expectations of our VE teams and examinees, reducing reliance on the US Postal Service and paper filings, and improving customer satisfaction through shorter license issuance wait times.

These strategies will help the VEC program remain strong and active in the amateur radio community. Our commitment to delivering a fast, easy, and affordable solution allows teams to speed up the FCC license grants for customers. Hopefully, it will give us traction to grow the amateur radio community more than ever.

The Technician-class exams will change on July 1, 2026. Therefore, our VE teams will be required to print the new exams from ExamTools if they wish to continue to use printed exams at in-person sessions. This will be the new procedure going forward, as we are no longer printing or shipping booklets from ARRL Headquarters. Teams will have to print new exams as question pools continue to update. We believe that a year should be enough time for everyone to learn the ExamTools system and decide what option works best for their team. We are here to provide any assistance that we can.

We hope our VEs are willing to take on this endeavor with us as we continue to move toward electronic testing, as it is vital to the amateur radio community. We will be here every step of the way to help with and ensure a smooth transition. We remain committed to offering quality programs and services; this includes providing a superior overall experience for our customers and potential customers, as well as demonstrating our capabilities and value in serving the public.

We look forward to continuing to serve you wherever your examining takes you, and we thank you for your service to our VEC and the amateur radio community.

Contest Corral

July 2025

Check for updates and a downloadable PDF version online at www.arrl.org/contest-calendar.

Refer to the contest websites for full rules, scoring information, operating periods or time limits, and log submission information.

Start - Finish		Date-Time	Date-Time	Bands	Contest Name	Mode	Exchange	Sponsor's Website
Date-Time	Date-Time							
1	0000	1	2359	1.8-28,50,144	RAC Canada Day Contest	CW Ph	RS(T), VE prov/terr or serial	www.rac.ca
1	0100	1	0159	1.8-28,50	Worldwide Sideband Activity Contest	Ph	RS, age group (OM-YL-youth YL-youth)	wwsac.com/rules.html
1	0300	1	0400	1.8-28	QCX Challenge	CW	RST, name, SPC, rig type	www.qrp-labs.com
1	0300	1	0400	1.8-28	ICWC Medium Speed Test	CW	Name, serial	internationalcwcouncil.org/mst-contest
2	1700	2	2100	144	VHF-UHF FT8 Activity Contest	Dig	4-char grid	www.ft8activity.eu
3	0000	4	0300	7	Walk for the Bacon QRP Contest	CW	RST, SPC, name, mbr or pwr; 13 WPM max	qrpcontest.com/pigwalk40
3	1800	3	2200	28	NRAU 10m Activity Contest	CW Ph Dig	RS(T), 6-char grid	nrau.net
3	1900	3	2100	1.8-28,50	SKCC Sprint Europe	CW	RST, SPC, name, mbr or "none"	www.skccgroup.com
4	0100	4	0130	1.8-28,50	NCCC FT4 Sprint	Dig	4-char grid	www.ncccsprint.com/ft4ns.html
5	0000	5	2359	1.8-28	Venezuelan Independence Day Contest	CW Ph Dig	RS(T), serial	radioclubvenezolano.org
5	0000	5	2359	1.8-28,50	FOC Old School Classic 1960s QSO Party	CW	Actual RST, 3-letter class, year first licensed, name	www.g4foc.org
5	0800	6	1100	3.5	NZART Memorial Contest	CW Ph	RS(T), serial	www.nzart.org.nz
5	1200	6	1200	50,144	CQ Worldwide VHF SSB/CW Contest	CW Ph	4-char grid	www.cqww-vhf.com
5	1200	6	1200	50,144,432	TA VHF/UHF Contest	CW Ph	RS(T), serial, 6-char grid	trac.org.tr
5	1400	6	1400	1.8-28	Marconi Memorial HF Contest	CW	RS(T), serial	www.arifano.it
5	1500	6	1500	3.5-14	Original QRP Contest	CW Ph	RST + serial + "/" + pwr category	www.qrpcc.de
5	2000	6	2000	7	PODXS 070 Club 40m Firecracker Sprint	Dig	RST, SPC	www.podxs070.com
7	1630	7	1729	3.5,7	OK1WC Memorial (MWC)	CW	RST, serial	memorial-ok1wc.cz
7	1900	7	2030	3.5	RSGB 80m Club Championship, CW	CW	RS(T), serial	www.rsgbcc.org
8	0000	8	0200	3.5-28	ARS Spartan Sprint	CW	RST, SPC, pwr	ars-qrp.com
8	0100	8	0159	1.8-28,50	Worldwide Sideband Activity Contest	Ph	RS, age group (OM-YL-youth YL-youth)	wwsac.com/rules.html
8	1800	8	1929	3.5,7	DARC RTTY Sprint	Dig	RST, (DOK/"NM") or serial	www.darc.de
9	1145	9	1300	1.8-28	A1Club AWT	CW	RST, name	a1club.org/contest/awt
9	1700	9	2100	432	VHF-UHF FT8 Activity Contest	Dig	4-char grid	www.ft8activity.eu
12	1200	13	1200	1.8-28	IARU HF World Championship	CW Ph	RS(T), IARU HQ soc or ITU zone	www.arri.org/iaru-hf-world-championship
12	1200	13	2359	1.8-28,50	SKCC Weekend Sprintathon	CW	RST, SPC, name, mbr or "none"	www.skccgroup.com
13	2000	13	2300	1.8-28	QRP ARCI Summer Homebrew Sprint	CW	RST, SPC, mbr or pwr	qrparki.org
14	0000	14	0200	1.8-28	4 States QRP Group Second Sunday Sprint	CW Ph	RS(T), SPC, mbr or pwr	www.4sqrp.com
15	0100	15	0159	1.8-28,50	Worldwide Sideband Activity Contest	Ph	RS, age group (OM-YL-youth YL-youth)	wwsac.com/rules.html
16	1700	16	2100	1.2G	VHF-UHF FT8 Activity Contest	Dig	4-char grid	www.ft8activity.eu
16	1900	16	2030	3.5	RSGB 80m Club Championship, SSB	Ph	RS + serial	www.rsgbcc.org
17	0000	18	0300	14	Walk for the Bacon QRP Contest	CW	RST, SPC, name, mbr or pwr; 13 WPM max	qrpcontest.com/pigwalk20
17	0030	17	0230	3.5-14	NAQCC CW Sprint	CW	RST, SPC, (NAQCC No./pwr)	naqcc.info/sprint_rules.html
17	1900	17	2000	3.5-14	NTC QSO Party	CW	RST, SPC, mbr or pwr	pi4ntc.nl/ntcqp
18	0145	18	0215	3.5-28	Weekly RTTY Test	Dig	Name, SPC	radiosport.world/wrt.html
19	0000	20	2359	1.8-28	LABRE DX Contest	CW Ph	RS(T), 2-ltr state or 2-ltr continent	www.labre.org.br
19	0700	19	1459	7,14,21,28	Russian Radio Team Championship	CW Ph	RS(T), mbr code or ITU zone	srr.ru
19	0800	19	1400	1.8-7	Trans-Tasman Low-Bands Challenge	CW Ph Dig	RS(T), serial	www.wia.org.au
19	1000	19	2159	3.5-28	YOTA Contest	CW Ph	RS(T), age	yotacontest.mrasz.org
19	1200	19	1359	1.8-28,50	Feld Hell Sprint	Dig	RST, mbr, SPC, 4-char grid	sites.google.com/site/feldhellclub
19	1200	20	1200	50,144	CQ Worldwide VHF Digital Contest	Dig	4-char grid	www.cqww-vhf.com
19	1400	20	1400	70	IARU Region 1 70 MHz Contest	CW Ph	RS(T), serial, 6-char grid	www.iaru-r1.org
19	1800	20	0559	3.5-28	North American QSO Party, RTTY	Dig	Name, SPC	www.ncjweb.com
20	0900	20	1600	3.5-14	RSGB International Low Power Contest	CW	RST, serial, pwr	www.rsgbcc.org
20	2300	21	0100	1.8-28	Run for the Bacon QRP Contest	CW	RST, SPC, mbr or pwr	qrpcontest.com/pigrun
22	0100	22	0159	1.8-28,50	Worldwide Sideband Activity Contest	Ph	RS, age group (OM-YL-youth YL-youth)	wwsac.com/rules.html
23	0000	23	0200	1.8-28,50	SKCC Sprint	CW	RST, SPC, name, mbr or "none"	www.skccgroup.com
24	1900	24	2030	3.5	RSGB 80m Club Championship, Data	Dig	RS(T), serial	www.rsgbcc.org
26	0000	27	2359	1.8-28,50,144	MARAC US Counties QSO Party	CW Ph Dig	RS(T), state and county or "DX"	www.marac.org
26	0000	27	2359	28	FRAPR 10M Contest	CW Ph	RS(T), pwr	www.frapr.org
26	1200	27	1200	3.5-28	RSGB IOTA Contest	CW Ph	RS(T), serial, IOTA no.	www.rsgbcc.org
26	1200	27	1200	50	ARAM 50 MHz Contest	CW Ph	RS(T), serial, 6-char grid	www.aram.pt
26	1500	27	0300	3.5-28	Alabama QSO Party	CW Ph	RS(T), AL county or SPC	alabamacontestgroup.org
27	1700	27	2100	7,14,21,28	ARS Flight of the Bumblebees	CW	RST, SPC, pwr, or Bumblebee number	ars-qrp.com
28	1900	28	2100	3.5-28	RSGB FT4 Contest	Dig	Signal report	www.rsgbcc.org
29	0100	29	0159	1.8-28,50	Worldwide Sideband Activity Contest	Ph	RS, age group (OM-YL-youth YL-youth)	wwsac.com/rules.html

There are a number of weekly contests not included in the table above. For more info, visit: www.qrpfoxhunt.org, www.ncccsprint.com, and www.cwops.org. All dates and times refer to UTC and may be different from calendar dates in North America. Contests are not conducted on the 60-, 30-, 17-, or 12-meter bands. Mbr = Membership number. Serial = Sequential number of the contact. SPC = State, Province, DXCC Entity. XE = Mexican state. Listings in blue indicate contests sponsored by ARRL or NCJ. The latest time to make a valid contest QSO is the minute listed in the "Finish Time" column. Data for Contest Corral is maintained on the WA7BNM Contest Calendar at www.contestcalendar.com and is extracted for publication in QST 2 months prior to the month of the contest. ARRL gratefully acknowledges the support of Bruce Horn, WA7BNM, in providing this service.

2024 ARRL 10-Meter Contest Results

The results of the December 14 – 15, 2024, event.

Solar Cycle 25 rose to the occasion, solidifying the ARRL 10-Meter Contest as one of the highlights of the contest season. With the record-setting 6,661 submitted logs, this was the biggest ARRL contest of the year, with more than 2.03 million contacts reported. There were more than 10% more logs submitted from the United States compared to last year, and incredible scores were achieved from every corner of the country.

Band conditions were excellent, and space weather did not intrude much, with the solar flux index in the upper 160 range for the entire weekend. E-skip was consistently long, with conditions favoring east-west propagation in the Northern Hemisphere.

There was fierce competition in almost all of the categories, with many operators spending much of their daylight hours in front of the radio. There were 176 entries, with final scores reaching more than one million points compared to 85 in 2023 and 74 in 2022. Almost 2,000 participants took advantage of the recently introduced Limited Antenna Overlay, and there was a healthy youth competition. Fifty-five participants noted in their entries that they were age 25 or younger.



Preston Moore, N5YIZ, combined operating in the 2024 ARRL 10-Meter Contest with a Parks on the Air activation at Galveston Island State Park in Texas. He made 813 contacts in the event, taking home second place in the West Gulf Division in the Single Operator, Phone Only, Low Power category. [Preston Moore, N5YIZ, photo]

Affiliated Club Competition

Club	Score	Entries	Club	Score	Entries	Club	Score	Entries
Unlimited			DFW Contest Group	2,847,642	21	North Coast Contesters	108,396	5
Potomac Valley Radio Club	48,172,882	143	Saskatchewan Contest Club	2,508,754	7	New Providence ARC	93,642	5
Yankee Clipper Contest Club	44,417,514	102	The Villages ARC	2,358,972	11	Fourlanders Contest Team	67,388	3
Northern California Contest Club	33,146,384	91	Hampden County Radio Assn.	2,083,354	10	Silver Comet ARS	65,266	4
Frankford Radio Club	28,631,330	75	Swamp Fox Contest Group	1,901,414	23	Louisiana Contest Club	58,676	3
Florida Contest Group	24,701,108	66	Arkansas DX Assn.	1,703,958	7	Sierra Foothills ARC	52,384	3
Minnesota Wireless Assn.	19,324,832	84	Oklahoma DX Assn.	1,542,602	4	American Red Cross Emergency		
Society of Midwest Contesters	18,673,832	88	Spokane DX Assn.	1,539,004	11	Communications Service	48,470	3
			Great Places Contest Club	1,513,874	6	Granite State ARA	42,148	4
Medium			Rochester (NY) DX Assn.	1,473,004	11	Sierra Nevada ARS	28,252	4
Arizona Outlaws Contest Club	15,333,478	38	Heartland DX Assn.	1,466,780	6			
Southern California Contest Club	13,857,536	38				Local		
Contest Club Ontario	13,019,048	48	Northeast Maryland Amateur Radio	1,463,450	11	Iowa DX and Contest Club	1,706,324	4
Mad River Radio Club	9,341,274	17	Contest Soc.	1,459,422	7	Central Virginia Contest Club	1,455,588	5
Western Washington DX Club	7,457,914	22	Deep Dixie Contest Club	1,258,542	5	Radio Amateurs of Northern		
Maritime Contest Club	6,827,204	14	Radiosport Manitoba	1,028,642	11	Vermont	1,079,428	3
Tennessee Contest Group	6,453,382	29	Carolina DX Assn.	964,576	5	Bristol (TN) ARC	949,432	7
Willamette Valley DX Club	5,540,694	24	Bay Area DXers	718,064	6	CTRI Contest Group	724,546	5
Grand Mesa Contesters of			Mother Lode DX/Contest Club	508,402	4	Boulder ARC	338,740	5
Colorado	5,301,116	30	599 DX Assn.	457,498	3	Meriden ARC	195,294	4
Hudson Valley Contesters and			Contoocook Valley Radio Club	426,060	5	Providence Radio Assn.	117,758	3
DXers	5,232,000	25	All Idaho Contest Club	415,080	9	Vienna Wireless Soc.	91,928	3
Central Texas DX and Contest Club	4,725,120	14	Texas DX Soc.			Lake Area Amateur Radio Klub	84,766	3
South East Contest Club	4,722,308	22	Portage County Amateur Radio	334,518	6	Hughes ARC	83,218	4
Kansas City Contest Club	4,305,490	17	Service	319,118	14	Metro DX Club	65,228	3
Big Sky Contesters	4,272,122	7	Cape Fear ARS	233,340	3	Athens County ARA	54,110	3
Kentucky Contest Group	4,069,174	16	South Jersey Radio Assn.	233,062	6	Big South Fork ARC	52,376	9
Niagara Frontier Radiosport	3,638,738	16	Valley Amateur Radio Assn.	218,244	5	OH-KY-IN ARS	44,598	3
Alabama Contest Group	3,599,492	19	Pacific Northwest VHF Soc.	174,910	4	High Desert Amateur Radio Group	42,326	4
Order of Boiled Owls of New York	3,199,592	9	Lake Area Radio Klub (SD)	174,248	3	North Fulton ARL	20,184	3
Orca DX and Contest Club	3,121,944	13	Driftless Zone Contesters	120,214	3	Baldwin County ARC	9,446	3
			Dupage ARC	118,368	4			
			Edmonds Woodway ARC					

The next ARRL 10-Meter Contest will be held December 13 – 14, 2025.

Top Ten — United States

Single Operator, Mixed Mode, High Power

KQ2M	2,908,260
KM7W	
(KL9A, op)	2,754,960
K7RL	2,122,830
K6XX	2,088,000
AA4NC	
(N4YDU, op)	1,935,480
WH7T	
(WH7W, op)	1,700,680
KU2M	1,656,348
K0TT	1,588,500
N3QE	1,304,600
NR7T	1,181,700

Single Operator, Mixed Mode, Low Power

N8II	1,423,520
K2PS	1,120,896
NU6S	921,888
WA7NB	725,832
N5JJ	706,486
AC0W	659,714
K8MR	650,960
K4EJ	502,360
W0PI	497,420
K0EA	401,014

Single Operator, Mixed Mode, QRP

K7FR	193,760
ND0C	183,854
N6AN	118,084
WB2AMU	85,012
KE0Z	71,928
K2GMY	65,254
W5ESE	30,856
WR5O	20,790
N0LMQ	14,664
AF3J	14,520

Single Operator, Phone Only, High Power

K5TR	943,398
WW2DX	770,032
KW8N	675,100
WA3A	624,340
K1FMS	586,024
W1SJ	585,616
N4OX	578,550
N1PGA	570,486
AF1T	453,024
KH6ZB	
(W0ZB, op)	443,080

Single Operator, Phone Only, Low Power

W6AFA	295,074
KF5VDX	243,978
N7MGW	179,634
W7TNY	153,296
N5YIZ	147,936
W0SJE	142,740
N6OKU	141,778
KS2G	133,772
WD4XD	123,728
KK7AC	114,144

Single Operator, Phone Only, QRP

KE0WPA	37,356
W6QU	
(W8QZA, op)	35,964
WA3LXD	31,262
WB2VVV	26,134
WN1C	21,376
W1JCW	14,994
WW0WB	8,648
KD0FDJ	8,610
AC2N	6,800
N5IRA	4,484

Single Operator, CW Only, High Power

N2IC	1,781,608
K1TO	1,491,720
NN7CW	1,421,040
K1DG	1,420,800
K7RAT	
(N6TR, op)	1,259,256
N2MF	1,103,388
W7WA	1,089,720
K1LT	1,075,284
W2RQ	1,069,740
NA8V	1,027,512

Single Operator, CW Only, Low Power

K7SV	954,196
N5RZ	902,720
WJ9B	754,992
K1TR	724,360
W0YK	714,096
N7VM	679,120
K0AV	671,616
WE9V	624,000
N7YK	519,120
KN7T	514,080

Single Operator, CW Only, QRP

N4OGW	483,492
W6JTI	260,760
N5OE	192,528
WB2CPU	108,360
NQ2W	95,152
KV9Q	94,284
W7YAQ	89,712
N8AP	83,304
N7JI	75,240
N4NM	57,424

Single Operator Unlimited, Mixed Mode, High Power

N8OO	2,935,996
K9NW	2,443,600
N6WM	2,109,744
W6YX	
(N7MH, op)	2,078,250
K6LL	2,031,960
WC6H	2,017,980
N6TV	2,007,904
WM9C	1,989,712
N4RV	1,908,984
W8MJ	1,877,010

Single Operator Unlimited, Mixed Mode, Low Power

KB3WD	2,021,088
N4UU	1,207,312
W9XT	884,080
N0HJZ	746,000
KQ7I	667,590
KB1EFS	667,400
K0KX	549,936
W1WBB	526,756
KK1L	520,828
NS3T	512,730

Single Operator Unlimited, Mixed Mode, QRP

K7SS	521,642
WN6W	129,600
WE9R	75,328
K2AL	57,440
AA4GA	27,904
N4AKV	19,722
K8ZT	720

Single Operator Unlimited, Phone Only, High Power

KW7MM	1,113,560
K3EST	925,880
WA2BOT	621,232
WV4P	595,056
WT1A	581,494
K2SSS	540,394
K3DNE	420,444
NR6Q	408,240
KA1ZD	370,520
N2ZN	367,812

Single Operator Unlimited, Phone Only, Low Power

K2DRH	363,630
N7MZW	214,240
N9TGR	165,044
NA4DA	153,512
WZ8T	111,220
KD9YOO	87,048
AJ4HP	85,144
ND0TS	67,336
KD9GY	64,478
NA9VY	63,242

Single Operator Unlimited, Phone Only, QRP

KG1E	42,968
K3TW	23,790
W3EK	19,764
WB6RAB	12,862
W6R (WQ6X, op)	6,240
W7AYT	
(WQ6X, op)	240

Single Operator Unlimited, CW Only, High Power

W1KM	1,716,364
N9NC	1,463,588
N3RD	1,446,972
AA3B	1,416,524
K9CT	1,399,392
K3VWV	1,231,056
K3RA	1,225,700
N6SS	1,217,764
NS0R	1,130,568
K8IA	1,127,280

Single Operator Unlimited, CW Only, Low Power

N4AO	
(WC4E, op)	864,552
N4WWW	
(N4KM, op)	813,440
AH6KO	782,304
N2YO	742,532
K1RO	710,752
K6WSC	549,884
K3PA	501,424
WA1FCN	476,476
NS4T	434,236
KS1J	411,648

Single Operator Unlimited, CW Only, QRP

KG9X	386,240
K6JS	214,240
W1FJ	155,040
K2YAZ	121,448
KK0U	104,748
WQ6X	88,504
AC2YD	77,688
W4ACFN	50,652
WC7S	37,944
KR4AE	34,080

Multioperator, Single Transmitter, High Power

K1LZ	4,773,236
N2NT	2,740,036
NX5M	2,649,150
K9RS	2,491,780
KW1X	2,382,030
N4SS	2,368,120
KH6AQ	1,938,504
NX6T	1,926,264
KW4LL	1,843,776
K3AJ	1,735,064

Multioperator, Single Transmitter, Low Power

KA4RRU	1,505,602
KT4XA	857,090
K4EA	700,064
W9KM	637,292
W1FM	456,604
ND8DX	453,824
W4TG	450,722
K6EI	444,636
W3ZGD	439,310
WA1F	312,584

Top Ten — Canada

Single Operator, Mixed Mode, High Power

VY2TT	2,514,944
VE3AT	2,215,288
VA7XU	222,024
VE3TAZ	39,846
VE3SST	26,718
VE5CPU	13,824
VA3CK	7,068

Single Operator, Mixed Mode, Low Power

VE5SF	611,520
VA3OKG	324,480
VE3TM	311,748
VY2LI	158,640
VE3OIL	148,332
VE7AX	125,356
VE3FH	125,280
VE3UZ	104,648
VA3KRJ	82,948
VA7EU	46,252

Single Operator, Mixed Mode, QRP

VA2IW	259,014
VE3DQN	3,068

Single Operator, Phone Only, High Power

VE6FI	217,890
VE4VT	174,090
VE3YZ	126,690
VA3OK	96,320
VE3LRL	54,096
VE3YV	28,224
VE1JS	24,960
VA2OBW	11,328
VE4OK	3,024

Single Operator, Phone Only, Low Power

VE2HIT	71,628
VE2IAA	56,316
VA7IR	42,568
VE3KMQ	26,268
VE7GX	24,192
VE3BZ	22,400
VA6AGR	20,650
VA7LEC	18,792
VE6CLG	13,362
VA2BS	12,864

Single Operator, Phone Only, QRP

VA3RTG	9,292
VA3MZD	144

Single Operator, CW Only, High Power

VE6WP	654,240
VE3DZ	497,640
VA3AR	354,660

Single Operator, CW Only, Low Power

VY2OX	363,888
VA7ST	260,640
VE9KK	252,288
VE5GC	243,012
VA3SP	230,000
VE3MA	178,880
VE3SMA	176,688
VA6WWW	165,464
VE5UF	162,680
VE7JKZ	153,892

Single Operator Unlimited, Mixed Mode, High Power

VE3RZ	1,460,232
VE7NZ	1,124,448
VE9XX	645,876
VO2AC	604,100
VE4GV	562,700
VE3YT	415,338
VO1CH	164,560
VE3KTB	114,240
VA3CW	68,328
VE3KG	68,250

Single Operator Unlimited, Mixed Mode, Low Power

VE9ML	274,988
VA4HZ	162,432
VE7CV	158,220
VE3PJ	96,136
VE3AGC	45,496
VE9WH	42,504
VA3HYM	21,350
VA4ADM	20,944
VE3HZ	19,942
VE3NI	936

Single Operator Unlimited, Mixed Mode, QRP

VA6RCN	71,610
VE3GMZ	26,334

Single Operator Unlimited, Phone Only, High Power

VE9CF	610,148
VA7TU	36,396
VA3DJF	4,758

Single Operator Unlimited, Phone Only, Low Power

VO1GO	190,938
VE9CZ	148,934
VE3RGO	72,380
VE1RPX	59,940
VE2CSM	58,520
VY2GF	47,242
VE3GJP	15,488
VE3JZX	15,360
VE3BFU	14,396
VE3PCK	12,920

Single Operator Unlimited, CW Only, High Power

VA2WA	1,652,496
VE5MX	1,397,120
VE3JM	1,120,020
VE3NNT	929,672
VE3NZ	830,256
VE3EJ	611,520
VE3CT	592,116
VE2FK	576,688
VA1MM	538,560
VE5ZX	458,172

Single Operator Unlimited, CW Only, Low Power

VE9AA	700,740
VE1ANF	609,216
VA3FF	280,340
VE1ANU	219,136
VE3AQ	180,868
VE4DL	175,628
VE3MGY	152,776
VE3VN	146,400
VA3TMV	124,432
VE2OWL	88,192

Single Operator Unlimited, CW Only, QRP

VA3HY	100
-------	-----

Multioperator, Single Transmitter, High Power

VE7SAR	686,052
VE4YH	337,336
VE3MIS	255,316
VY2OM	241,572
VE6AO	3,944

Multioperator, Single Transmitter, Low Power

VA7DZ	191,360
-------	---------

Top Ten — Mexico

Single Operator, Mixed Mode, Low Power

XE1AQY	9,894
--------	-------

Single Operator, Phone Only, High Power

XE3R	283,536
XE2Q	77,274
XE1CKJ	75,036

Single Operator, Phone Only, Low Power

XE1JKW	265,608
XE2SMG	173,760
XE1ADY	109,760
XE1CIC	103,360
XE1YL	89,744
XE1BLA	88,796
XE2OK	67,336
XE2YWB	13,440
XE2LVM	8,820
XE2N	8,400

Single Operator, CW Only, High Power

XE2X	940,196
XE1CT	376,768

Single Operator, CW Only, Low Power

XE2S	487,956
XE2I	228,232
XE1AY	172,608
XE2E	163,620
XE2T	2,520
XE1RE	1,664
XE1O	484

Top Ten – DX

Single Operator, Mixed Mode, High Power		Single Operator, CW Only, Low Power		Single Operator Unlimited, Phone Only, QRP	
ZF5T	3,708,448	NP3A	1,154,896	IW0SAG	21,840
EB5A	1,972,058	HI3R	558,420	JM1NKT	11,430
GM5X (GM4YXI, op)	1,706,668	TI5VA3RA (VE3IKV, op)	376,488	GW8C (M0WLY, op)	8,856
DH8BQA	1,289,610	CO2JD	357,008	7Z1AV	3,000
PC0A	1,213,894	CT3KN	344,080	LA1TPA	1,656
LX1NO	1,087,170	JS1OYN	301,788	CT7AQF	1,200
TI8N7ZG	930,944	4K6FO	301,760	UT7AA	546
UP0L (UN9LW, op)	915,204	TI2OY	290,612	JH3DMQ	408
DU0A	900,900	JH7QXJ	259,572	PU2NZO	190
PY2EX	899,160	9A8A	259,008	PU5IKE	180
Single Operator, Mixed Mode, Low Power		Single Operator, CW Only, QRP		Single Operator Unlimited, CW Only, High Power	
LZ4TX	874,800	EA8RM	180,908	D4Z (IK2JUB, op)	2,330,640
J8AA (J88BTI, op)	703,692	LZ2RS	129,084	CR3DX (OM3RM, op)	2,173,248
VR2T	616,120	JQ1NGT	102,528	TM6M (F4DXW, op)	1,340,508
UA4FER	507,494	US5VX	92,496	P3X	1,233,408
EA9ACD	407,264	M7R (G0TPH, op)	83,804	LS5H (LW5HR, op)	1,189,708
JK1OLT	399,300	EA8AGM	72,420	HA5JI	1,145,620
UP7L (UN6LN, op)	387,288	EA4EPY	71,732	II2Q (IK2PFL, op)	1,115,200
9A9R	385,200	US1VM	71,120	OM8CW	1,101,576
YO2LEA	352,800	R6CC	58,560	OM2VL	1,056,424
LU4HK	291,312	4F3OM	57,824	LY5W	961,472
Single Operator, Mixed Mode, QRP		Single Operator Unlimited, Mixed Mode, High Power		Single Operator Unlimited, CW Only, Low Power	
PY2PLL	253,872	LT3E (LU5WW, op)	2,477,004	VP9I (K2WK, op)	980,424
BA7OLK	145,926	7Q2T	2,259,796	9A5D (9A3ID, op)	977,840
PY2NY	142,058	HA3NU	1,969,654	TM8O (F1AKK, op)	857,340
LZ6E (LZ1GU, op)	90,850	PY2K (PY2KNK, op)	1,901,592	CO8ZZ	719,576
JH7UJU	72,842	OG1F (OH1TM, op)	1,835,064	MI5I (GI0RQK, op)	554,880
HA6IAM	63,344	RW1A	1,672,476	EF6B	493,500
OK6OK	62,160	MM2N	1,556,752	7S9A (SA6FOL, op)	483,840
UY7LM	61,152	UA6AA	1,551,804	SP2EWQ	467,596
RW3AI	30,996	ES7A (ES7NY, op)	1,467,648	SP1D	447,408
JR2EKD	24,380	HB9FAP	1,367,730	9A6A	432,600
Single Operator, Phone Only, High Power		Single Operator Unlimited, Mixed Mode, Low Power		Single Operator Unlimited, CW Only, QRP	
HK1T	1,308,960	WP3C (N2TTA, op)	1,877,808	G4ZFE	284,544
EF8R (EA5Z, op)	1,226,264	9Z4Y	1,284,000	S55OO	223,552
ZW5B (LU9ESD, op)	1,179,216	ED1R (EA4AOC, op)	1,238,688	FA6VZB	154,812
CR6K (CT1CJJ, op)	735,552	9J2FI (DL2RMC, op)	1,143,616	BH4TXQ	133,920
HP1XV	501,114	PY5AMF	866,636	UA7G	93,328
VR2P (VR2XAN, op)	498,972	ED5F (LU1FAM, op)	833,508	JKYDWD	91,200
M6T (G0AEV, op)	474,118	SO9M (SQ9UM, op)	714,834	UY5LW	80,388
CE6CGX	417,268	SP9XCN	639,042	HA3HX	72,688
F4EGZ	378,092	BG0DXC (BA4TB, op)	626,640	SF0A (SM0LPO, op)	69,276
VK4A	320,294	OK6Y (OK2PTZ, op)	472,160	YU0W	58,800
Single Operator, Phone Only, Low Power		Single Operator Unlimited, Mixed Mode, QRP		Multioperator, Single Transmitter, High Power	
PP1WW	404,260	EA3O	302,202	NP2X	4,671,018
PY2UD	392,764	JA6GCE	200,640	KP4AA	3,886,000
HI3T	211,816	ES2MC	165,998	FY5KE	3,620,040
PU2UAF	198,400	S53K	125,424	PW2E	3,411,392
LU4JEA	186,624	RA7C	103,356	CR3Z	3,093,798
VR2VRC	184,110	YV6BXN	70,616	PJ2T	3,053,778
KP3V	170,324	LU3BMS	65,120	9A5Y	2,928,384
9Z4CT	143,038	UR5FEO	59,348	VP5V	2,586,374
CX1DF	138,592	Y08FC	42,900	ZP0X	2,542,310
CT7BOD	136,416	HI3K	33,072	IO4X	2,459,694
Single Operator, Phone Only, QRP		Single Operator Unlimited, Phone Only, High Power		Multioperator, Single Transmitter, Low Power	
CO8RH	109,536	TI1T	972,468	VP2VMM	3,809,280
TI1E (TI2YO, op)	108,240	TI1K (TI5CDA, op)	951,390	PX2A	1,459,604
RQ7L	73,408	ZZ5K (PP5RT, op)	924,768	HK3RD	1,257,580
PY2BN	61,852	LP1H	903,040	PT1M	910,800
MW7FON	27,504	9A1P	814,320	S53F	846,672
MI5JYK	11,544	TM1C (F4ARU, op)	770,658	KP4NZ	654,126
LQ1D (LU3DR, op)	10,962	TM0T (F4HQZ, op)	725,760	RW8X	491,062
L20E	7,084	SN2M (SP2XF, op)	719,488	SO4M	474,430
YC8BUB	7,068	F4GGQ	580,932	PY4BQS	468,032
PY5YA	5,328	ED2X (EA2LMI, op)	517,428	HC2GRC	466,744
Single Operator, CW Only, High Power		Single Operator Unlimited, Phone Only, Low Power			
LN8W (LB1GB, op)	856,064	6Y1A (N0GJW, op)	613,872		
OH7K (OH7MA, op)	774,792	@6Y5PW	341,584		
S51MM	762,648	CX6TU	320,606		
JJ0VNR	742,500	4M5A (YV5RAB, op)	306,436		
DK9PY	703,072	PZ5TW (PY8WW, op)	250,204		
YT3D	670,880	LU2PWY	249,340		
MM0T (GM3WUX, op)	640,784	TI1F (TI2RF, op)	248,216		
KP2M (KT3Y, op)	629,424	UZ7C (UT9CZ, op)	208,680		
EA5EL	599,040	HG0R (HA0NAR, op)	203,352		
GW4J (GW0ETF, op)	585,728	PQ5D (PP5DZ, op)	203,280		
		PP5FB			

Youth Overlay

United States		Score Section		QSOs Mults	
Call		Score Section		QSOs Mults	
Single Operator, CW Only, High Power					
K8O (K4IEY, op)	1,600 WPA	25	16		
Single Operator, Phone Only, High Power					
N4ML (@ K0EJ)	181,288 TN	737	124		
Single Operator, Phone Only, Low Power					
KG7HTE	3,672 OR	52	36		
KG5LLM	3,050 STX	62	25		
KK7UXY	1,140 OR	31	19		
KK7OYV	1,120 UT	28	20		
KQ4JEQ	1,092 KY	44	13		
KG5KRV	546 STX	21	13		
W4BB	510 SC	20	15		
KQ4ZEJ	390 AL	15	13		
KF0GOV	338 CO	14	13		
KF0RRJ	330 MO	15	11		
KF0RHQ	162 CO	10	9		
K4MCD	140 VA	10	7		
KQ4PSZ	8 SC	3	2		
Single Operator, Phone Only, QRP					
KE0WPA	37,356 MN	286	66		
Single Operator Unlimited, Mixed Mode, Low Power					
KE8ZYD	5,200 MI	47	40		
KM4TQD	286 GA	12	11		
KF0QFD	204 KS	16	6		
WD0REW	18 MO	3	3		
Single Operator Unlimited, Mixed Mode, QRP					
N4AKV	19,722 SC	102	57		
Single Operator Unlimited, Phone Only, High Power					
W7MTH	52,360 WVA	378	70		
Single Operator Unlimited, Phone Only, Low Power					
KC1SDD	14,282 EMA	197	37		
K4VBL	6,076 VA	63	49		
N0APX	3,472 MO	62	28		
K06GMZ	3,162 SCV	51	31		
K8LG	1,200 MI	32	20		
Mexico					
Single Operator, Phone Only, Low Power					
XE1GLA	418 XE	19	11		
Single Operator, CW Only, Low Power					
XE1O	484 XE	12	11		
DX					
Single Operator, CW Only, Low Power					
PY2POA	1,292 PY	19	17		
Single Operator, CW Only, QRP					
BH6BEZ	48 BY	4	4		
Single Operator, Mixed Mode, High Power					
F4IAZ	72,600 F	329	110		
Single Operator, Mixed Mode, Low Power					
SV8SYK	32,832 SV	170	72		
Single Operator, Mixed Mode, QRP					
BA7OLK	145,926 BY	431	99		
Single Operator, Phone Only, High Power					
YU7RCI	62,400 YU	332	96		
Single Operator, Phone Only, Low Power					
BG0EJN	7,128 BY	102	36		
E74FRS	4,788 E7	64	38		
YD8BUL	4,320 YB	124	18		
TC7YOTA	3,500 TA	72	25		
HI5JYM	3,038 HI	51	31		
YS1YOTA	1,488 YS	33	24		
YU4ALT	864 YU	24	18		
Single Operator Unlimited, CW Only, High Power					
M0SDV	76,432 G	283	68		
Single Operator Unlimited, CW Only, Low Power					
JF6EVR	8,120 JA	73	29		
OM2ADM	64 OM	4	4		
Single Operator Unlimited, Mixed Mode, Low Power					
J11PUC	431,640 JA	766	165		
DJ4MX	40,192 DL	161	64		
JA1ZGP	2,752 JA	45	16		
R8CI	2,200 UA9	34	22		
Single Operator Unlimited, Phone Only, High Power					
DL0MT	48,880 DL	263	94		
ET3AA	27,280 ET	257	55		
Single Operator Unlimited, Phone Only, Low Power					
ZL2GUN	2,352 ZL	42	28		
BG9JDI	1,862 BY	50	19		
OL24YOTA	1,260 OK	31	21		

2025 ARRL January VHF Contest Results

This year's ARRL January VHF Contest was held January 18 – 20, 2025.

Top Ten

Classic Rover

KF2MR/R	81,054
KE2BUY/R	75,790
K2UA/R	71,116
K2EZ/R	61,110
W2EV/R	38,480
AG4V/R	24,009
VE3OIL/R	17,300
K0BAK/R	7,784
W3ICC/R	5,742
K2AXX/R	3,059

Limited Rover

KA5D/R	31,500
W5TN/R	24,723
KM4QZH/R	7,684
NV4B/R	6,200
N6GP/R	4,234
KE4WMF/R	3,813
VA3ELE/R	2,356
KE5NJR	2,106
KA7RRA/R	1,728
K1UU/R	1,725

Unlimited Rover

KG6CIH/R	45,676
KC0P/R	8,697
N0HZO/R	5,285
WC7MR	340

Single Operator, High Power

N2JMH	247,380
K1TEO	111,573
K1RZ	99,314
K2TER	84,084
WB2RVX	77,714
N8LRG	65,120
W3IP	56,642
K1KG	51,168
WA3DRC	42,048
K2DH	37,666

Single Operator, Low Power

N2WK	98,685
WN3A	95,484
NR2C	81,024
WA3NUF	63,551
N3RG	58,984
N2OA	46,716
KA2ENE	45,225
NF3R	37,788
N2SCJ	28,221
WA3GFZ	22,260

Single Operator, Analog Only, High Power

W2FU	79,833
WZ1V	46,944
W2KV	13,260
KC3BVL	10,642
WA1PBU	9,840
KA3FQS	9,150
W0GHZ	7,744
VE3ZV	7,344
VE3KG	5,148
N6RO	4,875

Single Operator, Analog Only, Low Power

AF1T	94,184
VE3DS	25,550
WB2JAY	12,144
K6MI	7,840
WB2VVV	7,298
NU6S	5,525
VE3KH	3,808
AC1J	2,688
WB2SIH	2,150
KD2HZI	1,800

Single Operator, Portable

K5ND	4,944
AF5T	1,404
AB4DX	924
VA2VT	869
WX4WKY	378
WQ6D	374
N0SUW	210
N0JK	30
W1UO	18
KI6HQT	4
XE2YWB	4

Single Operator, Portable, Analog Only

N3YMS	6,624
N2MAK	2,300
W7JET	2,071
KM6RNJ	637
WN1C	333
WB2AMU	315
N2YTF	120
KF6CVA	84
KK4YZG	48
KQ2RP	48

Single Operator, Three-Band

KE8AKW	34,034
W5TRL	18,094
K1DC	12,122
W3FAY	9,384
AJ6T	6,912
N3ALN	6,068
NE2U	5,560
NS4T	5,555
N4HB	5,120
KD2CDV	4,370

Single Operator, Analog Only, Three-Band

N7QOZ	2,088
WB7FJG	812
W1SRH	768
KO9A	525
W1TR	468
N1JD	405
K2ZH	288
KE0QXV	210
KV4ZY	198
VE3IQZ	160

Single Operator, FM Only

AF6GM	504
N1TEN	416
WB4TT	390
KO6BT	252
N6DRE	234
W1NIV	129
N7WLC	48
NL7CO	44
W5ESE	24
K6ZKA	18
VE3XCS	18

Limited Multioperator

N2NT	126,900
KE8FD	65,272
W2MMD	65,010
VE3MIS	24,390
W3ZGD	19,600
WA3EKL	14,940
N3EXA	9,345
W1FM	3,528
W1OP	2,280
K2AA	2,000

Unlimited Multioperator

N3NGE	107,904
KD2LGX	83,080
N8GA	72,072
K5N	50,832
W4NH	42,160
WD9EXD	34,584
KE1LI	32,340
KE8RV	23,970
W1XM	17,640
AI7ID	11,960



William Stone, AB4DX, braved the winter elements during the 2025 ARRL January VHF Contest. He operated from Cheaha Mountain, the highest point in Alabama at 2,413 feet above sea level. He placed third overall in the Single Operator, Portable category. [William Stone, AB4DX, photo]

Affiliated Club Competition

Club	Score	Entries		
Unlimited				
Tennessee Contest Group	7,190	4		
Alabama Contest Group	7,012	3		
Swamp Fox Contest Group	6,536	4		
DFW Contest Group	6,286	6		
Mad River Radio Club	5,846	3		
Florida Weak Signal Soc.	5,250	3		
Niagara Frontier Radiosport	4,145	3		
South Jersey Radio Assn.	4,075	6		
Grand Mesa Contesters of Colorado	3,984	3		
Contest Club Ontario	3,739	8		
Texas DX Soc.	3,197	4		
Convair/220 ARC	2,180	5		
Willamette Valley DX Club	2,036	5		
Carolina DX Assn.	1,770	3		
Northeast Maryland Amateur Radio Contest Soc.	1,298	4		
Local				
Eastern Connecticut ARA	35,648	5		
Hilltop Transmitting Assn.	20,771	4		
CTRI Contest Group	8,550	4		
Bristol (TN) ARC	5,169	5		
Jacksonville ARS	5,008	3		
Medium				
North East Weak Signal Group	208,852	19		
Potomac Valley Radio Club	161,657	40		
Ontario VHF Assn.	1,250,539	52		
Roadrunners Microwave Group	79,717	5		
Fourlanders Contest Team	74,289	6		
Frankford Radio Club	48,259	7		
Kentucky Contest Group	39,931	3		
Society of Midwest Contesters	33,534	19		
Northern California Contest Club	33,229	13		
Northern Lights Radio Soc.	31,029	24		
Pacific Northwest VHF Soc.	30,959	21		
Yankee Clipper Contest Club	29,999	11		
Michigan VHF-UHF Soc.	18,574	7		
Southern California Contest Club	18,165	6		
Arizona Outlaws Contest Club	13,768	11		
Florida Contest Group	12,422	6		
Central Texas DX and Contest Club	7,606	4		

Full Results Online

You can read the full results of the contest online at <https://contests.arrl.org>. You'll find detailed analysis and more play-by-play, along with the full line scores. Improve your results by studying your log-checking report, too.

The 2026 ARRL January VHF Contest will be held January 17 – 19, 2026.

Regional Leaders

R = Classic Rover; RL = Limited Rover; RU = Unlimited Rover; SO-ALG-3B = Single Operator, Analog Only, Three-Band; SO-ALG-HP = Single Operator, Analog Only, High Power; SO-ALG-LP = Single Operator, Analog Only, Low Power; SO3B = Single Operator, Three-Band; SOFM = Single Operator, FM Only; SOHP = Single Operator, High Power; SOLP = Single Operator, Low Power; SOP = Single Operator, Portable; SOP-ALG = Single Operator, Portable, Analog Only; LM = Limited Multioperator, and UM = Unlimited Multioperator

West Coast Region

(Pacific, Northwestern, and Southwestern Divisions; Alberta, British Columbia, and NT Sections)

N6ZE/R	2,840	R	AG6X	11,045	SOLP	W1UO	18	SOP	KN7Y	91	SO-ALG-3B
KK6MC/R	924	R	N7IR	6,732	SOLP	W7JET	2,071	SOP-ALG	N7ITU	33	SO-ALG-3B
N6GP/R	4,234	RL	WZ8T	6,266	SOLP	KM6RNJ	637	SOP-ALG	KB6A	15	SO-ALG-3B
KA7RRA/R	1,728	RL	K6USY	4,216	SOLP	KF6CVA	84	SOP-ALG	AF6GM	504	SOFM
KD6EFQ/R	774	RL	KK7DS	1,680	SOLP	K6BCW	10	SOP-ALG	N1TEN	416	SOFM
K7BDB/R	460	RL	N6RO	4,875	SO-ALG-HP	AK6BA	2	SOP-ALG	KO6BT	252	SOFM
KN6ZOO/R	429	RL	K6WIS	3,135	SO-ALG-HP	W8JH	1,848	SO3B	N6DRE	234	SOFM
WC7M/R	340	RU	K6MI	7,840	SO-ALG-LP	KX7L	1,080	SO3B	N7WLC	48	SOFM
K6KLY	9,000	SOHP	NU6S	5,525	SO-ALG-LP	AA7EA	1,022	SO3B	WO1S	736	LM
N7EPD	5,520	SOHP	K2GMY	1,344	SO-ALG-LP	K9SAT	210	SO3B	A17ID	11,960	UM
KD7UO	3,950	SOHP	KE7UQL	1,058	SO-ALG-LP	K3KHF	189	SO3B			
KW6S	3,007	SOHP	N4DLA	972	SO-ALG-LP	N7QOZ	2,088	SO-ALG-3B			
K7IU	2,024	SOHP	AF5T	1,404	SOP	WB7FJG	812	SO-ALG-3B			

Midwest Region

(Dakota, Midwest, Rocky Mountain, and West Gulf Divisions; Manitoba and Saskatchewan Sections)

N5ZY/R	2,366	R	WQ5S	4,992	SOHP	A10H	518	SO-ALG-LP	K0PHP	918	SO3B
KA5D/R	31,500	RL	W9RM	3,723	SOHP	N0UK	400	SO-ALG-LP	K0VG	611	SO3B
W5TN/R	24,723	RL	K0AWU	3,680	SOHP	W0ZF	330	SO-ALG-LP	N5UM	600	SO3B
N0SPN/R	576	RL	K5TRA	5,120	SOLP	KA0CRO	144	SO-ALG-LP	KE0QXV	210	SO-ALG-3B
W0RRR/R	396	RL	N0LD	3,680	SOLP	K5ND	4,944	SOP	NL7CO	44	SOFM
W5OC/R	280	RL	N0LL	2,583	SOLP	N0SUW	210	SOP	W5ESE	24	SOFM
KC0P/R	8,697	RU	KF0M	2,072	SOLP	N0JK	30	SOP	N0EO	176	LM
N0HZO/R	5,285	RU	AJ4F	1,032	SOLP	KI6HQT	4	SOP	K0ERR	133	LM
AA5AM	7,973	SOHP	W0GHZ	7,744	SO-ALG-HP	W5TRL	18,094	SO3B	K4EMR	52	LM
N5RZ	5,350	SOHP	KA0PQW	528	SO-ALG-LP	K5MNZ	1,150	SO3B	K5N	50,832	UM

Central Region

(Central and Great Lakes Divisions; Ontario East, Ontario North, Ontario South, and Greater Toronto Area Sections)

VE3OIL/R	17,300	R	VE3SMA	9,073	SOLP	VE3EG	135	SO-ALG-LP	VE3XCS	18	SOFM
VA3ELE/R	2,356	RL	VA3IKE	8,127	SOLP	WX4WKY	378	SOP	N9PCS	6	SOFM
AK4U/R	624	RL	K8NVR	7,482	SOLP	WN1C	333	SOP-ALG	K9TSZ	1	SOFM
W8ISS/R	580	RL	KE8R	4,370	SOLP	VE3FU	15	SOP-ALG	VE3OQP	1	SOFM
K9JK/R	400	RL	N8ECI	2,772	SOLP	KE8AKW	34,034	SO3B	KE8FD	65,272	LM
W9FZ/R	35	RL	VE3ZV	7,344	SO-ALG-HP	VA3FLF	1,755	SO3B	VE3MIS	24,390	LM
N8LRG	65,120	SOHP	VE3KG	5,148	SO-ALG-HP	K0PG	1,485	SO3B	K89HV	1,768	LM
VE3WY	13,860	SOHP	VE3DS	25,550	SO-ALG-LP	ND8D	1,344	SO3B	N8GA	72,072	UM
VE3CKO	9,387	SOHP	VE3KH	3,808	SO-ALG-LP	W9LWO	810	SO3B	WD9EXD	34,584	UM
N4SV	8,118	SOHP	VE3RWJ	1,441	SO-ALG-LP	K09A	525	SO-ALG-3B	KE8RV	23,970	UM
N2CB	7,952	SOHP	VE3WJ	624	SO-ALG-LP	VE3IQZ	160	SO-ALG-3B	W9YT	12	UM

Southeast Region

(Delta, Roanoke, and Southeastern Divisions)

K2EZ/R	61,110	R	N3MK	16,800	SOHP	WB4WXE	180	SO-ALG-LP	K3FR	3,422	SO3B
AG4V/R	24,009	R	W4MAA	11,387	SOLP	WU4G	16	SO-ALG-LP	WE9V	2,665	SO3B
KM4OZH/R	7,684	RL	KB4OLM	6,302	SOLP	K4NRT	15	SO-ALG-LP	KV4ZY	198	SO-ALG-3B
NV4B/R	6,200	RL	W4TM	4,635	SOLP	AD4SA	4	SO-ALG-LP	NJ4Q	20	SO-ALG-3B
KE4WMF/R	3,813	RL	W8BRY	3,472	SOLP	AB4DX	924	SOP	WB4TT	390	SOFM
W3IP	56,642	SOHP	WA4LDU	3,402	SOLP	WX4DAT	12	SOP-ALG	W2SI	10	SOFM
K3SK	35,934	SOHP	NT4RT	20	SO-ALG-HP	AJ6T	6,912	SO3B	W4NH	42,160	UM
N4QWZ	24,240	SOHP	K4BAI	1	SO-ALG-HP	NS4T	5,555	SO3B	N4BRF	8,176	UM
K4SO	18,323	SOHP	W4YN	266	SO-ALG-LP	N4HB	5,120	SO3B			

Northeast Region

(New England, Hudson, and Atlantic Divisions; Maritime and Quebec Sections)

KF2MR/R	81,054	R	WB2RVX	77,714	SOHP	WB2SIH	2,150	SO-ALG-LP	N1JD	405	SO-ALG-3B
KE2BUY/R	75,790	R	N2WK	98,685	SOLP	VA2VT	869	SOP	K2ZH	288	SO-ALG-3B
K2UA/R	71,116	R	WN3A	95,484	SOLP	N3YMS	6,624	SOP-ALG	A11TT		
W2EV/R	38,480	R	NR2C	81,024	SOLP	N2MAK	2,300	SOP-ALG	(W1WBB, op)	75	SO-ALG-3B
K0BAK/R	7,784	R	WA3NUF	63,551	SOLP	WB2AMU	315	SOP-ALG	W1NIV	129	SOFM
KE5NJ/R	2,106	RL	N3RG	58,984	SOLP	N2YTF	120	SOP-ALG	KE2CCG	15	SOFM
K1UU/R	1,725	RL	W2FU	79,833	SO-ALG-HP	KK4YZG	48	SOP-ALG	N2NT	126,900	LM
WA1PQY/R	230	RL	W21V	46,944	SO-ALG-HP	KQ2RP	48	SOP-ALG	W2MMD	65,010	LM
WB2SIH/R	156	RL	W2KV	13,260	SO-ALG-HP	K1DC	12,122	SO3B	W3ZGD	19,600	LM
VO1IV/R	152	RL	KC3BVL	10,642	SO-ALG-HP	W3FAY	9,384	SO3B	WA3EKL	14,940	LM
KG6CIH/R	45,676	RU	WA1PBU	9,840	SO-ALG-HP	N3ALN	6,068	SO3B	N3EXA	9,345	LM
N2JMH	247,380	SOHP	AF1T	94,184	SO-ALG-LP	NE2U	5,560	SO3B	N3NGE	107,904	UM
K1TEO	111,573	SOHP	WB2JAY	12,144	SO-ALG-LP	KD2CDV	4,370	SO3B	KD2LGX	83,080	UM
K1RZ	99,314	SOHP	WB2VVV	7,298	SO-ALG-LP	W1SRH	768	SO-ALG-3B	KE1LI	32,340	UM
K2TER	84,084	SOHP	AC1J	2,688	SO-ALG-LP	W1TR	468	SO-ALG-3B	W1XM	17,640	UM
									KV1J	11,658	UM

Division Winners

Classic Rover

Atlantic	KF2MR/R	81,054
Delta	K2EZ/R	61,110
New England	WS1O/R	896
Southwestern	N6ZE/R	2,840
West Gulf	N5ZY/R	2,366
Canada	VE3OIL/R	17,300

Limited Rover

Atlantic	KE5NJ/R	2,106
Central	K9JK/R	400
Dakota	N0SPN/R	576
Delta	NV4B/R	6,200
Great Lakes	AK4U/R	624
Hudson	WB2SIH/R	156
New England	K1UU/R	1,725
Northwestern	KA7RRA/R	1,728
Roanoke	KM4OZH/R	7,684
Rocky Mountain	W0WLA/R	72
Southwestern	N6GP/R	4,234
West Gulf	KA5D/R	31,500
Canada	VA3ELE/R	2,356

Unlimited Rover

Atlantic	KG6CIH/R	45,676
Dakota	KC0P/R	8,697
Northwestern	WC7M/R	340

Single Operator, High Power

Atlantic	N2JMH	247,380
Central	N4SV	8,118
Dakota	K0AWU	3,680
Delta	N4QWZ	24,240
Great Lakes	N8LRG	65,120
Hudson	WA2FZW	15,420
Midwest	K0TPP	2,475
New England	K1TEO	111,573
Northwestern	N7EPD	5,520
Pacific	K6KLY	9,000
Roanoke	W3IP	56,642
Rocky Mountain	W9RM	3,723
Southeastern	WB2FKO	10,703
Southwestern	KE7GRO	1,725
West Gulf	AA5AM	7,973
Canada	VE3WY	13,860

Single Operator, Low Power

Atlantic	N2WK	98,685
Central	KB9RUG	2,146
Dakota	W0ADL	888
Delta	AA4DD	3,198
Great Lakes	K8NVR	7,482
Hudson	N2YU	3,094
Midwest	N0LL	2,583
New England	N1YCQ	9,576
Northwestern	WZ8T	6,266

Pacific	K6USY	4,216
Roanoke	KB4OLM	6,302
Rocky Mountain	NJ7A	546
Southeastern	W4MAA	11,387
Southwestern	AG6X	11,045
West Gulf	K5TRA	5,120
Canada	VE3SMA	9,073

Single Operator, Analog Only, High Power

Atlantic	W2FU	79,833
Dakota	W0GHZ	7,744
Hudson	W2KV	13,260
New England	WZ1V	46,944
Pacific	N6RO	4,875
Roanoke	NT4RT	20
Southeastern	K4BAI	1
Canada	VE3ZV	7,344

Single Operator, Analog Only, Low Power

Atlantic	KD2HZI	1,800
Dakota	KA0PQW	528
Delta	K4NRT	15
Hudson	WB2JAY	12,144
New England	AF1T	94,184
Northwestern	K7CX	804
Pacific	K6MI	7,840
Roanoke	W4YN	266
Rocky Mountain	WJ7L	84
Southeastern	WB4WXE	180
Southwestern	N7RK	660
West Gulf	WA5LFD	12
Canada	VE3DS	25,550

Single Operator, Portable

Dakota	N0SUW	210
Great Lakes	WX4WKY	378
Midwest	N0JK	30
Southeastern	AB4DX	924
Southwestern	AF5T	1,404
West Gulf	K5ND	4,944
Canada	VA2VT	869

Single Operator, Portable, Analog Only

Atlantic	N3YMS	6,624
Central	WN1C	333
Hudson	WB2AMU	315
Pacific	KF6CVA	84
Roanoke	WX4DAT	12
Southwestern	W7JET	2,071
Canada	VE3FU	15

Single Operator, Three-Band

Atlantic	W3FAY	9,384
Central	K0PG	1,485
Dakota	K0VG	611
Delta	AJ6T	6,912
Great Lakes	KEBAKW	34,034

Hudson	NA2NY	3,348
Midwest	K0PHP	918
New England	K1DC	12,122
Northwestern	KX7L	1,080
Pacific	N7VAZ	28
Pacific	KA5WSS	28
Roanoke	N4HB	5,120
Rocky Mountain	AD7OV	110
Southeastern	NS4T	5,555
Southwestern	W8JH	1,848
West Gulf	W5TRL	18,094
Canada	VA3FLF	1,755

Single Operator, Analog Only, Three-Band

Atlantic	K2ZH	288
Central	KO9A	525
Dakota	KE0QXV	210
Hudson	WI2M	1
New England	W1SRH	768
Northwestern	N7QOZ	2,088
Roanoke	KV4ZY	198
Southwestern	KN7Y	91
Canada	VE3IQZ	160

Single Operator, FM Only

Central	N9PCS	6
Hudson	KE2CCG	15
New England	W1NIV	129
Northwestern	KK7OIM	6
Pacific	K6ZKA	18
Roanoke	WB4TT	390
Southeastern	W2SI	10
Southwestern	AF6GM	504
West Gulf	NL7CO	44
Canada	VE3XCS	18

Limited Multioperator

Atlantic	W2MMD	65,010
Central	KB9HV	1,768
Dakota	N0EO	176
Great Lakes	KE8FD	65,272
Hudson	N2NT	126,900
New England	W1FM	3,528
Rocky Mountain	K4EMR	52
Southwestern	WO1S	736
Canada	VE3MIS	24,390

Unlimited Multioperator

Atlantic	N3NGE	107,904
Central	WD9EXD	34,584
Great Lakes	N8GA	72,072
New England	KE1LI	32,340
Northwestern	AI7ID	11,960
Southeastern	W4NH	42,160
West Gulf	K5N	50,832

New Books

A Short History of Communication Receivers in Functional Diagrams: 1929 – 1983

Kurt Bergmann, Joachim Rockschie, and Heinrich Spanknebel

Reviewed by Edward Durrant, DD5LP

This technical reference uses technical diagrams to explain how certain radio models worked and the progression of the technologies used between 1929 and 1983. Many of the diagrams have not been recreated, and contain German text with English translations underneath the diagrams.

Each chapter briefly describes a particular receiver design method and gives examples of radios utilizing that technology. It provides block diagrams of the stages for the specific radio model. Any changes from the standard radio design are covered in text.

The radios featured are mostly German, like Telefunken, Lorenz, Siemens, Sommerkamp, etc.

However, there are US models, including National HRO, Hallcrafters, Hammarlund, Collins, Drake, etc., and other international models, such as Yaesu, Kenwood, and Racal receivers.

The summaries are a valuable resource for readers who want to learn the differences between these receivers. This book is a high-level tool for readers to decide between different radios for restoration. Its consistent and straightforward format makes it easy to reference the data from different radios.

Bergmann - Rockschie - Spanknebel

A short history of communication receivers in functional diagrams

1929 - 1983



Miller E-Books

GGF Series on Radio History
Volume 10



[Photo courtesy of Miller E-Books]

Special Event Stations

Working special event stations is an enjoyable way to help commemorate history. Many provide a special QSL card or certificate!

June 14, 1830Z – 2030Z, W9ZL, Appleton, WI. Fox Cities Amateur Radio Club. **Appleton Flag Day Parade**. 14.246. QSL. FCARC, P.O. Box 2346, Appleton, WI 54912. www.fcarc.club

June 21 – June 22, 1504Z – 1504Z, KF0MSJ, Washington, MO. Zero Beaters Amateur Radio Club. **152nd Birthday of Indian Prairie School**. 14.330. QSL. Greg Ballard, 662 E. Main St., Union, MO 63084. www.zerobeatners.org

June 29 – July 3, 1300Z – 0500Z, K2BSA/8, Metamora, MI. Garden City Amateur Radio Club. **Boy Scouts of America/Michigan Crossroads Council — Trail to Eagle**. 3.840 7.270 14.330. QSL. GCARC, P.O. Box 482, Garden City, MI 48136. <https://michiganscouting.org/camping/trail-to-eagle>

July 1 – July 8, 1300Z – 0400Z, WM3PEN, Philadelphia, PA. Holmesburg Amateur Radio Club. **13 Colonies Special Event**. 7.276 14.276. QSL. Holmesburg Amateur Radio Club, 3341 Sheffield Ave., Philadelphia, PA 19136. www.qrz.com/db/wm3pen, www.wm3pen.org, or www.13colonies.us

July 4 – July 7, 0000Z – 0000Z, W0H, Jackson, OH. White House Communications Agency Amateur Radio Club. **The White House Communications Agency Amateur Radio Club Independence Day 2025 Celebration Special Event**. 3.875 7.275 14.250 28.550. Certificate. Lowell Yates, 6809 Four Mile Rd., Jackson, OH 45640. www.whitehousecomms-arc.org

July 5, 1400Z – 1800Z, W3G, Erie, PA. Radio Association of Erie. **The Radio Association of Erie's 80th Birthday**. 14.321 28.345. QSL. W3GV, P.O. Box 8931, Erie, PA 16505. www.w3gv.org

July 5, 1400Z – 2000Z, K4RC, Williamsburg, VA. Williamsburg Area Amateur Radio Club. **Colonial Williamsburg Special Event Station**. 7.265 14.265. Certificate & QSL. QSL Manager, WAARC, P.O. Box 1470, Williamsburg, VA 23187. *The Virginia Historic Triangle Certificate is available for working the Jamestown, Williamsburg, and Yorktown Special Event Stations.* www.k4rc.net/events/special-event-stations

July 5 – July 19, 1400Z – 1400Z, W4B, Dayton, TN. Rhea County Amateur Radio Club. **Scope's "Monkey" Trial 100th Anniversary**. 7.045 7.205 14.045 14.265. Certificate. Rob Frailing, 664 Lone Mountain Dr., Dayton, TN 37321. www.facebook.com/RheaCountyAmateurRadioClub

July 11 – July 27, 0000Z – 2359Z, K6C, Sacramento, CA. ARRL Sacramento Valley Section. **California State Fair**. 7.290 14.290 21.390 28.390. Certificate. Carol Milazzo, P.O. Box 665, Citrus Heights, CA 95611-0665. www.arrrlsacvalley.org

July 12, 1600Z – 2300Z, N16IW, San Diego, CA. USS Midway Museum Ship. **United States Independence Day**. 7.250 14.320; 14.070 PSK31 D-STAR on PAPA System Repeaters. QSL. USS Midway Museum Ship COMEDTRA, 910 N. Harbor Dr., San Diego, CA 92101. www.qrz.com/db/n16iw

July 14 – July 19, 0000Z – 2359Z, NJ2KC, Bridgeton, NJ. New Jersey Knights of Columbus Amateur Radio Club. **Our Lady of Mount Carmel Festival 150th Anniversary**. 7.250 14.350 21.350 28.450. Certificate & QSL. Thomas M. Perrotti, N2JIE, 785 Vineland Ave., Bridgeton, NJ 08302. www.nj2kc.org

July 14 – July 20, 2200Z – 0200Z, W4H, Boonville, IN. Warrick AuxComm. **Warrick County 4-H Fair**. 14.320 SSB. QSL. Steve Connaughton, 7677 Jenner Rd., Chandler, IN 47610. *Additional frequencies and modes may be used depending on band and weather conditions. Operating times will be mostly late afternoons and evenings Central Time.* www.warrickauxcomm.org

July 18 – July 21, 1300Z – 2200Z, W3A, Hunt Valley, MD. Amateur Radio Club of the National Electronics Museum. **Commemoration of Apollo 11 Live TV from the Moon that Allowed the World to See Mankind's First Steps on the Lunar Surface**. 7.069 7.269 14.069 14.269. Certificate & QSL. ARCNEM, 338 Clubhouse Rd., Hunt Valley, MD 21031. *Operation on 80 meters (3.569, 3.869) and digital modes possible during the event.* www.wv-2.us

July 19, 1330Z – 2100Z, K3S, Port of Baltimore, MD. Nuclear Ship *Savannah* Amateur Radio Club. **NS Savannah Launch Anniversary**. 7, 14, 18, 21, 28. QSL. Ullis Fleming, 980 Patuxent Rd., Odenton, MD 21113. *Check spotting networks.* www.qrz.com/db/k3s

July 19 – July 20, 1300Z – 0100Z, W8H, Hinckley, OH. North Coast Amateur Radio Club. **Hinckley Township, Ohio, Bicentennial**. 7.185 14.240 18.150 28.390. Certificate. Download available 30 days after event, instructions on website. ncarc@n8nc.org or www.n8nc.org

July 19 – July 20, 1500Z – 1500Z, KD9NJR, Hoffman Estates, IL. Salvation Army Team Emergency Radio Network. **36th Anniversary of SATERN**. 3.820 7.265. Certificate & QSL. Salvation Army Central Territory Headquarters. SATERN Team Don Dewar, 5550 Prairie Stone Pkwy., Hoffman Estates, IL 60192.

July 21 – July 27, 0000Z – 0300Z, W4H, Albion, NY.
Orleans County Amateur Radio Club. **Orleans County 4-H Fair**. 7.210. QSL. Terry Cook, 14069 W. County House Rd., Albion, NY 14411. www.ocarc.us

July 24 – July 26, 0400Z – 1000Z, K4HSN, Paris, KY.
Harrison County Amateur Radio Club. **Central Kentucky Antique Farm Machinery Show**. 7.250 14.310 28.550.
QSL. K4HSN c/o C.J. Clifford, 58 Ky Highway 3003, Cynthiana, KY 41031. www.qrz.com/db/k4hsn

July 26 – July 27, 1500Z – 0100Z, W6B, Bodie State Historic Park, CA. Bodie Foundation. **Friends of Bodie Living History Day**. 7.185 14.235 21.235 28.310.
Certificate. John F. Pinckney, 139 Belle Boyd Blvd., Inwood, WV 25428. POTA# K-3410. *No souvenir cards. SWL reports must include call of station in QSO.*

Certificates and QSL cards: To obtain a certificate from any of the special event stations offering them, send your QSO information along with a 9 × 12-inch self-addressed, stamped envelope (3 units of postage) to the address listed in the announcement. To receive a special event QSL card (when offered), be sure to include a self-addressed, stamped business envelope along with your QSL card and QSO information.

Special Events Announcements: For items to be listed in this column, use the ARRL Special Events Listing Form at www.arrl.org/special-events-application, or email information to events@arrl.org.

Submissions must be received by ARRL HQ no later than the 1st of the second month preceding the publication date; a special event listing for **October QST** would have to be received by **August 1**. In addition to being listed in *QST*, your event will be listed on the ARRL Web Special Event page. Note: All received events are acknowledged. If you do not receive an acknowledgment within a few days, please contact us. ARRL reserves the right to exclude events of a commercial or political nature.

You can view all received Special Events at www.arrl.org/special-event-stations.

The 2025 ARRL 222 MHz and Up Distance Contest

1800 UTC Saturday, August 2 – 1759 UTC Sunday, August 3, 2025

The objective in this distance-scored event is to make as many contacts as possible on 222 MHz up to 241 GHz using terrestrial means (no EME contacts) over as great a distance in kilometers as possible. Participants will exchange six-digit grid locators, and distances will be based on the center-to-center distance between the two stations' six-digit locators. Visit <http://k7fry.com/grid> for a grid mapping and distance tool, courtesy of Steve Fry, K7FRY.

The three station categories are: Single Operator, Fixed; Multioperator, Fixed, and Rover. Rover stations may be worked from each four-character grid square in which they operate. If more than one contact on a given band is made between stations in specific grid squares, then the contact with the longest path will be counted. All stations exchange six-digit grid locators on as many bands as possible, but Rover stations can re-contact stations when they move to a new four-digit grid square. Attempts to increase contact distances are encouraged, and all contacts should be logged (even duplicates, to ensure that a valid contact isn't lost).

There are no power categories. Competition is by region. There is also a Club Competition and Team Competition. Be sure to register your team at <https://contests.arrl.org/teamreg.php?eid=1> before the contest begins.



Joe Olsen, AA0BV, combined his 222 MHz and Up Contest operation with a SOTA activation at Mendocino National Forest in California. Joe operated 222 MHz, 432 MHz, and 1.2 GHz. [Joe Olsen, AA0BV, photo]

Each band has a unique band factor value. Total score is the sum of all QSO points.

Only electronic, Cabrillo-formatted logs will be accepted (significant distance scoring calculations must be made to each QSO). Upload logs to <http://contest-log-submission.arrl.org>. The submission deadline is 1759 UTC August 17, 2025. You can share your photos and stories via the ARRL Contest Soapbox at <https://contests.arrl.org/222/soaps> or by scanning the QR code.



For specific scoring details and event rules, see www.arrl.org/222-mhz-and-up-distance-contest.

August 2025 ARRL Rookie Roundup — RTTY

1800 UTC – 2359 UTC, Sunday, August 17, 2025

Rookies make as many contacts as possible during this 6-hour event. Rookies work everyone, and non-Rookies work only Rookies. The exchange is your name, call sign, a two-digit year, and state (US or Mexican), Canadian province, or “DX.”

You can enter as a Rookie if:

- ♦ You were first licensed this year or in the previous 3 calendar years (send the last two digits of the year you were first licensed in the exchange);
- ♦ You were licensed before 2022 and made your first-ever contact during 2025, 2024, 2023, or 2022; or
- ♦ You haven't made any contacts on the contest mode (RTTY) before (send the current year in your exchange).

Rookies can enter as a Single Operator or invite Rookie friends over and operate as Multioperator. Up to five Single Operator Rookies can also enter from

their individual stations and submit their total score as a team.

Non-Rookies can join the fun by calling “CQ Rookies,” to encourage the Rookie operators to call them.

All scores must be reported within 72 hours after the event. No late entries will be accepted. You can share your photos and stories via the ARRL Contest Soapbox at <https://contests.arrl.org/rrtty/soaps> or by scanning the QR code.



Complete rules, logging sheets, and links for submitting your score can be found at www.arrl.org/rookie-roundup.

Volunteer Monitor Program Report

The Volunteer Monitor (VM) Program is a joint initiative between ARRL and the FCC to enhance compliance in the Amateur Radio Service. This is the April 2025 activity report of the VM Program.

- ♦ A traffic and awards net operating on 7.185 MHz was issued an advisory for deliberately starting the net on top of the Andaman Island DXpedition, VU4AX.
- ♦ A case involving an Alabama station continuously calling another station on 20-meter FT8 was resolved informally and the robotic one-way transmissions stopped.
- ♦ Technician operators in Texas and Michigan were issued advisories for operating FT8 on 40 meters. Technicians have only CW privileges on that band.
- ♦ A Technician operator in Florida was issued an advisory for FT8 operation on 15 meters. Technicians have only CW privileges on that band.
- ♦ A Technician operator in Iowa was issued an advisory for FT8 operation on 20 meters, a band on which Technicians have no privileges.

♦ A commendation was issued to a station in Colorado for exemplary net control operation on 14.295 MHz on February 16, 2025, from 1600 – 1800 UTC, in which he demonstrated exceptional courtesy and efficiency in checking in stations under crowded band conditions.

♦ A commendation was issued to an operator in North Carolina for exceptional CW QRP operation on 7.025 MHz from 0100 – 0120 UTC on April 5, 2025. The operator demonstrated exceptional courtesy and efficiency in making contacts with numerous operators under crowded band conditions.

♦ A question-and-answer session was presented in person to the Mt. Airy VHF Radio Club in Mt. Airy, Pennsylvania. A virtual VM program was presented to the Bella Vista Amateur Radio Club in Rogers, Arkansas.

The totals for March 2025 monitoring were 1,480 hours on HF frequencies, and 1,849 hours on VHF frequencies and above, for a total of 3,329 hours. — *Thanks to Volunteer Monitor Program Administrator Riley Hollingsworth, K4ZDH*

Club Station

An Antenna-Building Party for New Hams

Many clubs find that it can be difficult to retain newly licensed members who don't know where to start, or who might be nervous getting on the air, among other reasons. In this month's column, Garland Amateur Radio Club (GARC), K5QHD, member Randy Brack, N5MRB, shares how the Texas club has found success remedying these concerns by hosting antenna parties.

GARC teaches two or three Technician and two General license classes annually, and offers Amateur Extra classes every other year. One of the students, Alex Varas, KJ5EYK, suggested to GARC Vice President Joaquin Cruz, KI5WZV, that the club host an antenna-building event geared toward newly licensed hams to help them get involved in the hobby.

Students who take the Technician license class through GARC and subsequently earn a license are offered a free 1-year membership. However, club officers began noticing that many of these recipients rarely became active. Joaquin and GARC Education Officer John Abbott, KF5FWK, decided that a hands-on event for students to build their own antennas might increase their enthusiasm in the hobby and help the club retain new-ham members.

During GARC's Technician license class, the club's education staff uses a two-element, 2-meter handheld Yagi antenna as part of a demonstration, so it was only fitting that it be the antenna built during the event. Attendees could also use it for foxhunting or finding a repeater. The event had two purposes: to get new hams involved, and to show that operating a radio isn't all you can do with your license — you can experiment, too.

Event Prep

John invited every student from GARC's 2024 classes to attend but received only four RSVPs. Joaquin still purchased enough parts to assemble 10 antennas. The parts were then separated into individual \$12 kits that attendees would purchase when they arrived (see Table 1). GARC provided solder, 18-gauge solid copper wire, and all other necessary tools.



The completed Yagi antenna. [Amado Pereira, KJ5DGS, photo]

We decided on the Garland Amateur Radio Club Communications Center (GARCCC) as the event location. Inside the center is one wall filled with radio and other equipment, a whiteboard and video display at the front of the room, and four 2 × 6-foot tables arranged classroom-style to accommodate 16 students (but when equipment is spread out on the tables, space is at a premium).

To allow extra room for students to cut their PVC pipes and tape measures, we planned to put one table under a canopy in the parking lot. This would allow builders to do all their cutting, as well as assembly of their PVC pipes, first. Then they could go inside GARCCC to complete the assembly using the smaller parts.

Table 1 — Antenna Kit Materials List

Materials

24" of ½" schedule 40 PVC pipe
Four stainless-steel hose clamps big enough to fit around the PVC pipe
½" PVC tee
½" PVC cross
4' of RG-8X cable
One PL-259 crimp-on connector
One metal tape measure



Joaquin Cruz, KI5WZV (on the right), gives Juliette Reeder, KJ5HNP, tips on soldering. [Amado Pereira, KJ5DGS, photo]

About half a dozen members agreed to be in attendance as mentors.

Successful Turnout

The event was held on August 3, 2024, at 1200 – 1600 CST. It was a good thing that Joaquin purchased more parts, because eight people showed up: seven hams and one non-ham curious about the hobby. One of the attendees was blind ham Bill Herzler, W5BLT, who already had his Amateur Extra license but had audited the classes as refreshers and wanted to build an antenna by hand. One of the new ham attendees, Jim Stevens, KJ5HNP, said he attended the event “to learn about antennas and to put the antenna into practice to find the repeater.”

Upon arrival, each student purchased an antenna kit. Dave Gross, W6JDG, with assistance from Ken Young, W5KYZ, spent time outside helping students measure and cut their PVC pipes and tape measures to the correct lengths. Joaquin went back and forth between the inside and outside areas.

Once students came inside, they were ready to assemble their antennas. Putting the parts together was simple, but many students had never soldered before. Mentors were available to help if needed. New ham Jim Ashmore, W5AAQ, enjoyed the assembly process, stating that it “brought a whole lot of skills together.” The average time spent building an antenna, from start to finish, was about an hour. Some of the extra parts that Joaquin bought were used as replacements for students who made mistakes during assembly.

Once each student finished building their antenna, they went back out to the parking lot to test and tune it. Using a RigExpert AA-650 ZOOM or Comet CAA-500 Mark II antenna analyzer, they set the SWR, tuning the antenna to the club's low-power radio transmitter

(known as a *fox*) at 146.565 MHz, and fine-tuned their antennas by moving the elements and the induction loop. Students also had the option of finding GARC's main VHF repeater at 146.660 MHz and experiencing polarity testing.

Although the event was scheduled to end at 1500 CST, it ran until 1600 CST because of student interest.

After-Action Report

The GARC education team was happy with the results of the antenna party. “Students were surprised at how much fun it was,” Joaquin said. “The[y] had a lot more enthusiasm than we anticipated.” The non-ham attendee enjoyed the event and hobby so much that they decided to get their license!

We learned that it's important to ask students and new hams what interests them, as their ideas can be valuable tools in recruitment and retention. Also, we found that because it was a hands-on activity, students asked questions more freely than they did in license classes.

GARC plans to hold a copper pipe J-pole assembly session in the future, and one new ham has already committed to attend. Also, an unun-building party is planned for after GARC's next General license class.

ARRL Special Service Clubs

ARRL offers the Special Service Club (SSC) program for clubs that demonstrate that they're working to improve the amateur radio community by completing special projects, holding license classes, and working with local groups on events, among other activities. Visit www.arrl.org/ssc-application for more information about this program. Below is a list of new and renewing SSCs as of March 27, 2025.



Renewing SSCs

Denton County ARA, W5NGU	Denton, TX
Holmesburg ARC, WM3PEN	Philadelphia, PA
McKinney ARC, W5MRC	McKinney, TX
Nashoba Valley ARC, N1NC	Pepperell, MA
Orange County ARC, W6ZE	Tustin, CA
Riverland ARC, W9UP	Onalaska, WI
Silvercreek ARA, W8WKY	Norton, OH
South Mountain Radio Amateurs, N3TWT	Mechanicsburg, PA

Sign Up for ARRL Club News

Read the monthly *ARRL Club News* e-newsletter to find out more about what clubs are doing to advance amateur radio in their communities and within the hobby. To opt in to monthly email delivery of *ARRL Club News*, log in to www.arrl.org and select “E-Newsletters and Notifications” on your account web page.

Ham Media Playlist

HamJazz

Simon Stribling, VA7BIX, otherwise known as “HamJazz” on YouTube, first landed on my radar during the second annual Teachers Institute telethon hosted by Josh Nass, K16NAZ (www.youtube.com/@HamRadioCrashCourse), and Mike Dahlhofer, K8MRD (www.youtube.com/@hamradiotube). It was during the telethon that I noted Simon has a great sense of humor and likes making interesting antennas. I dug a little deeper into his YouTube channel, HamJazz (www.youtube.com/@thehamjazz), and I am glad that I did!

Bitten by the Radio Bug

Early on, Simon enjoyed 11 meters. He grew up in North East Victoria, Australia, and in the early 1980s he ventured into the world of CB radio. He was amazed to be able to communicate over thousands of kilometers, even using his low-power radio, and he vividly remembers being bitten by the DX bug. One morning before school in 1982, Simon turned on his radio and couldn't believe what he heard. DX stations were roaring in from the US. He made his first contact with a CBer who went by SC1 in Washington, DC. Simon describes that contact as “electric” and has saved the QSL card throughout the years.

Simon was around radios all the time, as they were used for everyday communication on the farm; however, his uncle Ian, VK3AZP, lit the spark for Simon



Simon, VA7BIX, shows part of his tape measure antenna.

to venture into the world of amateur radio. Ian was a frugal man and rarely purchased any equipment, choosing instead to build it on his own. Simon had the opportunity to observe Ian creating some of his gear, and he found himself getting pulled in.

Simon first began creating YouTube content in 2022. He was watching Mike's, K8MRD, videos about Parks on the Air® (POTA®) and got hooked on the activity. Simon found himself struggling to make contacts with his antenna until one of his mentors, Mike, VE7GHZ, from Burnaby Radio, gave him a simple hamstick antenna. The difference was astounding. His POTA activations went from being an all-day affair trying to get 10 contacts for an activation, to having hours of pileups every time he was on the air. Seeing the fun Mike, K8MRD, was having making content doing what he loved, Simon decided he wanted to do the same, and HamJazz was born.

Creating Antennas from Everyday Objects

Many hams have built tape measure antennas — but probably not like the one Simon builds in his video titled “This Tape Measure Hack Will Blow Your Mind!”



Simon, VA7BIX, gets on the air using his portable Yagi antenna.



Simon, VA7BIX, demonstrates one possible way to hide the radials of his stealth antenna.

(<https://tinyurl.com/hamjazz-tape>). When someone mentions using a tape measure as an antenna, most hams think of the tried-and-true tape measure Yagi. Simon embraces the spirit of creating an antenna from everyday objects that are likely to be in every ham's shack.

Simon gives viewers a look at the setup of the antenna before filming his activation. By adjusting the length of the tape measure, he is able to achieve 1:1 SWR on multiple bands. Judging from the pileups Simon is working, the antenna works like a champ.


Antenna Builds

Simon's most popular videos are his antenna-building videos, which include very unconventional antenna builds. Another great video is titled "10-20 Meters, One Antenna: BEAM" (<https://tinyurl.com/hamjazz-beam>), for which PVC pipe and tent poles serve as the beginning of this interesting project. Simon is the first to admit that this is a work in progress, but it ends up performing quite well. This antenna, designed to be a portable antenna for POTA and other portable operations, is relatively easy to assemble in the field.

As the video progresses, Simon demonstrates the effectiveness of the antenna by manually turning the beam, allowing viewers to hear the signal improve as the antenna turns toward the station. One great thing about this video, and all of Simon's videos, is that when something needs to be adjusted or something does not work as expected, he doesn't hide it. Instead, he discusses what he is doing to make adjustments.

Stealth Antennas

Sometimes hams need to be a bit stealthy, especially when there is an HOA involved. True to his roots,



Simon, VA7BIX, shows viewers the effectiveness of his stealth antenna using PSKReporter.

Simon builds a stealth antenna using jewelry wire as the element in his video titled "Stealth HOA Antenna" (<https://tinyurl.com/hamjazz-hoa>). Simon demonstrates how to hang the wire on the eaves of his house. When it comes to the radials, he gives viewers tips on how to make them less obvious, including hiding them in decking, covering them with a rug, etc.

Simon gets on the air using his creation, allowing viewers to witness the process. He operates FT8 and works stations in the US, Asiatic Russia, and Japan. He then looks at PSKReporter to see where he was heard. The antenna lived up to Simon's hopes, as he was heard around the world.

Simon runs a great YouTube channel, and his excitement is infectious. One of his regular parks to operate from is Cattle Point/Uplands Park, where people regularly walk by, sometimes looking at him strangely and other times asking questions, giving him the opportunity to share a bit about amateur radio.

If you find yourself in a mood to tinker and create something from scratch, take a look at Simon's channel. You'll be happy that you did.

Feedback

In "The Newport Antenna Shootout" in the May 2025 issue, the data in Tables 1 and 2 are reversed. The complete antenna shootout results are given in Table 2, and the results with Europe data removed are given in Table 1. This has since been corrected in the digital edition.

How's DX?

July Is IOTA Month

DXers participating in the Islands on the Air (IOTA) program, sponsored by Islands on the Air Ltd., are aware that July marks IOTA month. This period is considered optimal for working new IOTA entities, or *counters*. Many operators in the Northern Hemisphere engage in IOTA DXpeditions at this time, especially during the Radio Society of Great Britain (RSGB) IOTA Contest, held on the last full weekend of the month. Participation in this annual event continues to increase. During the contest, beginners in the IOTA award program can aim to achieve their first 100 counters, while more experienced operators may exceed working 200. This year's contest will take place on July 26 and 27. For the complete rules, visit www.rsgbcc.org/hf/rules/2025/riota.shtml. For a list of planned IOTA contest activities, refer to Bill Feidt's, NG3K, RSGB IOTA Contest Announced Operations web page at www.ng3k.com/misc/iota2025.html.

IOTA NA-090

Members of the Asociación de Radioaficionados de Venezuela and the Grupo DX Caracas are organizing a joint IOTA DXpedition to Chimana Segunda Island, part of Mochima National Park. This DXpedition will be recognized as part of the Anzoátegui State/Sucre State West Group SA-090, and participants will operate as YW6A on June 20 – 24. This event is also valid for Parks on the Air® (VE-0011), World Lighthouse on the Air (WLOTA-2062), and Beaches on the Air. Operations will be on SSB, CW, digital modes, and satellites. QSL information is available via W4DTA. You can read more about the DXpedition at www.radioclubvenezolano.org/concurso.htm.

IOTA AS-114

A team of Russian radio operators, led by Eugene, RZ3EC, and including Igor, UA3EDQ; Gennady, R3BY; Max, RU5D; Sergey, RU3EG; Andy, R5EM, and Serge, RW3XA, will be operating as RIØCR from Ustrichnyy Island (AS-114) on July 15 – 20. Please send QSL requests to RZ3EC.



DX News from Around the World

7Q – Malawi

In June, Don, K6ZO (7Q6M); Bill, KC4D (7Q7WW), and Jerry, W1IE (7Q2T), will return to Malawi to set up a computer lab and amateur radio club station at the CDSS Secondary School in Embangweni. The classroom will have 20 computers, and three resident hams will be attending the school: Blessings Msimuko, 7Q5BM; Urgent Jere, 7Q6UJ, and Abraham Moyo, 7Q4AM. The US operators are seeking transceivers, computers, amplifiers, and headsets, and they're aiming to raise \$4,300. For more information, visit www.w3hac.org/project-malawi. Donations can be mailed to the HacDC Amateur Radio Club, c/o Carl Bergman at 1301 Geranium Ave. NW, Washington, DC 20012, and marked as "Project Malawi."



FO – French Polynesia

Nobby, FO/GØVJG, will return to Bora Bora on June 11 – 27. He will be active on HF and 6 meters.

FP – St. Pierre and Miquelon

Eric, KV1J, is dedicating his 17th trip to Miquelon Island to the memory of Jean-Pierre, FP5CJ (SK), who passed away in September 2024. Jean-Pierre helped many hams operate from FP. Eric will be active as FP/KV1J on June 28 – July 14, which includes the 2025 International Amateur Radio Union HF World Championship. He will operate on 80 – 6 meters using SSB, CW, FT8, and FT4, with an Elecraft K3, an Icom IC-7300, and a Heathkit SB-200 amplifier. Eric's antennas will include an off-center-fed dipole for 80 – 10 meters, a five-band Spiderbeam, a wire Yagi beam for 20 – 10 meters, a vertical for 60 meters, and a three-element 6-meter Yagi. You can QSL directly, or via bureau to KV1J, Logbook of The World® (LoTW®), Club Log's Online QSL Request System, or eQSL.cc. More details can be found on Eric's website at www.kv1j.com/fp/July25.html.

J3 – Grenada

Graham, 2MØIJU, and Eric, GM5RDX, will be operating from Grenada on July 5 – 13. Eric has been assigned the call sign J38DX, and Graham will use

J38LD when it is issued to him. They will primarily use SSB, with some FT8, and their base of operations will be a cliffside cottage on the southern side of the island. They plan to use various wire verticals and dipoles. While the transmitters have not been finalized, Eric and Graham intend to operate on all amateur bands from 80 to 10 meters at up to 100 W.

JD1/O — Ogasawara Islands

Koutarou, JP1IHD, has announced that his next operation as JD1BQP will take place from Chichijima in mid-June. Listen for him on 20 – 6 meters, with a primary focus on 6 meters.

JW — Svalbard

Vladimir Zencak, OK2WX, will operate as JWØV in Longyearbyen on July 14 – 23. He'll use an Elecraft K4, an ELAD Duo, an SPE Expert 1.3K, a JUMA amplifier (up to 1200 W), a 40 – 10-meter SteppIR antenna, an inverted V, and a six-element 6-meter Yagi. Vladimir will be on CW, SSB, and FT8. QSL via I8KHC or LoTW.



TG — Guatemala

Todd, AF4CZ, will be active as TG9/AF4CZ in Guatemala on June 18 – July 9. He will visit Guatemala City, El Paredon, Antigua, and possibly Panajachel. Due to the locations and antenna restrictions, he will operate mainly on FT8 and FT4, with some SSB. Using an Icom IC-7300 or IC-7100 with 10 W or more, as well as a wire antenna or a JPC-12, Todd will be active on 40 – 10 meters and maybe 80 meters. Contacts will be uploaded to LoTW and QRZ.

ZC4 — UK Sovereign Bases on Cyprus

Adrian, GØKOM, was disappointed that he couldn't visit the UK Sovereign Bases on Cyprus in March, but he plans to go in July and/or October – November. He wanted to buy a BuddiHEX hexbeam for the operation, but high shipping costs and 20% value-added tax made him



reconsider. Adrian has the ZC4MK call sign, and he mentioned that 10 meters has been excellent recently. He's hoping for a good sporadic-E season on 6 meters. At home, Adrian uses an IC-7600 and IC-7000, but he hasn't decided which one to take to Cyprus.

ZD8 — Ascension Island

Larry, KI6LT, will be working on Ascension Island on July 14 – 22, and he plans to be active as KI6LT/ZD8 in his spare time. For those who are participating in the CQ DX Marathon, this will be the second ZD8 activity in 2025. He plans to take a Yaesu FT-710 and an end-fed 40-meter wire with him. Larry will be active on SSB, with additional plans to use *WSPR* on 40, 20, 15, and 10 meters. He will most likely be on the air between July 18 and 21.

Top 25 DXCC Most Wanted

The top 25 DXCC entities are rare for a reason, and it creates a lot of buzz when they're activated. In January 2025, the SV1GA/A operation from Mount Athos surprised us. At that time, SV/A was number 27 on Club Log's DX Century Club (DXCC) Most Wanted List. In late April, DXers were surprised again by the ZS8W DXpedition to Marion Island (ranked number 11), conducted by Yuris, YL26M. These examples show that you never know what can suddenly go on the air. However, it's important to note that accusations quickly followed these operations. Remember DXCC Rule 14: Conduct (www.arrl.org/dxcc-rules). Violations could lead to DXCC disqualification.

Other top 25 DXpedition announcements include 3YØL on Peter I Island (seventh most wanted) scheduled for early 2027, 3YØK on Bouvet Island (10th most wanted) planned for February 2026, and PYØ/S on the St. Peter and St. Paul Rocks (14th most wanted) in October/November 2025. More top 25 DXpeditions are being worked on for the future.

Wrap-Up

That's it for this month, with thanks to AF4CZ, GØKOM, KE3Q, KI6LT, KV1J, OK2WX, W4DTA, and *The Daily DX* for helping to make this month's column possible. Don't forget to send your DX news, photos, and club newsletters to bernie@dailydx.com. Until next month, see you in the pileups! — *Bernie, W3UR*

The World Above 50 MHz

Antarctica, Various DXpeditions, and Remote Stations on 6 Meters

At around 1300 UTC on April 13, 2025, DPØGVN (IB59) in Antarctica worked stations in southern Europe and the Middle East. The station was using 6-meter *MSHV* on FT8 and was spotted by F4JBF (JN33) and EA3LX (JN11). I reviewed DX Summit spots, and I saw that DPØGVN was into Europe on April 1, 2, 3, 6, and 8. These may have been the first terrestrial 6-meter European contacts made from Antarctica since Solar Cycle 23. Ukrainian Antarctic station EM1U worked CT1EEB on April 17, 2003, on SSB. During that contact, EM1U had a five-by-five report while running 100 W with an Icom IC-706 and a dipole. On April 5, 2025, W1EL and K1TOL spotted DPØGVN. DPØGVN is at the German Antarctic Research Station Neumayer III in Queen Maud Land.

C5R, HD8G, and VP2VI DXpeditions on 6 Meters

Three major DXpeditions were active on 6 meters in April. VP2VI deployed a four-element Yagi, and they reported making 411 6-meter contacts — 15 on CW, and the rest on FT8 across 26 countries. Among those contacts, they worked 215 in South America, 87 in Europe, 71 in North America, 22 in Oceania, and 12 in Africa. Most of the North American contacts were made via F2 back/side scatter. HD8G (EI49) used a five-element Yagi on 6 meters, and Online QSL Request Services lists 34 contacts with them on 6 meters. Rick, HC1MD/2, worked HD8G on FT8. HD8G completed 37 Earth-moon-Earth contacts on 1296 MHz. On April 26, C5R (IK13) had a strong opening to Europe at around 1830 UTC, working many on 50.095 MHz CW. LZ2CC reported that C5R was +26 dB on FT8.

PY2XB Remote 6-Meter Stations

Fred Carvalho, PY2XB, said:

I was quite busy operating two remote stations last year: PY2XB, the one I usually use, and PR7XB, [which] we have assembled in HI22jr in September

2023. I worked into the W and VE [call sign regions] with both stations. There were also lots of stations from PY2, and some US [stations] from PR7. The stations are around 2,300 kilometers apart. From PR7XB, [on] the first operating day, I worked two new ones: V51WW and XX9ET. I also worked 7Q7EMH. Junior, PR7AB, [one of the HD8G operators,] and I share this remote station.

The PY2XB remote station consists of an eight-element loop-fed array (LFA) with a 12.5-meter boom and 600 W. The remote PR7XB station has a seven-element LFA with a 9-meter boom, and it uses an amplifier.


On the Bands

50 MHz. On April 1, Mike, VP8NO (GD18), was in to Europe, and the next day, he noted a strong chordal-hop F2 opening to North America. He worked AF5CC (EM04; he used a two-element quad), KCØY (EM17; he used a Moxon), and me, NØJK (EM28; I used an attic dipole), at 1750 UTC. VP8NO runs 700 W to a five-element Yagi elevated 60 feet.

On April 5, Al, K2BLA (EL99), worked ZL7DX at 1927 UTC, receiving a -12 dB signal report. Andre, N4WBE (EM70), worked CX1DDO and LU8DNY on SSB with a



Fred Carvalho, PY2XB (left), and Alcides "Junior" Fernandes, PR7AB (right), at the PY2XB remote 6-meter station. PR7AB also was part of the HD8G DXpedition. [Fred Carvalho, PY2XB, photo]



Jorge Jana's, CEØYHF, PSK flags on April 27, when he was in to the southeastern US on 6-meter FT8. [www.pskreporter.info/pskmap]

dipole and 70 W. In Kansas, I had HC1MD/2 in on F2 at 1955 UTC. Later, at around 2100 UTC, I noted sporadic E to the Gulf Coast, with an E_s link to transequatorial propagation (TEP) to Argentina. I logged LU9AEA and LW2DAF (GF05) on FT8. AD1C (DM79) saw PY3WW call me at 2238 UTC. Many stations worked N5YPJ in rare grid DL99, including me, NØLL (EM09), and KCØY and KFØM (both EM17) at 2320 UTC. VP8LP (GD18) worked southern Europe via SSB on April 6, and he worked others in region W4 on April 8, including W4HLR (EM55) at 1700 UTC.

On April 9, at around 2330 UTC, Bob Keating, N6REK (DM04), worked ZL1AKW (RF82) and ZL2WHO (RE79) via FT8. On April 16, a brief category 4 (severe) geomagnetic storm took place, causing the K index to peak at 7. Steve Sacco, NN4X (EL98), and Ken Reecy, AC4TO (EM70), received PSK flags from YC9HJD (OI81) at 1701 UTC via long path. NN4X worked CT1EEX and EA8TL. Steve said K1TO (EL87) saw 9K2GR and 4X4DK on FT8. F2 was reported from the northeast US states and Canada to northern South America. 8R1TM (GJ06) was active from Guyana.

The Lyrid meteor shower peaked on April 22. Larry Lambert, NØLL, traveled to Neligh, Nebraska, to activate EN02. Larry made 24 contacts; he made 22 via MSK144, and his best DX was with KB8VAO (EN91) from 1,491 kilometers away, and with WA4CQG (EM72) from 1,657 kilometers away. He copied CE2SV and CE3SX on FT8 at around 1940 UTC that afternoon, but he said he was "unable to get their attention." KCØY and I, NØJK, logged NDØB (EN07) on MSK144. Barry, K7BWH, and Ed, N7PHY, operated from DN07 during the Lyrids. Their trip was meant to help them practice setting up their portable stations before going to DL88 on May 25.

On April 25, Mike Downing, KCØY, worked 4A100IARU (DK09) via E_s and XR100IARU (FF46) via an E_s link to TEP. On April 28 and on MSK144, Mike logged 4A1RBM (DL86) during a Parks on the Air® activation. Juan, TG9AJR (EK44), also worked 4A1RBM on FT8. He said that 4A1RBM was located in "La Zona del Silencio" in Mexico.

On April 27, Jorge Jana, CEØYHF, on Easter Island, made a rare appearance and worked stations in regions W4 and W5, likely via an E_s link at around 0030 UTC. The next day, California stations, including K6QXY, worked VK9DX, E51WL, VK4MA, and FK8CP.

On April 30, the TX9A DXpedition team worked those in call sign regions W1, W2, and W3 at around 2300 UTC. NK1K (FN42), NZ3M, NX7U (FN20), and QST "How's DX?" columnist Bernie, W3UR (FM19), worked TX9A on 6-meter FT8. Ken, AC4TO (EM70), worked TX9A, too, at 1902 UTC. Ken was the first US station that TX9A worked on 6 meters. These contacts may have been the result of an E_s link, as NZ3M noted a "cross path" (suggesting an E_s cloud) over the EM88 area.

144 MHz. On April 20, at around 1130 UTC, N8ECI (EM79) received Eloy Ritter, W4ERP (EL95), on FT8 via tropospheric propagation; he was 1,558 kilometers away. Eloy uses just 10 W and a four-element Yagi on his balcony. He worked stations in Virginia, as well as North and South Carolina.

Here and There

With the high solar flux and seasonal sporadic E, watch for E_s linking to TEP in July. Last year, PY2XB and E51EME made many North American 6-meter contacts in July. Solar scientist Dr. Scott McIntosh gave a presentation about the start of Solar Cycle 26, which you can watch at <https://youtu.be/5pHbGILprjg>.

Wayne Overbeck, N6NB (SK), passed away on April 12, 2025. Wayne had many accomplishments, but I believe the most important to VHF/UHF enthusiasts was his inventing the Quagi antenna. The Quagi is a Yagi with a two-loop quad feed at the end. It is simple to make, and if care is taken in construction, it works. A 2-meter, eight-element Quagi can be made for less than \$15. The gain (12 dBd) is the same as a commercial antenna that may sell for \$400. Read more information about the Quagi at www.overbeck.com/quagi.htm.

Field Organization Reports — April 2025

Public Service Honor Roll

This listing recognizes radio amateurs whose public service performance during the month indicated 70 or more points in six categories. Details on the program can be found at: www.arrl.org/public-service-honor-roll.

515 AD8CM	195 WB8YY5	158 W5RFY	KD8ZCM WK4WC KW1U N1UMJ N1ILZ	115 WB9WKO AI9F KO4OL KB3YRU	WB8RJW KB8GUN N8MRS WD8SDH KA5AZK W1KX K2MTG K3YAK KA2HZP KB2QQ KD2PQP K8ED W4EDN N1LAH W1TCD KC1HHO
425 N9VC	194 W1RVY	155 KF5OMH			91 W4TTO
400 AC8NP	190 KT2D	150 KR4PI W9BGJ WD8USA	128 K8MDA	114 K1YBO	80 KR4ST AD4DO AJ7B W2ITT KC3SJ KB0DTI
315 W7EES	185 ND8W		126 W1LEM	110 KM4WHO WV5Q AE5MI KC8WH K2VTT N4CNX N1IQI KC1KVV	90 KB9GO KC9UC AB9ZA N8OD K3RC
311 KE8BYC	180 W9EEU N2LC	143 KD0HHN	125 W2PAX K9LGU		99 K5ANP WB2VUF WW3S
305 KE8ANW	176 KD2NMG	142 KC8PBU		123 WZ0C	77 WB4ZDU AA3N K1STM
290 WM5N	175 K3JL	140 WO2H		122 KM4WXX	75 WB3FTQ
277 KD2LPM	170 W5WMC K7OED	137 KA9IKK WM2C		108 W8IM	
264 W0PZD		135 KC9FXE N8SY KE5YTA	120 WA4VGZ W4CMH KC4FSU KD8UUB W2AH	106 W8ROY	98 WB8SIQ
257 KB5PGY	169 KC8YVF			105 KL7RF N0ET WX2DX	97 W0AHA
245 W7PAT	165 W4DNA	134 W2OOD	119 WB9QPM	102 KO4KUS	96 N4NOA KB2YAA
232 K5OB	164 AC0KQ	133 KN4QJ KE8HKA		101 K9SX	95 WB9EDL
224 KT5SR	160 AG9G KE4RS KV2J	130 WA3QLW KY2D N2JBA		100 N3STP NX9K AD4DO KZ8Q	94 AD3J
207 W9RY			117 KE8DON		93 K1CJV AA3E7Z
			116 N2DW		

The following stations qualified for PSHR in previous months, but have not been recognized in this column yet: (March) KK4PUX 255, NA7G 120, N7IE 118, W4CAC 112, N7UWX, N3SW 90; (February) KK4PUX 230, W4CAC 108, N3SW 79; (January) KK4PUX 270, W4CAC 113, N3SW 90.

Section Traffic Manager Reports

The following Section Traffic Managers reported: AR, AZ, CO, CT, DE, EMA, ENY, GA, IA, IL, IN, KS, KY, LA, MDC, ME, MI, MO, MS, NC, NE, NFL, NLI, NM, NNJ, NNY, NTX, OH, OR, RI, SNJ, STX, TN, WCF, WI, WMA, WNY, WPA, WWA, WY.

Section Emergency Coordinator Reports

The following Sections submitted ARES Activity Reports: AR, CT, EMA, ENY, EPA, GA, IL, IN, MO, NFL, NLI, NNJ, NNY, NTX, NV, OH, PR, SNJ, STX, TN, VA, WCF, WMA, WPA, WTX, WY.

Brass Pounders League

The BPL is open to all amateurs in the US, Canada, and US possessions who report to their SMs a total of 500 or more points or a sum of 100 or more origination and delivery points for any calendar month. Messages must be handled on amateur radio frequencies within 48 hours of receipt in standard ARRL radiogram format. Call signs of qualifiers and their monthly BPL total points follow.

W2AH 2,065, KY2D 2,063, NX9K 1,389, WB9WKO 681, KW1U 670, KE5YTA 575, N9CK 558, KB9GO 522, KC1KVV 509.

Congratulations

April 2025

QST Cover Plaque Award Winner

Jay Kolinsky
NE2Q

In his article, "Turn Your Vertical Antenna into a Rotatable Beam," Jay explains how he turned a single-element beam into a narrow beamwidth directive aerial with the use of carbon fiber. He calls this new antenna the LLS (Loof Lirpa Slot).

QST Cover Plaque Awards are given to the author or authors of the most popular article in each issue. You choose the winners by casting your vote online at

www.arrl.org/cover-plaque-poll

Log in now and choose your favorite article in this issue!

Turn Your Vertical Antenna into a Rotatable Beam

Laser-like 3-degree beamwidth thanks to a carbon fiber slotted sleeve.

Jay Kolinsky, NE2Q

Many hams who use vertical antennas are dissatisfied with their performance, compared to their buddies who use directional beam-type antennas that concentrate their RF emissions over a narrow area of 50 to 80 degrees. There is no doubt that the azimuth antenna pattern for vertical radiators is basically a perfect circle. Your transmitted RF is spreading equally over a 360-degree circle. This is a significant waste of energy because you talk to only a station in a pinpointed area. Using a vertical antenna for receiving demonstrates that signals are received from all directions, just like interference, man-made, and atmospheric noise. Most of us have heard two common phrases: "Verticals radiate poorly in all directions" and "Verticals are very noisy antennas."

My First Antenna

I read the full-page advertisements by Gotham that used to appear in QST. The ads featured the V-80 vertical. I ordered one, and it came in a long, skinny carton. It consisted of two aluminum tubes, one smaller than the other to telescope into the larger tube. It was held together at the joint with a hose clamp and was about 21 feet long when fully assembled. There was also an air-wound coil about 3 inches in diameter. The idea was to put an alligator clip on the center of the coax feed line and tap the coil at different points for operations on 10 through 80 meters. I installed the antenna on the side of my father's summer home in Mohegan Lake, New York, and it worked. I made contacts but heard very few signals outside of the US. I used it until 1962, when I built a two-element 20-meter quad antenna using bamboo arms with a fiberglass tape coating. The quad outperformed my V-80 on 20 meters.

I've always been a creative thinker and developed new products over the years. Some of my early inventions are in the Smithsonian Institution in Washington, DC, and I even have a few US patents. One day, I was thinking about the shortcomings of verticals. I wondered, "How about turning a single vertical element into a narrow beamwidth directive aerial?"



Figure 1 — The carbon fiber tube placed over Jay Kolinsky's, NE2Q, magnetic mount antenna on his car.

Carbon Fiber to the Rescue

I heard someone mention that carbon fiber tubing will distort RF antenna patterns, which made me realize that a sleeve of carbon fiber slipped over a vertical element might severely restrict RF from escaping from a vertical. I quickly obtained a 10-foot tube of carbon fiber 2 inches in diameter and decided to experiment. I installed my 1/4-wave, 2-meter magnet-mount vertical antenna on the center of the roof of my car, and took readings with my field strength meter 50 feet away. I ran 25 W and recorded the 20% field strength needle

Convention and Hamfest Calendar

A = AUCTION
D = DEALERS / VENDORS
F = FLEA MARKET
H = HANDICAP ACCESS
Q = FIELD CHECKING OF QSL CARDS
R = REFRESHMENTS
S = SEMINARS / PRESENTATIONS
T = TAILGATING
V = VE SESSIONS

Abbreviations

Spr = Sponsor
TI = Talk-in frequency
Adm = Admission

Alaska (Kenai) — July 19 FHT

10 AM – 4 PM. Spr: MooseHorn ARC. Kenai American Legion Hall, 902 Cook Dr. TI: 147.03 (100 Hz). Adm: \$5.
www.al7le.org

Colorado (Grand Junction) — Aug. 9 DFHQRTV

8 AM – 3 PM. Spr: Western Colorado ARC. First Christian Church, 1326 N. 1st St. TI: 146.940 (107.2 Hz). Adm: \$5.
www.w0rrz.org

Florida (Milton) — July 18 – 19 DFHRTV

Fri. 3 PM – 8 PM, Sat. 8 AM – 1 PM. Spr: Milton ARC. Santa Rosa Co. Auditorium, 4530 Spikes Way. TI: 145.490 (100 Hz). Adm: \$10. www.miltonarc.org

ARRL IDAHO STATE CONVENTION

August 9, Post Falls, Idaho

DFHSTV

8 AM – noon. Spr: Kootenai ARS. River of Life Friends Church, 3263 E. 12th Ave. TI: 146.98. Adm: \$5. www.k7id.org

Illinois (Carlinville) — Aug. 2 DFHQRTV

7 AM – noon. Spr: Macoupin Co., Montgomery Co., Okaw Valley ARCs, Sangamon Valley Radio Club. Macoupin Co. Fairgrounds, 21368 State Rte. 4. TI: 444.250 (103.5 Hz). Adm: \$10. www.wc1hamfest.com

Illinois (Peotone) — July 20 DFHQRTV

6 AM – 1 PM. Spr: Kankakee Area Radio Society. Will Co. Fairgrounds, 710 West St. TI: 146.94 (107.2 Hz). Adm: \$8 Advance, \$10 door. www.w9az.com/karsfest.html

Illinois (Peotone) — Aug. 3 DFHRTV

6 AM – 1 PM. Spr: Hamfesters Ham Radio Club. Will Co. Fairgrounds, 710 West St. TI: 146.52. Adm: \$8 Advance, \$10 door. www.hamfesters.org

Indiana (Auburn) — July 19 DFRTV

9 AM – 2 PM. Spr: Northeastern Indiana ARA. Auburn Cord Duesenberg Museum, 1600 Wayne St. TI: 147.015 (141.3 Hz). Adm: Free. www.w9ou.org

Indiana (Elkhart) — Aug. 2 DFHQRTV

9 AM – 2 PM. Spr: Northern Indiana K9DEW Repeater Network. Northern Indiana Event Center, 21565 Executive Pkwy. TI: 147.33 (131.8 Hz). Adm: \$8; 12 and under, free. www.elkharteasthamfest.com

Indiana (Portland) — July 26 DHRV

8 AM – 2 PM. Spr: Jay Co., Whitewater Valley ARCs. Jay Co. Fairgrounds, 806 E. Votaw St. TI: 443.475 (100.0 Hz), 145.210 (97.4 Hz). Adm: Free. www.sites.google.com/view/ecindianahamfest/home

Iowa (Central City) — Aug. 2 DFHRTV

8 AM – 5 PM. Spr: Cedar Valley ARC. Linn Co. Fairgrounds, 201 Central City Rd. TI: 146.745 (192.8 Hz). Adm: \$10. www.w0gq.org/cvarc-hamfest

Kansas (Hutchinson) — Aug. 9 DFHV

8 AM – noon. Spr: Reno Co. Kansas ARA. HCC Fire Science Building, 3211 E. 4th Ave. TI: 147.12 (103.5 Hz). Adm: \$5. www.rckara.org

Louisiana (Shreveport) — Aug. 9 DFHRTV

7 AM – 2 PM. Spr: Shreveport ARA. Louisiana State Fair Ag. Bldg., 3206 Pershing Blvd. TI: 146.82. Adm: \$10. Email: b0bn5zvw@gmail.com

ARRL MAINE STATE CONVENTION

August 2, Augusta, Maine

DFHQRTSV

8 AM – noon. Spr: Androscoggin ARC. Augusta Civic Center, 76 Community Dr. TI: 147.255 (114.8 Hz). Adm: \$10. www.w1npp.org/convention

Michigan (Berrien Center) — July 26 FRT

9 AM – 1 PM. Spr: Blossomland ARA, Midwest Classic Radio Net. Five Pines Ministries, 6597 Smith Rd. TI: 146.82 (88.5 Hz). Adm: Free. www.w8mai.org/index.php/club-information/barat-trunk-swap

Missouri (O'Fallon) — Aug. 10 DFHQRTV

8 AM – noon. Spr: St. Charles ARC. O'Fallon Elks Lodge, 1163 Tom Ginnever Ave. TI: 146.67. Adm: \$10. www.wb0hsi.org

Missouri (Warrensburg) — July 19 DFHRT

8 AM – noon. Spr: Warrensburg Area ARC. Johnson Co. Fairgrounds, 386 NW 145 Rd. TI: 146.88 (107.2 Hz). Adm: Free. www.waarci.org

Missouri (Washington) — July 20 DFHRTV

7 AM – noon. Spr: Zero Beaters ARC. Washington Knights of Columbus Hall, 1121 Columbus Ln. TI: 147.24. Adm: \$7. www.zerobeaters.org

Montana (Snowslip) — July 18 – 20 DFHRTV

8 AM – 10 PM. Spr: Great Falls Area ARC. Glacier Meadows RV Park, 15735 US-2. TI: 146.52. Adm: \$26 Advance, \$30 door. www.gwhamfest.org

Nebraska (North Bend) — July 12 DFHQRTV

8 AM – 12:30 PM. Spr: Pioneer ARC. North Bend City Auditorium, 741 N. Main St. TI: 443.90 or 146.67 (100 Hz). Adm: \$5. www.k0sw.org

ARRL HUDSON DIVISION CONVENTION

July 13, Augusta, New Jersey

DFHQRTSV

8 AM – 4 PM. Spr: Sussex Co. ARC. Sussex Co. Fairgrounds, 37 Plains Rd. TI: 147.30 (151.4 Hz). Adm: \$8. www.scarcnj.org

New Mexico (Socorro) — July 12 DFHQRTV

8 AM – 1:30 PM. Spr: Socorro ARA. New Mexico Tech ARA. Socorro Convention Center, 1220 US-60. TI: 146.68 (100 Hz). Adm: \$5. www.socorroara.org

New York (Alexander) — July 19 DFHRTV

6 AM. Spr: Lancaster ARC. Alexander Fire Department Grounds, 10708 Alexander Rd. Rte. 98. TI: 147.28 (141.3 Hz). Adm: \$10. www.w2so.org

New York (Camillus) — July 12 FHRTV

7:30 AM – 12:30 PM. Spr: Radio Amateurs of Greater Syracuse. Camillus Elks Lodge, 6117 Newport Rd. TI: 146.91 (103.5 Hz). Adm: \$5. www.ragsclub.org

New York (Clark Mills) — July 26 DFHRTV

8 AM. Spr: Utica ARC. Clark Mills Firehouse Grounds, 7705 County Rd. 19. TI: 146.76 (103.5 Hz). Adm: \$5.
www.uticaarc.org

New York (Speculator) — Aug. 9 FHRTV

8 AM – noon. Spr: Northern New York-area clubs. Speculator Pavilion and Ballfield, 2834 NY-30. TI: 147.165. Adm: Free.
www.adkhamfest.org

New York (Trumansburg) — Aug. 2 FHRTV

7 AM – noon. Spr: Tompkins Co. ARA. Tompkins Co. Fairgrounds, 2150 Trumansburg Rd. TI: 146.94 (103.5 Hz). Adm: \$7.
www.tcara-ny.org

North Carolina (Cary) — July 19 FHRV

8 AM – 1 PM. Spr: Cary ARC. Town of Cary Ritter Park, 301 W. Lochmere Dr. TI: 146.88 (82.5 Hz). Adm: \$5. www.caryarc.org

North Carolina (Fayetteville) — Aug. 9 FHRTV

8 AM – 1 PM. Spr: Cape Fear ARS. Cumberland Co. Shrine Club, 7040 Ramsey St. TI: 146.91 (100 Hz). Adm: Free.
www.cfarsnc.org

North Carolina (Salisbury) — July 12 DFFV

7 AM – 1 PM. Spr: Rowan ARS. Salisbury Civic Center, 315 S. Martin Luther King Jr. Ave. Adm: \$10. Email: rmowery42@charter.net

North Carolina (Waynesville) — July 26 DFHIRSTV

8 AM. Spr: Western Carolina ARS. Smokey Mountain Event Center, 758 Crabtree Rd. TI: 147.39 (94.8 Hz). Adm: \$7 Advance, \$10 door. www.wcars-club.org

ARRL NORTH DAKOTA SECTION CONVENTION

July 12, Minot, North Dakota

DFHQRSTV

8 AM – 2 PM. Spr: Souris Valley ARC. Minot City Auditorium, 420 3rd Ave. SW. TI: 146.97 (77 Hz). Adm: \$15, includes lunch.
www.k0ajw.com

Ohio (Elyria) — July 19 DFHR

9 AM – noon. Spr: Northern Ohio ARS. Lorain Community College Spitzer Conference Center, 1005 N. Abbe Rd. TI: 146.700 (110.9 Hz). Adm: \$10. www.noars.net/hamfests/noarsfest

Ohio (Grove City) — Aug. 2 DFHQRSTV

8 AM – 1 PM. Spr: Aladdin Shrine Audio Unit. Aladdin Shrine Center, 1801 Gateway Cir. TI: 146.76 (123.0 Hz). Adm: \$5.
www.columbushamfest.com

Ohio (Montpelier) — July 19 FHRT

10 AM – 1 PM. Spr: Williams Co. ARA. Williams Co. Fairgrounds, 619 E. Main St. TI: 146.82 (107.2 Hz). Adm: \$7. Email: ke8zhs@gmail.com

Ohio (Van Wert) — July 20 FT

8 AM – noon. Spr: Van Wert ARC. Van Wert Co. Fairground, 1055 S. Washington St. TI: 146.85. Adm: \$5. www.w8fy.org

Oklahoma (Oklahoma City) — July 25 – 26 DFHQRSTV

Fri. 3 PM – 6:30 PM, Sat. 8 AM – 3 PM. Spr: Central Oklahoma Radio Amateurs. Oklahoma City Community College, 7777 S. May Ave. TI: 146.76 (141.3 Hz). Adm: \$10 Advance, \$12 door.
www.hamholiday.com

Pennsylvania (Erie) — July 12 FHRTV

7:30 AM – noon. Spr: Wattsburg Wireless Association. Greene Township Municipal Building, 9333 Tate Rd. TI: 147.315 (186.2 Hz). Adm: Free. www.wattsburgwireless.org

Pennsylvania (Uniontown) — Aug. 9 DFHQRSTV

7 AM – 2 PM. Spr: Uniontown ARC, 433 Pittsburgh St. TI: 147.045 (131.8 Hz). Adm: Free. www.w3pie.org

Rhode Island (East Greenwich) — July 12 DFHRT

9 AM – 3 PM. Spr: New England Wireless & Steam Museum. 1300 Frenchtown Rd. Adm: Free. www.newsm.org

South Carolina (Florence) — Aug. 9 F

8 AM. Spr: Florence ARC. West Florence Fire Company Annex, 3379 Pine Needles Rd. TI: 146.85 (123.0 Hz). Adm: Free.
www.w4ulh.net

South Dakota (Sioux Falls) — July 19 FHRST

8 AM – noon. Spr: Sioux Empire ARC. Westminster Presbyterian Church, 3801 E. 26th St. TI: 146.895 (146.2 Hz). Adm: Free. www.w0zwy.org

Tennessee (Athens) — July 19 DFHQRSTV

7 AM – 2 PM. Spr: McMinn Co. ARC. McMinn Co. Expo Center, 2405 Decatur Pike. TI: 146.82 (141.3 Hz). Adm: \$5.
www.mcminnarc.com

Tennessee (Lebanon) — July 19 DFHIRSTV

8 AM – 3 PM. Spr: Wilson Co. ARC. James Ward Ag. Center Made in Tennessee Bldg., 945 E. Baddour Pkwy. TI: 147.105 (156.7 Hz). Adm: \$5. www.midtnhamquest.com

Texas (Texas City) — July 12 DFHQRSTV

8 AM – 2 PM. Spr: Tidelands ARS. Charles T. Doyle Convention Center, 2010 5th Ave. N. TI: 147.14 (167.9 Hz). Adm: \$10.
www.tidelands.org

Vermont (St. Albans) — Aug. 9 FHTV

7 AM – noon. Spr: St. Albans ARC. Veterans of Foreign Wars Post 758, 353 Lake St. TI: 145.23 (100 Hz). Adm: \$5.
www.starc.org

ARRL ROANOKE DIVISION CONVENTION

August 3, Berryville, Virginia

DFHQRSTV

6 AM – 2 PM. Spr: Shenandoah Valley ARC. Clarke Co. Fairgrounds, 890 W. Main St. TI: 146.82 (146.2 Hz). Adm: \$10.
www.berryvillehamfest.com

Virginia (Portsmouth) — Aug. 9 DFHT

9 AM – 3 PM. Spr: Tidewater Radio Conventions. Ambassador Club of Portsmouth, 364 Peninsula Ave. TI: 146.85 (100.0 Hz). Adm: \$10. www.trcihamfest.com

Washington (Centralia) — July 26 FRT

9 AM – noon. Spr: Chehalis Valley ARS. Lewis Co. Fairgrounds, 1909 S. Gold St. TI: 146.06 (110.9 Hz), 145.52. Adm: \$5. www.qrz.com/db/K7PG

West Virginia (Huntington) — Aug. 9 DHRTV

8:30 AM – 1:30 PM. Spr: Tri-State ARA. New Baptist Church, 610 28th St. TI: 146.76. Adm: \$6. www.qsl.net/w8va

ARRL WEST VIRGINIA STATE CONVENTION

July 26, Sutton, West Virginia

DFHQRSTV

8 AM – 7 PM. Spr: West Virginia State Amateur Radio Council. Flatwoods Days Inn and Suites and Flatwoods Conference Center, 350 Days Dr. TI: 145.29 (91.5 Hz). Adm: \$10. Email: wv8kdc@comcast.net

Wisconsin (Racine) — Aug. 9 FR

6 AM – 1 PM. Spr: Racine Megacycle Club. Greater Racine Kennel Club, 6320 6 Mile Rd. TI: 147.27 (127.3 Hz). Adm: Free.
www.w9udu.org

To All Event Sponsors

Before making a final decision on a date for your event, you are encouraged to check the Hamfest and Convention Database (www.arrl.org/hamfests-and-conventions-calendar) for events that may already be scheduled in your area on that date. You are also encouraged to register your event with HQ as far in advance as your planning permits. See www.arrl.org/hamfest-convention-application for an online registration form. Dates may be recorded up to 2 years in advance.

Classic Radio

Ted Crosby's, W6TC, QST Ham Band Receiver Series

From 1957 through 1965, Ted Crosby, W6TC (SK), wrote a series of articles in *QST* about ham radio receivers that could be “built by the average ham with an average ability.” During that era, hams would often homebrew their own transmitters and receivers, as parts were widely available and inexpensive, and a ham could save a lot of money by building a radio themselves.

Keeping It Simple

Ted's first article, “Ham-Band 14-Tube Double-Conversion Receiver,” in the July 1957 issue, described a homebrew radio with 14 tubes — the HBR-14. It was stable and sensitive, had an S-meter, and could be built by the reader. (I presume “HBR” stood for “ham band receiver,” although that has been debated over the years.)

Ted simplified the design of his radios by using standard parts commonly available at local radio parts shops and making mechanics straightforward enough to be cut and drilled at your workbench, all without compromising performance.

His receiver projects resonated with people because the designs were well thought out, hams were successfully building them, and he offered technical support. I've read that Ted would get dozens of letters per week from people seeking help or sharing information, and many “Technical Correspondence” letters providing information or help with fixing a problem were


published in *QST* — it was an unexpected phenomenon!

The HBR Evolution

Over the years, improvements were made to the basic HBR design, and new models were published in *QST*: HBR-14 (July 1957), HBR-16 (October 1959), HBR-8 (March 1963), HBR-11 (April 1963), HBR-12 (April 1964), and HBR-13 (October 1965). Each model added new features, resolved issues with earlier models, and advanced the receiver's performance.

Ted followed up the HBR-16 with a model intended to be built by beginners, called the HBR-8. It was a good, high-quality radio that beginners could use on the air, and it provided an excellent way to learn how to build a radio. The HBR-11 and HBR-12 were Ted's last “simple” receivers.

The final receiver in the HBR series was the HBR-13C, published in Ted's October 1965 article, “HBR Developments.” This radio build was a collaboration with Alex Stewart, WA4ZNI (SK). The main change on the HBR-13C was moving the Eddystone slide rule dial to the center of the front panel. All of the previous HBR models had the dial and sensitive electronics on the left side of the radio. In my opinion, while this HBR is top of the line in terms of performance, it is also the most electrically and mechanically complicated model, as there were significant mechanical changes made to



Ted Crosby's, W6TC, original HBR-14 receiver. [Photo provided by Lee Craner, WB6SSW]



Ted Crosby's, W6TC, original HBR-16 receiver. [Photo courtesy of www.qsl.net/k5bcq/HBR/hbr.html]

accommodate the centered dial. Ted was not in favor of this complexity, as he always strived to keep the HBR buildable by the average ham.

My Collection

I've personally owned two HBR-16s, an HBR-17, an HBR-11, and an HBR-13C, all built by others, so I can attest to their great performances. I think Ted Crosby would be surprised and pleased to know that hams still appreciate and build his receivers after all these years.

Building the HBR-13C, 55 Years Later

After following the HBR adventure in *QST* via the ARRL Periodicals Archive and Search (www.arrrl.org/arrrl-periodicals-archive-search), I decided to build an HBR-13C (in hindsight, as a beginner builder, I should've tackled the HBR-8 first). Because the necessary parts haven't been made in 30 – 40 years, I had to search for them from a variety of sources, including a junker HBR-11, eBay, and friends. This may have been the most difficult task — I casually hunted for a year or more. I received the rare and gorgeous Eddystone 898 slide rule dial as a gift from Larry Baker, WB5OFD, and the polar three gang variable capacitor (the heart of the HBR) as a gift from Paul Monroe, W9MEH.

I created mechanical drawings and templates of the front panel, main chassis, and sub chassis that document the location of every hole, tube socket, and opening. I placed my drawings over the metal chassis, then folded and taped them in place. I milled and drilled all the marked holes and openings in the chassis per the template, then installed the tube sockets and mechanical pieces.

While W6TC was an expert builder, I was not. I chose to use a larger chassis for easier parts placement, finding the extra building space to be invaluable, and positioned the Eddystone 898 dial on the left side of the front panel to reduce mechanical complexity. I installed the parts by following the schematic from left to right, starting with the RF input and ending at the audio output. After placing a part or making a wire connection, I marked it on the schematic to indicate that it was placed. I encountered several mechanical and electrical issues along the way but was able to resolve them. I chose not to implement the AM detector tube,



WA9WFA's HBR-13 front view.

While the technology has moved on from tubes, there is still joy to be found in building tube radios from the 1960s. Some 55 years after the last HBR article appeared in *QST*, I decided to build one for myself and share in the phenomenon that Ted Crosby started in 1957 (see the sidebar "Building the HBR-13C, 55 Years Later").

A wealth of HBR receiver information can be found at www.qsl.net/k5bcq/HBR/hbr.html and <http://k4che.com/HBR/HBR%20page%201.htm>.

so while this is the HBR-13, my version uses 12 tubes. I also chose to use a plexiglass front panel.

After turning the radio on, I discovered an alignment issue, but thankfully it was a quick fix, and I finally heard the sweet tone from the signal generator at the antenna connection coming from the speaker. I hooked up the HBR to an outside antenna and operated 40 meters. I was surprised to hear just how well it worked for a 1965-era homebrew radio. It copies CW and SSB on 80, 40, and 20 meters just fine. Because it's a tube radio, it takes about 30 minutes to fully warm up and stabilize, but once it's stabilized, it remains on frequency. The audio is deep, with more pleasant lows than the typical modern transceiver. I did a sensitivity comparison between the HBR and my modern transceiver, and the HBR appears to be just as sensitive, so it can hear the weak signals. The Eddystone 898 slide rule dial is a dream to use, as it's smooth to tune, and signals are spread out across the dial for fine-tuning. While the bandwidth is fine for SSB, I'll be adding some audio filtering to narrow the CW bandwidth. I plan on building a transmitter to go along with this receiver and put my own homebrew station on the air!

Thanks to W6TC's articles and updates in *QST*, and HBR technical information provided by Lee Craner, WB6SSW; Ed Kent, K8EML; Jay Helms, W6HHT; the "HBR Receiver Web Site" (www.qsl.net/k5bcq/HBR/hbr.html), and others, I didn't feel alone with this complicated project. I'd also like to thank Chuck Milton, W4MIL, for his technical help and encouragement.

You can hear what this receiver sounds like in operation on 80, 40, and 20 meters by visiting my YouTube channel, Scott's Amateur Radio Projects (www.youtube.com/@scottsamateurradioprojects1981).



WA9WFA's HBR-13 rear view.

100, 50, and 25 Years Ago

July 1925


- The cover shows a ham posing with his station for the cameraman with the caption "Who is Who."
- "Editorials: The International Era," by K. B. Warner, 1BHW, states that the international coordination of amateur radio is the duty of the International Amateur Radio Union, and explains how we all need to work together to have a strong and healthy Union, representative of us all.
- Motion pictures by radio are here! G. L. Bidwell explains the details behind the Jenkins prismatic disc and how it works in "Television Arrives."
- A daylight two-way communication record of 10,300 miles was made between England, 2OD, and Australia, 2CM. The details are in "England and Australia Work in Daylight!"
- By adding a radio, antenna, and other gadgetry, Oliver Wright, 6GD/6BKA, turns his roadster into a true radio flivver. All of the particulars can be found in "Loops and Fords."
- Characteristics of good operators and tips for becoming one are shared in "The Traffic Department: Operating Your Station" by A. W. McAuly, 8CEO.
- William Coats Borrett, c1DD, shares a "Report to Canadian Hams on I.A.R.U. Conference."

July 1975

- The cover image is a single ladder, synthesized from member comments on the FCC's proposed "dual ladder" approach to licensing.
- The ramifications of the FCC's restructuring proposal are detailed in "It Seems to Us..." by Richard L. Baldwin, W1RU.
- A frequency independent antenna for vertical polarization is described in "The HF Discone Antenna" by John S. Belrose, VE2CV/VE3DRC.
- Wes Hayward, W7ZOI, shares how accurate and meaningful measuring can be done with simple equipment, easily built and calibrated in the workshop. Details are in "Defining and Measuring Receiver Dynamic Range."
- "A Crystal-Controlled SSTV Sync System" that permits continuous SSTV synchronization without interruption due to on-the-air interference is described by Robert F. Tschannen, W9LUO.
- A solution to front-end overload problems is explained in "Monolithic Crystal Filter Application in Amateur VHF Repeaters" by Joseph M. Hood, K2YAH.
- Wendy Clay, WN7WEO, shares the story of her unique ham radio journey in "How I Got My Novice and Found True Love."

July 2000

- The club station SK0UX antenna farm near Stockholm, Sweden, is shown on the cover.
- David Sumner, K1ZZ, provides insight from the World Radiocommunication Conference, WRC-2000, concerning satellite and other radio spectrum in "It Seems to Us...Galileo."
- Simple, geometrically shaped etheric transducers that work no matter what the geologic characteristics beneath them may be are discussed in "Flags, Pennants and Other Ground-Independent Low-Band Receiving Antennas" by Earl W. Cunningham, K6SE.
- Thomas H. Schiller, N6BT, explains how your enjoyment of amateur radio is directly related to your antenna in "Everything Works."
- A junk-box project that lends a helping hand when working with surface-mount devices is presented in "Build a Simple SMD Workstation" by Rick Littlefield, K1BQT.
- A replicated radio from the 1941 edition of ARRL's *How to Become a Radio Amateur* is the topic of this month's "Old Radio" column, "Building A Fine Old Radio Today," by John Dilks, K2TQN.
- Rich Arland, K7SZ, constructs a portable multiband antenna in "QRP Power: The QRP Commando Stealth Dipole."



Silent Keys

It is with deep regret that we record the passing of these radio amateurs:

K1DEJ K1DL WB1EHS	Sakowski , Joseph J., Dalton, MA Lang , Richard H., Lebanon, NH Murnane , Barbara A., Williamsburg, MA Lachant , Alden M., Bennington, VT Ranagan , Joseph A., Sangerville, ME Cellini , Edmond L., Trumbull, CT Manzi , Richard Earl, Sr., North Andover, MA Silvia , Richard J., Sr., Navarre, FL Stairs , Robert W., Gorham, ME Carpenter , Ralph F., Florence, MA Paule , Leonard H., Jr., Enfield, CT Heck , Nancy, Sutton, MA Rathmell , Jack E., Franklin, MA Toussaint , Marion F., Tempe, AZ Saltzman , Donald J., Cedar Grove, NJ Cassidy , Paul, Fanwood, NJ Post , Harold S., Middle Grove, NY Ludovico , Louis A., Loudon, TN Daley , Joseph P., Ormond Beach, FL Ferguson , Glen A., Jr., Westford, NY Johnson , E. C., Hoschton, GA Wierzbinski , Dawn E., Cheektowaga, NY Caravella , Herbert U., Cliffwood, NJ Eans , Claude S., II, Walkersville, MD Howell , John S., Naples, FL Ward , Robert B., Murrells Inlet, SC Morrow , Charles H., Punxsutawney, PA Hershberger , Robert, Arlington, VA Quinn , James J., Bridgeville, PA Haefner , Robert John, Sr., Williamsport, PA Baker , Warren L., Du Bois, PA Ketcham , James C., Ozark, AL Gooch , Robert, Wilmington, NC Stokley , John L., White Pine, TN Sullivan , Michael J., Kingsport, TN Mac Donald , John, Mooresville, NC Rode , Donald W., Delaware, OH Mathews , Earl W., Ocala, FL Frank , Jeffrey L., Hillsborough, NC Evans , James L., Catonsville, MD Notte , Mathew M., Anchorage, AK Edwards , George W., Riegelwood, NC Schmidt , Alton C., Virginia Beach, VA Blanton , David W., Cherryville, NC Capley , Frankie C., Smyrna, TN Craver , Theodore F., Hilton Head Island, SC Cooley , Peter M., Jr., Savannah, GA Chapman , Dennis Steven, Hookerton, NC Metcalf , Ruth J., Asheville, NC Towers , Loyd F., II, Richmond, VA Moorman , Russell F., Cape Coral, FL Overman , Marty L., Lexington, TN Almond , Larry J., Sr., Albemarle, NC Cole , Billy W., Monticello, KY Noe , Nancy S., Willis, MI Moses , Robert Paul, Jr., Irvington, AL Gimbert , Thomas W., Norfolk, VA Pounders , Ted L., Florence, AL Espravnik , Howard, Gallatin, TN Smith , Wilburn H., Rock Spring, GA	WA4WWQ ▼KB4XF ◆N4XF N4ZED NZ5A K15BZI ▼WA5CB AI5CD ▼W5CMB KA5CSI ▼WB5ECJ AA5FC ▼K5FSS ▼K5IME WS5J N5KIG KE5LXE ▼AD5NV N5OSK ▼KA5OXN ▼AC5XR WB5YFS ▼K5YNN W5ZDW AD6C ▼K16IE ▼K6IPO ▼KD6JG ▼KJ6KBV ▼K6KIM ▼KJ6NSF KM6OPS KN6PGK ▼AD6PP WH6SZ ▼K6UIU W6UKW N6VFU ▼N6VQO ▼N6WHK ▼N7AVY KC7BDP N7HWY ▼KC7IL W7IUC ▼W7MC ▼KE7MRS WA7NRP ▼KF7PB ▼KF7POF ▼K7RT K7WVF AB7YZ KA8AVF WB8BHK ▼WB8BIE WB8BXV N8CFZ W8CIN ▼N8CPF ▼WA8DFC ▼KA8DRN ▼W8FF	Turner , Gary L., Louisville, KY Cavanagh , John F., Winchester, VA Moore , Franklin D., Franklin, TN Durand , Kenneth R., Cumming, GA Logan , Robert S., Alvin, TX Fish , Ellis E., Los Lunas, NM Nelson , Scott, Wichita Falls, TX Bellah , Mark E., Alva, OK Barrow , George E., Fort Walton Beach, FL Wehrer , John J., Sr., Harvest, AL Kendrick , Kenneth L., Oklahoma City, OK Colvin , Joseph F., Del Rio, TX Deal , Jerry W., Sumter, SC Chapline , David L., Burleson, TX Serna , Oscar A., Edna, TX Ingram , Sid M., Jr., De Queen, AR Campbell , Dewayne T., Keatchie, LA Waal , Courtney E., Allen, TX Casey , Jerry L., Eufaula, OK Parrish , Donald L., Midlothian, TX Choat , Bobby L., Salem, AR Dickerson , Willie E., Union, MS Heron , Robert R., Montgomery, TX Bowman , Leonard O., Denham Springs, LA Morris , Winfred L., Jr., Phoenix, AZ Kuchler , Albert M., Temple City, CA Osowski , Peter, Gardner, MA Hall , James R., Cedar Ridge, CA Lackey , Stanley A., Simi Valley, CA Morange , Theodore Adam, Poway, CA Dechert , John, Murrieta, CA Fincher , David, Buena Park, CA Burch , Shawn, Rancho Cucamonga, CA Graham , Rorick L., Thousand Oaks, CA Whaley , Brock, Kailua, HI Cutter , Frederick, Livermore, CA Cutting , Jack L., Livermore, CA Buhite , Rick I., Grants, NM Manard , Aldon R., Spring, TX Pedigo , Phillip W., La Mesa, CA Butts , Donald D., New Braunfels, TX Allen , James M., Yuma, AZ Scattergood , Darrell M., II, Mercer Island, WA Goldman , Stephen J., Arvada, CO Leggett , Gerald N., Big Pine Key, FL Ticknor , Sergei, Phoenix, AZ Scholl , David M., Eagar, AZ Johnson , Michael L., Burley, ID Ellis , William H., Jr., Mercer Island, WA Ostler , Jay L., South Jordan, UT Spidell , Norman E., Mountain Home, ID Carroll , Dennis M., Yakima, WA Jones , Michael L., Farmington, UT Brown , George W., Shelby, OH Baldwin , Herb, Mount Gilead, OH Kilroy , Robert E., Frisco, TX Ungemach , Robert L., Roseville, OH Roberts , John K., Benwood, WV Gillum , Denzil R., Moores Hill, IN Kalt , Stephen, Fenton, MI Bolenbaugh , David Rex, Forest, OH Mansfield , Vivian F., Jr., Oak Hill, WV Karriger , Maurice C., North Port, FL	KD8FUJ N8HLK ▼K8IG ▼W8JKS ▼W8KEN WB8MWE K8NBZ ▼WB8NHV ▼◆K8NN ▼N8QFZ ▼W8QMA ▼WB8RRR KD8SON ▼KA8UTF K9BIK W9BXY WD9CVV ▼W9DAN WA9EKQ ▼WD9FLJ K9FQV ▼K9JDF ▼W9JET K9JJD WB9JYZ KD9JZD ▼K9LK W9MDB N9MRJ ▼WA9NE N9QDJ ▼KC9RCX W9TOM ▼W9TV ▼WB9TWJ ▼WB9VNB WA9WAQ ▼WA9AKG KJ9B ▼WB9BOZ ▼N9BZA ▼WB9ENX KE9FC ▼W9FP WA9FQE K9HI WB9HJK KF9KRR N9OJG K9QMU ▼AA9T ▼WA9TRD KC9VYT W9WQ ▼WA9YGT ▼VE3SB VP9KD	Smith , Dennis J., Waterford, MI Musson , Patricia, Traverse City, MI Wright , Charles J., Newton Falls, OH Koch , Allan C., Allendale, MI Smart , John K., Chillicothe, OH Kontor , Ken, Chesterland, OH Billman , James S., Willard, OH Kodysz , James D., Brunswick, OH Strieble , Jeffrey H., Fairport Harbor, OH Meeves , Allan, Marquette, MI Berter , Neal J., Cincinnati, OH Fuhrer , Jack, Strasburg, OH Linn , James R., Cincinnati, OH Quillen , Charles E., Coshocton, OH Coulter , Arthur, Brookville, OH Lasek , Cheryl, Zion, IL Schwenk , Dean F., Champaign, IL Culler , Thomas M., Avilla, IN Altenberger , Daniel P., Hillsboro, IL Helt , Mathias J., Kennan, WI Pennings , Wayne C., Antigo, WI Genske , Walter P., Brookfield, WI Holm , Bernard G., Fort Wayne, IN Thomas , Jack, Hammond, WI Glessner , Glenn W., Quincy, IL Bellinger , Ronald D., Homewood, IL Eggert , John E., Mooresville, IN Giudici , David J., Granville, IL Black , Michael D., Quincy, IL Mayer , Robert A., Montgomery, IL Cornick , Wayne A., Rolla, MO Anderson , Charles A., Rochelle, IL Rogers , Glade N., Defuniak Springs, FL Liebe , Thomas R., West Allis, WI Visintin , Peter, Gillespie, IL Glascok , James T., Cedar Grove, IN Watt , David W., Frankfort, IL Loftus , Dan, Bourbonnais, IL Lorenzen , Richard M., Lincoln, NE Ierino , Paul V., Duluth, MN Johnson , Lyle D., Gretna, NE Samons , Larry L., Malden, MO Andera , Edwin C., Stillwater, MN Boyer , Daryl E., Pequot Lakes, MN Phillips , Larry S., Liberty, MO Biggerstaff , Gene D., Saint Louis, MO Nagle , Arthur R., Saint Louis, MO Janssen , Robert H., West Fargo, ND Robak , Keith P., Colorado Springs, CO Kjonaas , Richard D., Casselton, ND Johnson , Donald R., Oregon, WI Sieger , David S., Rembert, SC McCarthy , George B., Albert Lea, MN Cole , Daniel L., Lees Summit, MO Richards , Charles F., Minneapolis, MN Dickerson , Tommy J., Littleton, CO Karecki , David R., Toronto, ON, Canada Carlington , Walter, Southampton, Bermuda
-------------------------	--	--	---	---	---

- ◆ ARRL Life Member
- ▼ Veteran
- Former call sign

For information on how to list a Silent Key in QST, please visit www.arri.org/silent-key-submission-guidelines.

HAM RADIO OUTLET®

WWW.HAMRADIO.COM

Family owned and operated since 1971



IC-9700 | All Mode Tri-Band Transceiver

• VHF/UHF/1.2GHz • Direct Sampling Now Enters the VHF/UHF Arena • 4.3" Touch Screen Color TFT LCD • Real-Time, High-Speed Spectrum Scope & Waterfall Display • Smooth Satellite Operation



IC-PW2 | HF-50 MHz 1kW Linear Amplifier

• 1kW Output Full Duty Single Operator Two Radios (SO2R) • Built-in Automatic Antenna Tuner • Detachable Controller with Touch Screen Display • 2x6 Automatic Antenna Selector - 2 Radio Inputs & 6 Antenna Connections



IC-V3500 | 144MHz FM Mobile

• 65W of Power for Long Range Communications • 4.5 Watts Loud & Clear Audio • Modern White Display & Simple Operation • Weather Channel Receive & Alert Function



LE version available!

IC-7760 | HF150MHz All Mode Transceiver

• New Design-Remote Control Head & Separate RF Deck • Dual Independent Receivers, Spectrum Scope & Waterfall • 200 Watts Output 100% Duty Cycle • Flexible Remote Operation Capabilities



IC-705 | HF/50/144/430 MHz All Mode Transceiver

• RF Direct Sampling • Real-Time Spectrum Scope and Waterfall Display • Large Color Touch Screen • Supports QRP/QRPp • Bluetooth® and Wireless LAN Built-in



ID-50A | VHF/UHF D-STAR Portable

• High Visible LCD with Backlight Function • Find Nearby Repeaters with the Built-In GPS • Easy D-STAR Settings for Beginners • Voice Recorder Function • Share Pictures in DV Mode



IC-7300 | HF/50MHz Transceiver

• RF Direct Sampling System • New "IP+" Function • Class Leading RMDR and Phase Noise Characteristics • 15 Discrete Band-Pass Filters • Built-In Automatic Antenna Tuner



IC-7100 | All Mode Transceiver

• HF/50/144/430/440 MHz Multi-band, Multi-mode, IF DSP • D-STAR DV Mode (Digital Voice + Data) • Intuitive Touch Screen Interface • Built-in RTTY Functions

IC-V86 | VHF 7W HT

• 7W Output Power Plus New Antenna Provides 1.5 Times More Coverage • More Audio, 1500 mW Audio Output • IP54 & MIL-STD 810G-Rugged Design Against Dust & Water • 19 Hours of Long Lasting Battery Life • 200 Memory Channels, 1 Call Channel & 6 Scan Edges



IC-7610 | HF/50 MHz All Mode Transceiver

• Large 7-inch color display with high resolution real-time spectrum scope and waterfall • Independent direct sampling receivers capable of receiving two bands/two modes simultaneously



IC-2730B version available!

IC-2730A | VHF/UHF Dual Band Transceiver

• VHF/VHF, UHF/UHF simultaneous receive • 50 watts of output on VHF and UHF • Optional VS-3 Bluetooth® headset • Easy-to-See large white backlight LCD • Controller attachment to the main Unit



IC-T10 | Rugged 144/430 MHz Dual Band

• Disaster Ready - Excellent Fit for Your Emergency Bag • Loud Audio - New Speaker Design • Long Battery Life - Up to 11 Hours • FM Broadcast & Weather Channels



IC-R8600 | Wideband SDR Receiver

10 kHz to 3 GHz Super Wideband Coverage • Real-time Spectrum Scope w/Waterfall Function • Remote Control Function through IP Network or USB Cable • Decodes Digital Incl P25, NXDN™, D-STAR • SD Card Slot for Receiver Recorder



ID-5100 AD

VHF/UHF Dual Band Digital Transceiver

• Analog FM/D-Star DV Mode • SD Card Slot for Voice & Data Storage • 50W Output on VHF/UHF Bands • Integrated GPS Receiver • AM Airband Dualwatch

ID-52A | VHF/UHF D-STAR Portable

• Bluetooth® Communication • Simultaneous Reception in V/V, U/U, V/U and DV/DV • Enriched D-STAR® Features Including the Terminal Mode/Access Point Mode • UHF (225-374.995MHz) Air Band Reception

ID-52A Plus version available!



5 Ways to Shop!

• RETAIL LOCATIONS - Store hours 10:00AM - 5:30PM - Closed Sunday

• PHONE - Toll-free phone hours 9:30AM - 5:30PM

• ONLINE - WWW.HAMRADIO.COM

• FAX - All store locations

• MAIL - All store locations

ICOM®

FOLLOW HRO ON SOCIAL MEDIA



twitter.com/HamRadioOutlet
facebook.com/HROHamRadioOutlet
instagram.com/HamRadioOutlet
youtube.com/HamRadioOutlet

HAM RADIO OUTLET®

WWW.HAMRADIO.COM

***Free Shipping and Fast Delivery!**



FTDX101MP | 200W HF/50MHz Transceiver

- Hybrid SDR Configuration • Unparalleled 70 dB Max. Attenuation VC-Tune • New Generation Scope Display 3DSS • ABI (Active Band Indicator) & MPVD (Multi-Purpose VFO Outer Dial) • PC Remote Control Software to Expand the Operating Range • Includes External Power With Matching Front Speaker



FTDX10 | HF/50MHz 100 W SDR Transceiver

- Narrow Band and Direct Sampling SDR • Down Conversion, 9MHz IF Roofing Filters Produce Excellent Shape Factor • 5" Full-Color Touch Panel w/3D Spectrum Stream • High Speed Auto Antenna Tuner • Microphone Amplifier w/3-Stage Parametric Equalizer • Remote Operation w/optional LAN Unit (SCU-LAN10)



FT-991A | HF/VHF/UHF All Mode Transceiver

- Real-time Spectrum Scope with Automatic Scope Control • Multi-color waterfall display • State of the art 32-bit Digital Signal Processing System • 3KHz Roofing Filter for enhanced performance • 3.5 Inch Full Color TFT USB Capable • Internal Automatic Antenna Tuner • High Accuracy TCXO



FTDX101D | HF + 6M Transceiver

- Narrow Band SDR & Direct Sampling SDR • Crystal Roofing Filters Phenomenal Multi-Signal Receiving Characteristics • Unparalleled -70dB Maximum Attenuation VC-Tune • 15 Separate (HAM 10 + GEN 5) Powerful Band Pass Filters • New Generation Scope Displays 3-Dimensional Spectrum Stream

FT-710 Field version also available!



FT-710 Aess | HF/50MHz 100W SDR Transceiver

- Unmatched SDR Receiving Performance • Band Pass Filters Dedicated for the Amateur Bands • High Res 4.3-inch TFT Color Touch Display • AESS: Acoustic Enhanced Speaker System with SP-40 For High-Fidelity Audio • Built-in High Speed Auto Antenna Tuner



FT-891 | HF+50 MHz All Mode Mobile Transceiver

- Stable 100 Watt Output • 32-Bit IF DSP • Large Dot Matrix LCD Display with Quick Spectrum Scope • USB Port Allows Connection to a PC with a Single Cable • CAT Control, PTT/RTTY Control



FT-3185RASP | Heavy-Duty 85W 2M FM Transceiver

- Massive Heatsink Ensures Reliable 85W RF Power • Super-DX Function Increases Receiver Sensitivity & Weak Signal Reception • 221 Memory Channels • Large 6-Character Alpha-Numeric Display



FTM-150RASP | 2M/430MHz FM True Dual Band Xcvr

- Dual Receivers Allowing (V+V, U+U, V+U, U+V) Operation • 55W VHF & 50W UHF • Heavy Duty Heat Sink w/Funnel Air Convection Conductor • Front & Main Body Speaker for 6W High Quality Audio



FTM-510DRASP C4FM/FM 144/430MHz Dual Band Xcvr

- New Super-DX & ASP (Audio Digital Signal Processor Unit) • True Dual Bank Receive (V+V/U+U/V+U/U+V) • C4FM/C4FM Digital D-D Dual Receive • 2.4" High-Res Full-Color Touch-Panel Display • Wireless Operation Capability with Optional Bluetooth® Headset



FTX-1 Optima | HF/50/144/430MHz All Mode SDR Xcvr

- Detachable Field head For QRP SOTA/POTA Adventures • Attach Field Head to SPA-1 For 100 Watts (Base Operations) • SPA-1 Includes Internal HF Antenna Tuner • SSB, CW, AM, FM and C4FM Digital



FTX-1 Field | HF/50/144/430MHz All Mode SDR Xcvr

- Compact QRP SOTA/POTA Xcvr (8.4"W, 3.5"H, 2.2"D) • 6W (5W for QRP) • Includes 6400mAh High Capacity Li-Ion Battery • SSB, CW, AM, FM and C4FM Digital • 10W of Power w/External Power Supply • Upgradable to 100W with Purchase of SPA-1



FT-70DR C4FM/FM 144/430MHz Xcvr

- System Fusion Compatible • Large Front Speaker delivers 700 mW of Loud Audio Output • Automatic Mode Select detects C4FM or Fm Analog and Switches Accordingly • Huge 1,105 Channel Memory Capacity • External DC Jack for DC Supply and Battery Charging

FT-5DR

C4FM/FM 144/430 MHz Dual Band

- High-Res Full-Color Touch Screen TFT LCD Display • Easy Hands-Free Operation w/Built-In Bluetooth® Unit • Built-In High Precision GPS Antenna • 1200/9600bps APRS Data Communications • Supports Simultaneous C4FM Digital • Micro SD Card Slot



VX-6R | VHF/UHF Dual Band Hand-Held

- Big-Radio Features in a Compact Package • Wide-band Receiver Coverage for Catching All the Action! • 900-Channel, 24-Banks Memory System • Outdoor-Ready Features including Waterproof Rating • Smart Search Automatic 31-Channel Scanning/Loading System



5 Ways to Shop!

• RETAIL LOCATIONS – Store hours 10:00AM - 5:30PM - Closed Sunday

• PHONE – Toll-free phone hours 9:30AM - 5:30PM

• ONLINE – WWW.HAMRADIO.COM

• FAX – All store locations

• MAIL – All store locations

YAESU
The radio

ANAHEIM, CA
(800) 854-6046

SACRAMENTO, CA
(877) 892-1745

PORTLAND, OR
(800) 765-4267

DENVER, CO
(800) 444-9476

PHOENIX, AZ
(800) 559-7388

PLANO, TX
(877) 455-8750

MILWAUKEE, WI
(800) 558-0411

NEW CASTLE, DE
(800) 644-4476

WOODBIDGE, VA
(800) 444-4799

SALEM, NH
(800) 444-0047

WINTER SPRINGS, FL
(800) 327-1917


ATLANTA, GA
(800) 444-7927

Your Station is an Asset

The ARRL Estate Planning Workbook

is a resource to guide you. Planning in advance will help your family and friends. Use the workbook to help you create your plan.

- ▶ Handle your station and its many assets
- ▶ Decide how you will leave your legacy
- ▶ Use part or all of your station to support the future of amateur radio



Download the ARRL Estate Planning Workbook today at www.arrl.org/estate-planning-workbook or contact ARRL Development with questions about your plans.

Leave a Lasting Legacy

The ARRL Legacy Circle recognized the generosity of individuals who have planned support for ARRL through wills, trusts, life insurance gifts, and other planned giving opportunities. The ARRL Legacy Circle ensures that ARRL and amateur radio will continue to thrive for generations to come.

Contact the Development team for more information and learn how we can work with you and your advisors to create a meaningful and enduring legacy.



www.arrl.org/arrl-legacy-circle | development@arrl.org

ARRL, 225 Main Street, Newington CT 06111-1400 USA

3-Year Membership Offer!

Receive this limited-edition Gil cartoon coffee mug when you renew your ARRL membership for 3 years – the second in the series.

Use code GILQST



Gil Gildersleeve, W1CJD

www.arrl.org/membership

This offer applies to a 3-year standard membership.

Not valid for student, life, or international memberships.



Looking for...
Customized cable assemblies?
Unique colors?
Personalized marker labeling?



We have everything you need.

713-492-2722
info@abrind.com
abrind.com



ABR INDUSTRIES™

W5SWL Electronics Premium Quality RF Connectors Order Direct!

Wide Selection of Connectors

- UHF & N
- BNC & SMA
- Mini-UHF & FME
- TNC & C
- MC MCX & MMCX
- QMA SMB & SMC
- DIN & Low PIM
- Reverse Polarity
- RF Adapters
- Bulkheads

And Much More!

- Dave's Hobby Shop by W5SWL
- Ham Radio Gadgets
- RF & Technical Parts
- New & Surplus Materials

Order at www.W5SWL.com

Ships Fast From The Arkansas River Valley

HF WIRE ANTENNAS

BULLET™ End Feds with WARC bands, Loop, ZS6BKW, Off Center Fed antennas from QRP to Kilowatts. Termination Resistors for BBTD, T2FD.

Baluns/Ununs/Hybrid Combo—100 to 5 KW, 100 KHz-180 MHz for all antenna types

Coax Noise Filters, Line Isolators, Feed Line Chokes—keep RFI and noise off your coax!

On-line Tutorials for antenna selection, design and installation—Download free RFI tip sheet

Palomar-Engineers®.com
760-747-3343

Still Struggling With Your 20-Year-Old Repeater Controller?



**More Power, More Features
Less Money**


**State-of-the-Art Repeater
Controllers and Accessories**

Arcom

Aurora, OR 97002 (503) 678-6182
www.arcomcontrollers.com



Life is a JOURNEY.
Enjoy the ride!



CA-SPR Optional spring section adds durability and flexibility, replaces the lower element

NEW!

SMA-Female Connector
Versions Available

Mobile Antennas

1 COMET CSB-750A DUAL-BAND 2M/440MHz w/FOLD-OVER

2M: 1/2 wave • 440MHz: 5/8 wave x 2 • VSWR: 1.5:1 or less • Length: 42" • Conn: PL-259 • Max. Pwr: 150W

2 COMET CSB-770A DUAL-BAND 2M/440MHz w/FOLD-OVER

2M: 5/8 wave center load • 440MHz: 5/8 wave x 2 center load • VSWR: 1.5:1 or less • Length: 51" • Conn: PL-259 • Max Pwr: 150W

3 COMET CSB-790A DUAL-BAND 2M/440MHz w/FOLD-OVER

2M: 7/8 wave center load • 440MHz: 5/8 wave x 3 center load • VSWR: 1.5:1 or less • Length: 62" • Conn: PL-259 • Max Pwr: 150W

4 COMET B-10/B-10NMO DUAL-BAND 2M/440MHz

2M: 1/4 wave • 440MHz: 1/2 wave • Length: 12" • Conn: B-10 PL-259, B-10NMO - NMO style • Max Pwr: 50W

5 COMET SBB-2/SBB-2NMO DUAL-BAND 2M/440MHz

2M: 1/4 wave • 440MHz: 5/8 wave center load • VSWR: 1.5:1 or less • Length: 18" • Conn: SBB-2 PL-259, SBB-2NMO - NMO style • Max Pwr: 60W

6 COMET SBB-5/SBB-5NMO DUAL-BAND 2M/440MHz w/FOLD-OVER

2M: 1/2 wave • 440MHz: 5/8 wave x 2 • Length: 39" • Conn: SBB-5 PL-259, SBB-5NMO - NMO style • Max Pwr: 120W

7 COMET SBB-7/SBB-7NMO DUAL-BAND 2M/440MHz w/FOLD-OVER

2M: 6/8 wave • 440MHz: 5/8 wave x 3 • Length: 58" • Conn: SBB-7 PL-259, SBB-7NMO - NMO style • Max Pwr: 70W

8 COMET CA-2X4SR/CA-2X4SRNMO WIDE-BAND 140-160MHz 435-465MHz w/FOLD-OVER

2M: 5/8 wave • 440MHz: 5/8 wave x 3 • Length: 40" • Conn: CA-2x4S PL-259, CA-2x4SRNMO NMO style • Max Power: 150W

9 COMET BNC-24 DUAL BAND 2M/440MHz HT ANTENNA

RX range: 100-1200MHz • Length: 17" • SuperFlex featherweight whip • Conn: BNC

10 COMET SMA-24, SMA-24J DUAL BAND 2M/440MHz HT ANTENNA

RX range: 100-1200MHz • Length: 17" • SuperFlex featherweight whip • Conn: SMA-24: SMA-male / SMA-24J: SMA-female

11 COMET SMA-503, SMA-503J DUAL BAND 2M/440MHz HT ANTENNA

RX range: 100-1200MHz • Length: 8.75" • Conn SMA-503: SMA-male, SMA-503J: SMA-female

12 COMET NEW! FC5/FC5NMO DUAL-BAND GMRS & MURS w/FOLD-OVER

MURS: 1/2 wave • GMRS: 5/8 wave x 2 • Length: 37" • Conn: FC5 PL-259 style, FC5NMO - NMO style • Max Pwr: 120W

Comet offers several
"No-holes to drill"
lip mounts, in a
variety of sizes
and connectors

CP-5M
pictured



Call or visit your local dealer today!

www.cometantenna.com | 800-962-2611





HamX - The Northeast HamXposition

August 21 - 24, 2025

ARRL New England Division Convention

The Northeast's largest gathering of radio amateurs, featuring in-person experts presenting on timely topics, trends and technologies



Thursday Night Comedy Kick-Off



Featuring Comedian Juston McKinney
Thursday, August 21, 2025

Friday Night DX/Contest Banquet



Featuring Ned Stearns, AA7A
Friday, August 22, 2025

sponsored by:
DX
ENGINEERING

Convention Keynote Address



Featuring Thomas Witherspoon, K4SWL
Saturday Morning, August 23, 2025

Saturday Grand Banquet Presentation



Featuring Nathaniel A. Frissell, W2NAF
Saturday Evening, August 23, 2025

Over \$14,000 in prizes * Large Outdoor Flea Market * W1XPO GOTA Station

ARRL • ACOM • FlexRadio • Elecraft • Quicksilver Radio • Reliance Antennas • VE2DX Electronics
Lido Radio • Gold Medal Ideas • Scanner Master • plus many more!

Talks and Presentations: 2.4 GHz xcvr Build • Kit Building Workshops • MARS • YL Meet & Greet • 3-D Printing • Youth Forum • FEMA Talk • SWR and S-Parameters • Remote Radio Transmitter IMD • Demystifying Quantum Computing • ARRL Section Meetings • Operating all Bands • Club Forum • Andy's Linux • MESH Update • and more!

August 21 - 24, 2025 * Boston-Marlborough MA * hamx.org/qst725



ARRL

The BEST Ham
Radio Resources!

Shop online at
www.arrl.org/shop

RF Connectors & Gadgets

Parts • Products • More

www.W5SWL.com

TUBES



- 100% Tested
- 1-year Warranty
- Matched Groups

800-421-4219 (ext 119)
www.PentaLabs.com

Air Boss Antenna Launcher

www.olahtechnologies.com

See Video

For when you want your antenna on top
\$99.99
Free shipping to lower 48
olahtechnologies@gmail.com

Fun and affordable kits from
Pacific Antenna



Tracer Injector



Tenna Dipper II



Micro Attenuator



Mini SWR Indicator

See our selection of quality
Kits starting at \$5
www.qrpkits.com



The Only Separation Kit You'll Ever Need
\$89.95 Complete with 15' VGA Cable

Radios & Tested Separation			
Yaesu	Kenwood	ICOM	
FT-891 100'	TM-D710A/G 75'	ID-880H 15'†	
FT-857 75'	TM-V71 75'	IC-2720/30H 100'	
FTM-300, 6000 15'	TS-480 100'	IC-2620H 25'	
FTM-100/400 90'	TM-D700 100'	ID-4100A 65'	
FTM-500 15'	TS-2000 100'	ID-5100 100'	
FT-7-Sport* 100'		IC-7100 100'	

* Also TYT TH-9800

† Tested with 15' VGA cable only

NEW! UNIVERSAL KIT WITH 15' VGA CABLE \$89.99 COMPLETE

www.SwapMyRigs.com



CHATTANOOGA, TENNESSEE

1.833.456.4673

We Are Your One Stop
Radio Shop



Schulman Auction

ESTD 2006



Schulman Auction is the world's premier ham radio equipment auctioneer with over 150 years of combined staff experience in ham radio and 50 years in the auction industry. "By hams, for hams!"



We are your one-stop solution, dedicated to serving the amateur radio community around the world.




- Our proven online auction method effectively markets your equipment and consistently achieves market value in ways other list-it-yourself platforms cannot.
- Here's why: We test equipment thoroughly before offering it to the buying public, bringing buyers a sense of certainty and trust found nowhere else.
- Our process is designed to serve estates and individuals with large or specialty collections, Wills and Trusts, etc. We offer nationwide pickup services and other solutions for transportation to our facility.



For more information, call or email us today.

David Schulman, WDØERU
816-455-5520 or 913-568-3767
david@schulmanauction.com
www.schulmanauction.com

Get Started in POTA!



The Parks on the Air® Book



Think outside the shack!
You never know what exciting
adventure awaits. Fresh air,
beautiful scenery, wildlife, and
new friends are waiting for you.

Topics Include:

- Multi-park roves
- QRP operation
- Satellite operation
- Surefire wire antennas
- Activating urban parks
- CW and POTA

Parks on the Air® Book
Item No. 1748 | Retail \$22.95
Member Price \$19.95
www.arrrl.org/shop



ARRL

The National Association for
Amateur Radio®



HAMMOND®



MANUFACTURING FOR RADIO SINCE 1917

- Racks & Cabinets, Shelves, Panels, Drawers
- Small Cases & Project Boxes
- Transformers



Technical Data, Drawings,
List of Stocking Distributors:

hammondmfg.com

RF Connectors & Gadgets

Parts • Products • More

www.W5SWL.com

Buckmaster OCF Dipoles



Built to last from quality materials!

4-Band 68': 40, 20, 10, & 6 meters

7-Band 135': 80, 40, 20, 17, 12, 10, & 6m

8-Band 270': 160, 80, 40, 20, 17, 12, 10, 6m

BUCKMASTER 800-282-5628 HamCall.net
INTERNATIONAL 540-894-0907

Foldable Solar Panels



PowerFilm.
Made in the USA SOLAR

5 to 220 Watts

sales@californiapc.com
(877) 487-1213

CaliforniaPC.com

LiFePO4 Batteries

Bioenno Power®

sale@bioennopower.com
(888) 336-7864

www.bioennopower.com



AIRCRAFT GRADE ALUMINUM
ELEMENTS & BOOMS and
STAINLESS STEEL HARDWARE

STRONG!

Snow, ice or rain
are no match for
Mosley Quality!

...built to last!

Mosley antennas are

- * **pre-tuned,**
- * **pre-drilled,**
- * **and color-coded**

for ease of assembly which means...

* **NO MEASURING!**

...*"a better Antenna!"*

REQUEST A CATALOG

Call 800-325-4016

www.mosley-electronics.com

265 WAYS TO IMPROVE YOUR EQUIPMENT AND OPERATING!



The first edition of *Hints & Hacks for the Radio Amateur* gathers the best projects and problem-solving tips from 2017 to 2023. It's full of know-how from QST's readers, including:

CONSTRUCTION TRANSCEIVERS VHF ANTENNAS MOBILE
PROJECTS SHACK POWER SSB CIRCUIT BOARDS HANDHELDS

NEW!

Antenna Tips


- Wilderness antenna
- A handy tool for ground radials
- A foldable wooden antenna support
- Easy alpha loop remote tuning

Project and Maintenance Tips

- LED light pipes
- Magnetic parts keeper
- Polarity protection
- Mini ground plane for solderless Breadboard HF circuits

Shack Tips

- Weatherproofing a coaxial switch
- Mount for radios with bottom-fire speakers
- No fuss mic hook
- A cordless headset and microphone




These are **YOUR** hints and hacks! Tried-and-true tricks hams world use to ease their operating, improve their station, and elevate their fun.

Hints & Hacks for the Radio Amateur

ARRL Item No. 2233 | Retail \$22.95 | Member Price \$19.95

Order online at www.arrl.org/shop | Call toll-free US 1-888-277-5289



Learn more about what's going on in the ionosphere and how it impacts operating. Understanding conditions and how to predict them will improve your time on the air.

Topics Include:

- Fundamentals of Radio Wave Propagation
- The Sun and Solar Activity
- Sky-Wave, or Ionospheric, Propagation
- VHF and UHF Non-ionospheric Propagation
- Propagation Predictions for HF Operation
- VHF and UHF Mobile Propagation

Here to There:

Radio Wave Propagation

Item No. 1731 | Retail \$22.95

Member Price \$19.95

www.arrl.org/shop



ARRL

The National Association for
Amateur Radio®

W5SWL Electronics Premium Quality RF Connectors Order Direct!

Wide Selection of Connectors

- UHF & N
- BNC & SMA
- Mini-UHF & FME
- TNC & C
- MC MCX & MMCX
- QMA SMB & SMC
- DIN & Low PIM
- Reverse Polarity
- RF Adapters
- Bulkheads

And Much More!

- Dave's Hobby Shop by W5SWL
- Ham Radio Gadgets
- RF & Technical Parts
- New & Surplus Materials

Order at www.W5SWL.com

Ships Fast From The Arkansas River Valley

PROMOTING THE USE OF TEN METERS SINCE 1962

Ten-Ten International Net, Inc.

Awards - QSO Parties - Special Events - Paperchasing

NETS DAILY (except Sunday) on 28.380 and 28.800 at 1800z



CHECK US OUT ON THE WEB

www.ten-ten.org / www.10-10.org

1349 Vernon Ter San Mateo CA 94402-3331



Premium Telescopic
Antenna Masts
& Mounts

www.hitched4fun.com

We stock the rugged 1KW transistor and parts for the 2M and 88-108MHz amplifier designs. We also stock the NXP MRF101 LDMOS transistors.

COAX WIRE



FLEXIBLE

TC-12 - 10.7 ohm
TC-18 - 17.1 ohm
TC-20 - 18.6 ohm
TC-22 - 21.7 ohm
TC-24 - 26.8 ohm
SM250-50 50 ohm

SEMI-RIGID

UT-141C-25 25 ohm
260-4118-0000 25 ohm

RF TRANSFORMERS 2—54MHz



RF400



RF600



RF800



RF1000



RF2000

CCI Communication Concepts, Inc.

508 Millstone Drive, Beavercreek, OH 45434-5840

Email: cci.dayton@pobox.com

www.communication-concepts.com

Phone (937) 426-8600

Established in 1979



Type "U"
2 to 300MHz

Tigertronics Signalink™ USB

The Signalink USB has you covered with 15+ years of proven performance and reliability, radio cables for almost any radio, and compatibility with virtually any sound card digital or voice mode. Whether you're new to digital operation, or an experienced operator, the Signalink USB's built-in sound card, front panel controls, and simplified installation will get the job done right the first time. The Signalink USB is fully assembled (made in the USA!) and comes complete with printed manual and all cables. Don't miss the peak of the Solar Cycle 25! Visit our website today and see what the Signalink USB can do for you!

Operate FT8, JS8CALL, VARA HF, VARA FM, Packet, WinLink, PSK31, RTTY, SSTV, CW, EchoLink + more!

\$119.95
Complete!



Easy Digital!

Special Summer Pricing
+ FREE SHIPPING!

www.tigertronics.com



(800) 822-9722

(541) 474-6700

154 Hillview Drive Grants Pass, Oregon 97527

The Alpha Delta TT3G50 Series Coax Surge Protector Design Concept

It was previously thought that lightning discharge energy was in the VLF, Very Low Frequency, spectrum and that a narrow band bandpass DC blocked surge protector in that range provided adequate protection.

However, in a study under the auspices of the U.S. Department of Energy utilizing the satellite FORTE carrying VHF lightning discharge sensors, it was determined that there can be damaging lightning energy emissions throughout the 30-300 MHz VHF spectrum. Therefore the damage threat can be anywhere from VLF through VHF.



Through careful design of the **Alpha Delta Model TT3G50 series broadband** precision constant impedance thru-line and ARC-PLUG™ module, allowing proper firing characteristics, this state of the art surge protector design allows effective protection throughout this entire spectrum.

- **Depending** on the connector style we provide excellent broadband performance through **3 GHz**, compared to narrowband DC blocked designs.
- **The impedance** compensated thru-line cavity design allows control voltages to pass through the device, instead of the "wire around" requirement of DC blocked designs. Our design also allows in circuit cable sweeps.
- **The innovative** field replaceable gas tube ARC PLUG™ module can be removed and replaced in the field with no tools required and without removing the surge protector from the circuit. The knurled knob does the trick. Connectors and knob are O ring sealed for environmental protection.
- **DC blocked** designs require the entire unit to be removed and discarded if hit with a surge beyond its rating. They are not field repairable.
- **As a result** of extensive testing and approvals within the military agencies, the Defense Logistics Agency (DLA) has assigned NSN numbers to our devices. Cage Code 389A5. All of our products are manufactured in the U.S.A. in our ISO-9001 certified facility for highest quality. Various connector styles available.

Also available from **Alpha Delta** dealers.

www.alphadeltaradio.com
for product technical details, installation requirements,
pricing, dealers and contact information

LICENSE PREP BOOKS

By **Gordon West, WB6NOA**

- Fully illustrated text
- Questions organized for logical easy learning
- Highlighted key words in answer explanations
- Fun, educational approach teaches ham radio



Technician Class
10th Edition 2022-2026
ARRL Item No. 1908 | Retail \$29.95

General Class
11th Edition 2023-2027
ARRL Item No. 1915 | Retail \$32.95

Extra Class
9th Edition 2024-2028
ARRL Item No. 1953 | Retail \$32.95

www.arrl.org/shop



ARRL
The National Association for
Amateur Radio®

HEIL

HAM RADIO

"The most comfortable headset I've ever used."

Mark, WZ4I

"The microphone gave our radios the typical Heil crisp audio in controlling the pileups."

Don, N1DG

DXpedition co-leader KH1/KH7Z

"In the heat of battle, the phase switch was switched to 'out' to get a clean copy. Nice feature!"

David, W5XU, VP8RXU



HEILHAMRADIO.COM



A Global View

See the entire planet with FT8, WSPR, and DX propagation, alongside Maximum Usable Frequency and Solar Tools. Geochron Atlas is the largest operational awareness tool in the ham world.

Beyond Ham Radio

Real-time Earth Data expands to regional weather, hurricane tracking, earthquakes, aviation tracking and even pollution events over detailed topographical, ham, and geopolitical maps. Geochron is at home in the boardroom, ham shack, or emergency management centers.

Nothing Less than 4K

Geochron is the only display that pulls together ham, earth sciences, and aviation - and you'll need a 4K TV to do it, no less than 38". It plugs directly into any HDMI port on your TV.

Select Datasets

The Geochron Atlas comes with an unlimited data feed of satellite weather, aviation tracking by airline, public satellites, and more. Special live data bundles are as little as \$2/mo and include: Ham Radio, ISS Live Earth View, Atmospheric Pollution, Earthquakes, and 31 weather layers.

www.geochron.com/ham-radio-4k



Attend the next Live Q&A Demo for 25% off!

ARRL
FIELD DAY 2025
JUNE
28-29



MORE THAN
30,000
Hams Participate
in Field Day
Each Year



FD  **25**
RADIO
CONNECTS



1.3
MILLION
CONTACTS MADE
IN 2024



FIND A
FIELD DAY
SITE
[www.arrl.org/](http://www.arrl.org/field-day-locator)
[field-day-locator](http://www.arrl.org/field-day-locator)

Get Your 2025 ARRL Field Day Gear at
www.arrl.org/shop/fieldday

SUPPORT



ARISS STAR

Amateur Radio on the International Space Station

The ARISS *STAR* Keith Pugh Memoriam Project honors ARISS Technical Mentor Keith Pugh, W5IU (SK), and seeks to improve ARISS US STEM education via robotics — with telerobotics adding a wireless accent.

Middle and high school-aged students will discover the benefits and excitement of ham radio while learning radio technology and communication.

Your support of this program is needed, please give directly to ARISS at

<https://www.ariss.org/ariss-star.html>



GREEN HERON ENGINEERING LLC

RT-21 DIGITAL ROTATOR CONTROLLERS

Unmatched Performance for any Rotator



RT-21 Rotator Packages

- RT-21 with Yaesu & M2 Orion Rotators

RT-21 internal Wi-Fi Option

- Control your rotator from ANYWHERE using a web browser

WIRELESS NETWORK CONTROLS

- Internet access for switches and rotators
- Eliminate cables and tethered control boxes
- Create customized on-screen controls
- Great circle maps



GH Everywhere Base and Remote



- USB and wireless relay controls
- Options: outdoor enclosures and external antennas

Select-8 Wireless Remote Coax Switch

- Built-in GHE Wireless
- Powered through the coax
- Tower leg Mount
- Amphenol RF connectors



www.greenheronengineering.com

◆ (585) 217-9093



Dual Band 2M/440 and other models

EmComm, Satellite work, long distance simplex and repeater use.

Elk Antennas
Log-Periodic Antennas for the Radio Amateur
jim@siemons.com
www.ElkAntennas.com



ADVANCED SPECIALTIES INC.

YAESU
The radio

www.advancedspecialties.net

AMATEUR RADIO * SCANNERS



VX-6R
Tri-Band
Submersible
Hand Held

FTM-510DR



AMATEUR RADIO EQUIPMENT & ACCESSORIES • SCANNERS
ANLI • COMET • UNIDEN • YAESU

1-516-998-0370

880 West Beech St. • Long Beach, NY 11561



Closed Sunday & Monday



IT'S HERE...

MMX Nomad

Complete HF Radio Station

Out of This World!



With Internal Battery, SWR Bridge, Speaker, 3 bands, Tune, More...

Optional Solar Panel in Mini GO Bag with Accessories



PreppComm
Amateur Radio

MOMO BEAM



high-performance durable ANTENNAS

PENTA10

Momobeam Penta10 five band yagi antenna is the ideal partner for those who want an antenna easy to be assembled, with excellent performance and compact dimensions.

Bands: 10/12/15/17/20

Elements: Aluminum 6060T6

Hardware: Stainless Steel

Boom: Square Boom Design

Includes: Tools and Spare Parts

**HAM
RADIO
OUTLET**
WORLDWIDE DISTRIBUTION



**Exclusive USA Dealer For
Momobeam Antennas**

ANAHEIM, CA: 800-854-6046 | ATLANTA, GA: 800-444-7927 | DENVER, CO: 800-444-9476
MILWAUKEE, WI: 800-558-0411 | NEW CASTLE, DE: 800-644-4476 | PHOENIX, AZ: 800-559-7388
PLANO, TX: 877-455-8750 | PORTLAND, OR: 800-765-4267 | SACRAMENTO, CA: 877-892-1745
SALEM, NH: 800-444-0047 | WINTER SPRINGS, FL: 800-327-1917 | WOODBRIDGE, VA: 800-444-4799

HAMRADIO.COM



GET THE MOST OUT OF YOUR BAOFENG RADIO!

PREP...

Using the Baofeng® Radio gives you everything you need to operate your handheld ham radio on the air legally, safely, and effectively.

READY...


The book details unique features of the popular UV-5R, rugged UV-82, and DMR-enabled DR-1801UV. *Using the Baofeng® Radio* covers manual, CHIRP, and DMR programming.

CONNECT...

In no time, you'll be reaching hams on repeaters and making new friends. To prepare you for new activities and adventures, *Using the Baofeng® Radio* includes cheat sheets with the most frequently used settings and helpful tips from longtime Baofeng user and ham radio enthusiast John Leonardelli, VE3IPS.

This book is more than just a great place to start, it's a reference you'll turn to again and again!

NEW!



Using the Baofeng® Radio
ARRL Item No. 2240 | Retail \$19.95

Order online at www.arrl.org/shop | Call toll-free US 1-888-277-5289

The ARRL VEC is ready to serve you!

ARRL VEC SERVICES

ARRL VEC has over 40 years of service to radio amateurs, operating as a knowledgeable information source for a wide range of licensing matters.

- **Examinees:** visit www.arrl.org/licensing-education-training
- **License Class Certificates:** visit www.arrl.org/license-certificates
- **License Support:** visit www.arrl.org/605-instructions
- **Vanity Call Signs:** visit www.arrl.org/vanity-call-signs
- **Volunteer Examiners:** visit www.arrl.org/volunteer-examiners
- **VE Resources:** visit www.arrl.org/resources-for-ves

ARRL VEC LICENSE EXAMINATIONS IN-PERSON OR ONLINE

- The ARRL VEC is authorized by the FCC to coordinate amateur radio examinations.
- Search for in-person exam teams near you at www.arrl.org/exam.
- Take the exam online via a remote video-supervised test session. Search for online exam teams at www.arrl.org/online-exam-session.



www.arrl.org/licensing-education-training

Email: vec@arrl.org

Phone: 860-594-0300

POWER, REDEFINED

MAKE WAVES WITH THE ELECRAFT KPA1500 AMPLIFIER



KPA1500 FEATURES



1500 W
160-6 m



Built-in ATU with
dual antenna
jacks



Compact RF unit,
separate RF-quiet
power supply



Silent,
high-speed
full break-in



Instant power-on,
with auto
band switching



Works with all
modern HF-6 m
transceivers



Free control s/w --
Ethernet/USB/RS232
great for local/remote



 ELECRRAFT

FOR COMPLETE FEATURES & SPECIFICATIONS, VISIT ELECRRAFT.COM



Ease your family's burden when you become a Silent Key

"I started Hamestate.com, a concept to offer a hassle free, subscription based service to hams leaving their loved ones with no burden when it comes to our hobby when we pass on."

— Andre VanWyk, NJØF

Subscriber Benefits

- **HamEstate** travels to your station for the initial evaluation at NO cost to your family.
- We provide your family with a full evaluation, showing used retail value and **HamEstate** purchase values.
- Your family deals with one company instead of lots of buyers invading their privacy. **HamEstate** dismantles, packs, and removes all equipment and towers.
- We can also assist your family in disposing of other estate items, from movable assets to properties, utilizing our network of expertise.
- **HamEstate** will stand by your family until the entire estate is finalized, including license cancellations and other clean-up matters.

Leave your relatives with peace of mind,
knowing that someone will take care of your
radio station sales without them having to
deal with this cumbersome task

www.hamestate.com

Toll-Free 1-833-891-0073

info@hamestate.com

Dayton Hamvention 2025

Purchase your New Alinco at

- DX Engineering
- Ham Radio Outlet

ALINCO®

Quality. Style. Performance!



REMtronix

FC

Whatever your favorite operating frequency and mode, Alinco has a radio that's perfect for making the most of your budget. With a wide selection of easy-to-operate, multi-band handheld and mobile radios, Alinco delivers maximum value for your ham radio enjoyment!



Dust & Water-proof compatible



30A SWITCHING POWER SUPPLY
DM-530T



30A Peak SWITCHING POWER SUPPLY
DM-30TR



Dust & Water-proof compatible

144 / 440MHz FM DUAL BAND HANDHELD TRANSCEIVER
DJ-VX50HT

30-470MHz
MULTIMODE RECEIVER
DJ-X100T

NEW

222MHz FM MOBILE/BASE
TRANSCIVER
DR-CS25

REMtronix, Inc.

586 Commerce Ct. Manteca, CA 95336

Ph: (209) 900-1296 Fax: (209) 624-3153 Website: <http://www.remtronix.com>

Email: alinco@remtronix.com Service: alincosupport@remtronix.com


REMTRONIX

Products intended for properly licensed operators. Required products are FCC part 15B certified. Specification subject to change without notice or obligation.

WWW.KM3KM.COM

THE BEST HF LEGAL LIMIT AMPLIFIER

Use Coupon: 3YEARS




SALE
\$200 OFF

"Celebrate the 3rd Anniversary of the Mercury LUX with a Grand Discount! Experience power and service with luxury, and redeem an exclusive coupon at checkout in our online store. Don't miss out!"



HANDBOOK 101

The Next Generation of Amateur Radio!



Softcover Book
Includes e-book.
Retail \$69.95


Six-Volume Set
Includes e-book.
Retail \$69.95

e-Book
Retail \$69.95

The **ARRL Handbook** is your complete guide to wireless technology experimentation, practice, and development. Since 1926, the **Handbook** has captured the state of radio science and technology in one authoritative work. Use it to delve into radio electronics, circuit design, digital modulation techniques, and equipment construction.

Major Updates:

- Electromagnetic analysis and inexpensive tools for modeling circuits, antennas, and propagation.
- Higher-level modeling of transmitters and receivers.
- Preparing your station for emergency operations.
- Radio astronomy receiver and antenna design.
- Batteries and battery safety.
- NEC4 and antenna modeling software.
- SWR meters and related tests.
- RF safety and compliance with FCC exposure regulations.



BONUS e-Book Download!

Your purchase includes the fully searchable digital edition of the printed book (PDF format), plus expanded content, software, PC board templates, and other support files.

Order online at www.arrl.org/shop | Call toll-free US 1-888-277-5289

Microwave Update 2025

October 17-18

Tucson, Arizona

Don't miss this premier gathering
for amateur microwave enthusiasts!

At the **Casino Del Sol**

Grand Prize Raffle

Icom IC-905 + 10 GHz Module



Activities

Tours

Raffles

Swap

Tech Bench

Presentations



Major Sponsors



Microwaveupdate.org

Ham Ads

Please contact the Advertising Department at 860-594-0203 or hamads@arri.org for further information or to submit your ad.

QST Ham Ads on the Web
Updated Monthly!

www.arri.org/ham-ad-listing

Before considering a ham ad please read.

1. Advertising must pertain to products and services which are related to Amateur Radio.

2. The Ham-Ad rate for commercial firms offering products or services for sale is \$2.25 per word. Individuals selling or buying personal equipment: ARRL member 1.00 per word. Non-ARRL member \$1.50 per word. **Bolding** is available for \$2.50 a word. Prices subject to change without notice. You may pay by check payable to the ARRL and sent to: Ham-Ads, ARRL, 225 Main St., Newington, CT 06111. Or, you may pay by credit card sending the information by fax to 860-594-4285 or via e-mail to hamads@arri.org. Credit card information needed is: the type of credit card, the exact name that appears on the credit card, the credit card number, the expiration date and the credit card billing address.

3. Closing date for Ham-Ads is the 15th of the second month preceding publication date. No cancellations or changes will be accepted after this closing date. Example: Ads received December 16th through January 15th will appear in March QST. If the 15th falls on a weekend or holiday, the Ham-Ad deadline is the previous working day. Please contact the Advertising Department at 860-594-0255 or hamads@arri.org for further information or to submit your ad.

4. No Ham-Ad may use more than 200 words. No advertiser may use more than three ads in one issue. Mention of lotteries, prize drawings, games of chance etc is not permitted in QST advertising.

The publisher of QST will vouch for the integrity of advertisers who are obviously commercial in character and for the grade or character of their products and services. Individual advertisers are not subject to scrutiny.

The American Radio Relay League does not discriminate in its advertising on the basis of race, color, religion, age, sex, sexual orientation, marital status or national origin. ARRL reserves the right to decline or discontinue advertising for any other reason.

AN IMPORTANT NOTICE TO ALL HAM AD POSTERS AND RESPONDERS, FROM THE ARRL ADVERTISING DEPARTMENT: Greetings from ARRL HQ! Please note that we have received reports from many ARRL members who have placed classified ads in these listings, and have received responses from individuals proposing "creative" payment schemes. These particular instances involved offers of overpayments for goods by bank check, followed by instructions to deduct the cost of your item from the overpayment, and to transfer the overage back or to another individual. This is a well-known scam. Unfortunately, we have no control over this and other scams of this type. Once your email address is posted, you are vulnerable to those individuals seeking to provide you with questionable information.

Club/Hamfests/Nets

CW INSTRUCTION via internet video conference classes. VISIT longislandcwclub.org

Emergency Ham Net~ Forming a new group, free membership. Have fun and push the frontiers of digital radio. www.emergencyham.net

Friend of BILL W meets Thur on 14.316 @ 12:30 ET.

Daily Meeting on QSO NET on 21.350 @ 11:30 Eastern Time.

More info please visit HAAM Group website www.qsl.net/haam.

SOCIETY OF WIRELESS PIONEERS - Professional brass pounders on land, sea, and air from the time of spark to solid state preserved photos, stories, schematics, letters, cartoons, catalogs, books, and manuals to keep radio history alive. Website showcases **early ham stations**, naval communications history, SOS events, and more, all free. www.sowp.org

Property/Vacation/Rentals

A CARIBBEAN SAINT KITTS "V4" DX RENTAL. See V47JA on QRZ.com and email: W5JON@sbcglobal.net for Ham Discount information. John W5JON/V47JA

A DX Apartment available in VP9 with rigs and antennas. Email: ed@vp9ge.com for details.

Beautiful outdoor Idaho! Spacious low populated areas. Abundant recreation opportunities. Moderate four season climate. Thinking of buying or selling? Contact Ron Bishop, W7IM, Keller Williams Realty Boise. 208-870-6075. Ron@BoiseBargains.com

COLORADO CHALET with ham gear for weekly rental, www.lostcreekcabin.com. WØLSD, Buena Vista, CO.

Hams Looking to purchase or sell real estate in Connecticut? Please contact Licensed Ham and Realtor, Claude Cousins, Sr. N1QAE, Berkshire Hathaway Home Services, claudecous@gmail.com, 860-989-2113

Retiring to Florida? Looking for a resort-like, award winning 55+ active adult community with a vibrant, active Amateur Radio Club with three community repeaters? Contact WB8ZNL, Doug Bennett, Realtor - Arista Realty Group, for more information. 317-418-4273

www.peidxlodge.com

Antique/Vintage/Classic

6 Meter legacy by K6EDX K6MIO. www.bobcooper.tv

ANTIQUE WIRELESS ASSOCIATION - the largest international organization for historic radio enthusiasts. Publishes the quarterly AWA Journal and annual AWA Review on all aspects of collecting and history of communications. AWA produces the famous annual AWA Convention and sponsors the world renowned Antique Wireless Museum. Only \$35/year USA, \$40/year elsewhere. Antique Wireless Association, PO Box 421, Bloomfield, NY 14469. Website: <http://www.antiquewireless.org>

Awesome Technology & Stem Museum - www.cyberengineer.info

Six Decades of Amateur Radio www.kk4ww.com

Vintage Radio, Ham Radio and Military Radio Repair. www.mcveyelectronics.com 845-561-8383

WANTED PRE-1980 MICROCOMPUTERS for historical Museum www.kk4ww.com

QSLCards/Call Sign Novelties

Amateur Radio Active ID Card. Deputy Patch.com

Flaunt your call! www.HAMFLAGS.com

Get Top Quality Full Color UV Coated QSL Cards direct from the printer. Chester QSL Cards by Chester Press. Call 800-748-7089 for samples, email info@chesterpressinc.com or visit the chesterpressinc.com/QSL website.

www.QSLCONCEPT.com Custom designed QSL Cards. FREE Design, FREE Shipping, FREE Stock Photo.

General

RF CONNECTORS & GADGETS

Parts - Products - More

www.W5SWL.com

#1 AMATEUR CALLSIGN DVD! HamCall contains over 2,400,000 world-wide callsigns, 10,400,000 archive callsigns. Supported by most logging programs. Six FREE monthly internet updates and HamCall.net Gold online access included. Visa/MC/Discover 800-282-5628 <http://hamcall.net>

Amateur and high-end equipment repair. SMD rework available. Charles AJ4UY Email: seecumulus@gmail.com.

ATTENTION YAESU-FT 10218, 000hrs, 30yrs, 800+ FT-102's Repaired. Have every part. AM-FM/board. \$25/hr. Parts@cost. Relays lifetime warranty. 954-961-2034 NC4L www.w8kvk.com/nc4l

Build your own Yagi! - W5EES.COM

GAIN the EDGE with NARTE Certification - NARTE gives you the competitive edge with individual certification in Electromagnetic Compatibility, Electromagnetic Discharge Control and Telecommunications. Industry-recognized certification required or desired by more than 400 corporations nationwide. Call 1-800-89-NARTE or visit www.inarte.org. NARTE offers the premier EMC/EMI, ESD, Telecommunications and Wireless certification to professional technicians and engineers.

Get the F.C.C. "Commercial" Radiotelephone License: The highest-class Telecommunications Certification! Fast, inexpensive, Guaranteed Home-Study. Command Productions. Please visit: www.LicenseTraining.com (800) 932-4268

HAM KITS for sale at www.HecKits.com L/C Meter, SWR Bridge, ESR Meter, 2-Tone Gen, FET DIP Meter.

ISOTRON ANTENNAS FOR 160 - 6 METERS! Efficient, rugged and resonant. Please visit WWW.ISOTRONANTENNAS.COM. wd0eja@isotronantennas.com 719/687-0650.

KB6NU'S "NO NONSENSE" LICENSE STUDY GUIDES have helped 1000's get their first license and upgrade to General or Extra. They can help you, too. KB6NU.COM/STUDY-GUIDES/

Kenwood HF Radio TS-440S plus power supply PS50. \$300.00 or B/O. 904-607-8076, N4CSD

MicroLog-By-WA0H .. Easy to use logging program .. Free download .. www.wa0h.com

Radio Shack HTX-100 Repair. Free Estimates. KA1HVR - www.HTX-100.com

RF SUPERSTORE

Connectors, Adapters, Antennas, Coaxial Cable and more!

High Quality, Low Cost, Ham Friendly

WWW.RFSUPERSTORE.COM

Rohn Tower, telescoping poles, tripods and antenna parts delivered to your door. www.antennapartsoutlet.com

Science Hall of Fame Dedicated to promoting Ham Radio in classrooms. www.SciHall.com AB5L

Tactical Portable Accessories for Yaesu 450D, DX-10, 817ND, 857D, 897D, 891, 991A, ICOM 7300, 7200, 7000, 706/703 and 9700. W0MSN www.portablezero.com

Universal Aluminum push up towers. Same day shipping. www.antennapartsoutlet.com

Xcellent **Amateur** and **Monitor Logging** from **DXtreme!** Click www.dxtreme.com

WIND TUNNEL TALES Looking for a great career? See what it can be like. Great gift for your child. Amazon and bookstores. W3BZR

The Legend Continues



TS-590S



The TS-590SG



Back in 1973, Kenwood introduced the first affordable HF radio to the world, the legendary TS-520... 27 years later, the TS-570D and the TS-570S with 6 meters were by far the most popular HF and HF+6 transceivers on the market.

Be witness to the evolution of KENWOOD's pride and joy - the TS-590S HF transceiver - pushing performance and technology to its utmost limit, with the receiver configured to capitalize on roofing filter performance and IF AGC controlled through advanced DSP technology. Enter the TS-590SG. A new generation of high performance transceiver, with the type of high level response to meet DX'ers needs.

Don't be fooled by big boxes, high price tags, complex operation and broken promises. As Kenwood continues to build outstanding products with unparalleled performance and great value, it's no surprise Kenwood is rated as one of the leading choices for HF radios.

It's not too late to own an HF legend because we still build them today.

KENWOOD

Customer Support: (310) 639-4200
Fax: (310) 537-8235


www.kenwood.com/usa



ADS#36419

Build an Antenna Kit



...and Get on the Air!

Get ready to drill, fasten, and solder with this popular **End-Fed Half-Wave Antenna Kit**. This antenna kit is popular with portable operators, and works on 10, 15, 20, and 40 meters.

Why an EFHW?

The antenna performs nearly as well as a dipole but requires suspending only one end up in a tree or similar placement. It's so easy to build and deploy!

EFHW Antenna Kit

Item No. 0612 | Retail \$79.95

www.arrl.org/shop



Advertising Department

Janet Rocco, W1JLR, Advertising Relationship Manager
Toll Free: 800-243-7768
Fax: 860-594-4285
E-mail: ads@arrrl.org
Web: www.arrrl.org/ads



QST Index of Advertisers

12 Volt Power – www.12voltpower.com	106, Cover 3
ABR Industries™ – www.abrind.com	105
Advanced Specialties – www.advancedspecialties.net	115
Air Boss Antenna Launcher – www.olahtechologies.com	107
Alinco – www.remtronix.com	121
Arcom Communications – www.arcomcontrollers.com	105
ARRL – www.arrrl.org	12, 27, 104, 105, 107, 109, 110, 111, 112, 114, 117, 118, 122, 126 128
bhi Ltd – www.bhi-ltd.com	10
Bioenno Power – www.bioennopower.com	109
Buckmaster Publishing – hamcall.net	109
Buddipole – www.buddipole.com	18
California Peripherals & Components, Inc. – www.Californiapc.com	109
ChattRadio – www.chattradio.com	107
Communication Concepts – www.communication-concepts.com	111
Connect Systems, Inc. – www.connectsystems.com	6
Diamond Antenna – www.diamondantenna.net	8
Elecraft – www.elecraft.com	19, 119
Elk Antennas – www.ElkAntennas.com	115
ExpertAmps USA – www.expertamps.com	17
FlexRadio Systems – www.flex-radio.com	21
Geochron – www.geochron.com	113
Green Heron Engineering – www.greenheronengineering.com	115
Ham Ads – www.arrrl.org/ham-ad-listing	124
HamEstate – www.hamestate.com	120
HamXposition – www.hamx.org	107
Ham Radio Outlet – www.hamradio.com	102, 103

Member Services Contact Information:

Toll Free: 888-277-5289
 Fax: 860-594-0303
 E-mail: circulation@arrl.org
 Web: www.arrl.org

Hammond Mfg. Co. – www.hammondmfg.com	109
Heil Ham Radio. – www.heilsound.com	113
Icom America – www.icomamerica.com/amateur	23
KM3KM Electronics, LLC – www.km3km.com/product/mercury-lux-amplifier/	121
Kenwood Communications – www.kenwoodusa.com	29, 125, Cover 4
LDG Electronics – 410-586-2177	2
Main Trading Company – www.mtcradio.com	25
Mosley Electronics – www.mosley-electronics.com	109
Pacific Antenna – www.qrpkits.com	107
Palomar Engineers – www.Palomar-Engineers.com	105
Penta Laboratories – www.pentalabs.com	107
PreciseRF – http://preciserf.com	11
PreppComm – www.preppcomm.com	115
RF Parts Company – www.rfparts.com	127
RT Systems – www.rtsystems.com	7
Schulman Auction – www.schulmanauction.com	108
Starlink® RV Pole Kits – www.hitched4fun.com	111
SwapMyRigs – www.swapmyrigs.com	107
Ten-Ten International Net, Inc. – www.ten-ten.org	111
Tigertronics – www.tigertronics.com	111
Timewave Technology, Inc. – www.timewave.com	26
W5SWL – www.w5swl.com	105, 107, 109, 111
West Mountain Radio – www.westmountainradio.com	3
Yaesu USA – www.yaesu.com	1, Cover

From **MILLIWATTS**
 To **KILOWATTS** SM

In Stock Now!

**Semiconductors
 for Manufacturing
 and Servicing
 Communications
 Equipment**

Visit
 Our
 Website

• **RF Modules**

• **Semiconductors**

• **Transmitter Tubes**

Se Habla Español • We Export

Phone: **760-744-0700**

Toll-Free: **800-737-2787**

(Orders only) **800-RF PARTS**

Website: **www.rfparts.com**

Fax: **760-744-1943**

888-744-1943

Email: **rpf@rfparts.com**



Honoring. Dedicating. Remembering.

THE DIAMOND TERRACE AT ARRL

More than **2,800 bricks** have been placed in the Diamond Terrace outside ARRL Headquarters and W1AW in Newington, Connecticut.



The beautiful patio is a place of permanent recognition, made possible by the generous contributions of annual Diamond Club donors and friends of ARRL. **The engraved bricks include names, call signs, and special messages for members who have shown their support for ARRL.**

Individuals and radio clubs contributing \$250 or more to the ARRL Diamond Club may choose to inscribe a brick with their own call sign, or place a tribute to a friend or family member, mentor, or Silent Key.



**DIAMOND TERRACE
SOUVENIR BRICK**



**DIAMOND TERRACE
LUCITE REPLICA**



Order your brick at www.arrl.org/diamond-terrace

For more information on placing a brick in the Diamond Terrace, contact the ARRL Development Office at development@arrl.org or **860-594-0228**

Honoring. Dedicating. Remembering.

Forward Power Reflected Power SWR

All At Once!



Testing, Tuning, Matching, Monitoring - Made Easy!



	CN-501H	CN-501H2	CN-501V/N
Frequency	1.8~150MHz	1.8~150MHz	140~525MHz
Power Range: Forward	15/150/1.5KW	20/200/2KW	20W/200W
Power Rating	1.5KW (1.8~60MHz) 1KW (144MHz)	2KW (1.8~60MHz) 1KW (144MHz)	200W (140~525MHz)
Tolerance	±10% at Full Scale	±10% at Full Scale	±10% at Full Scale
SWR Measurement	1:1~1:∞	1:1~1:∞	1:1~1:∞
SWR Detection Sensitivity	4W MIN	4W MIN	4W MIN
Input/Output Impedance	50 ohms	50 ohms	50 ohms
Input/Output Connectors	SO-239	SO-239	SO-239 or N-Type

CN-501 Economy Series

Compact HF/VHF AVG reading SWR/Power Meter Cross needle technology displays:

• **FORWARD POWER** • **REFLECTED POWER** • **SWR** - *Simultaneously!*



	CN-901HP	CN-901HP3	CN-901V/N	CN-901G
Frequency	1.8~200MHz	1.8~200MHz	140~525MHz	900~1300MHz
Power Range: Forward	20/200/2KW	30/300/3KW	20/200W	2/20W
Tolerance	±10% at Full Scale	±10% at Full Scale	±10% at Full Scale	±10% at Full Scale
SWR Measurement	1:1~1:∞	1:1~1:∞	1:1~1:∞	1:1~1:∞
SWR Detection Sensitivity	5W MIN	5W MIN	5W MIN	0.4W
Input/Output Impedance	50 ohms	50 ohms	50 ohms	50 ohms
Input/Output Connectors	SO-239	SO-239	SO-239 or N-Type	N-Type

CN-901 Professional Series

AVG & True PEP power meter .5 second PEP delay to dampen the needle movement with on/off switch:

• **FORWARD POWER** • **REFLECTED POWER** • **SWR** - *Simultaneously!*



CS-201

Frequency Range (up to): 600MHz
Power Rating: 2.5 kW PEP/1 kW CW
VSWR: Below 1.2:1
Insertion Loss: Less than 0.2 dB
Isolation: 60 dB 600 MHz
Connector: SO 239
Output Port: 2



CS-201GII

Frequency Range (up to): 2 GHz
Power Rating:
 1.5 kW CW (up to 30 MHz)
 250 W CW (up to 1 GHz)
 150 W CW (up to 2 GHz)
VSWR: Below 1.1:3 at 1.3 GHz
Insertion Loss: Less than 1.2 dB at 1.2 GHz
Isolation: 50 dB 1 GHz
Connector: Gold Plated N-Type
Output Port: 2



Call, visit, or click on your favorite dealer today!
www.cometantenna.com | 800-962-2611

KENWOOD

3rd IMDR 110 dB*

RMDR 122 dB*

BDR 150 dB*

Performance Exceeding Expectations.

The most happy and sublime encounters happen in the worst circumstances and under the harshest conditions.

There are enthusiasts who know this all too well because of their love of HF radio.

Results born of certainty and not circumstance. Delivered through impeccable performance. This is our offering to you.



"The Kenwood TS-890S has the highest RMDR of any radio I have ever measured."

- Rob Sherwood - NC0B - December 2018

HF/50MHz TRANSCEIVER
TS-890S

Top-class receiving performance

3 kinds of dynamic range make for top-class performance.

- ▶ Third order intermodulation Dynamic Range (3rd IMDR) 110dB*
- ▶ Reciprocal Mixing Dynamic Range (RMDR) 122dB*
- ▶ Blocking Dynamic Range (BDR) 150dB*

*Values are measured examples. (2kHz spacing:14.1 MHz, CW, BW 500 Hz, Pre Amp OFF)

- ▶ Full Down Conversion RX
- ▶ High Carrier to Noise Ratio 1st LO
- ▶ H-mode mixer

4 kinds of built-in roofing filters

500Hz / 2.7kHz / 6kHz / 15kHz (270Hz Option)

7 inch Color TFT Display

- ▶ Roofing frequency sampling band scope
- ▶ Band scope auto-scroll mode
- ▶ Multi-information display including filter scope

Clean and tough 100W output

Built-in high-speed automatic antenna tuner

32-bit floating-point DSP for RX / TX and Bandscope

*: 2 kHz spacing measurement standard - Receiver frequency 14.2 MHz, MODE CW, BW 500 Hz, PRE AMP OFF

Customer Support: (310) 639-4200



www.kenwood.com/usa



ADS#16221